For KCC	Use:		
Effective [Date:		
District # .			

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
DPERATOR: License#	
lame:	feet from E / W Line of Section
ddress 1:	Is SECTION: Regular Irregular?
ddress 2:	(Note: Locate well on the Section Plat on reverse side)
ity:	County:
ontact Person:hone:	Lease Name: Well #:
TIONS	Field Name:
ONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
Oil Enh Rec Infield Mud Rotary	Ground Surface Elevation:feet MS
Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile: Public water supply well within one mile: Yes N Yes N
Disposal Wildcat Cable	Public water supply well within one mile: Yes No Depth to bottom of fresh water:
Seismic ;# of HolesOther	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I III
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
On contain	Largeth of Cardynatas Rica (if ann.)
Operator:	Projected Total Depth:
Original Completion Date: Original Total Depth:	
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore? Yes No	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken? Yes N
AE	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual p	
t is agreed that the following minimum requirements will be met:	
5. The appropriate district office will be notified before well is either plug6. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order #	If by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ;
 A copy of the approved notice of intent to drill shall be posted on each of the minimum amount of surface pipe as specified below shall be see through all unconsolidated materials plus a minimum of 20 feet into the second of the well is dry hole, an agreement between the operator and the district office will be notified before well is either pluge. If an ALTERNATE II COMPLETION, production pipe shall be cement Or pursuant to Appendix "B" - Eastern Kansas surface casing order # 	t by circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R 🗌 E 🔲 W
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2165 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:			
Operator Address:						
Contact Person:			Phone Number:			
Lease Name & Well No.:			Pit Location (QQQQ):			
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit If Existing, date constructed:			Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:(bbls)		Feet from East / West Line of Section			
Is the pit located in a Sensitive Ground Water A	ırea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No Artificial Liner? Yes No		lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
material, thickness and installation procedure. liner integrity, including any special monitoring.						
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of inforr	west fresh water feet. nation:			
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.			
Submitted Electronically						
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:			

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.


Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	dic Protection Borehole Intent), you must supply the surface owners and abatteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
Select one of the following:	
owner(s) of the land upon which the subject well is or will be lo CP-1 that I am filing in connection with this form; 2) if the form b form; and 3) my operator name, address, phone number, fax, ar	ct (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. cknowledge that, because I have not provided this information, the vner(s). To mitigate the additional cost of the KCC performing this
that I am being charged a \$30.00 handling fee, payable to the K	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

Hegaliy Hegaliy mer, access.

focation as shown a and may not be let Contact fandowner, department for acc

flagress platis cpened f

RAMA OPERATING COMPANY, INC. BENTON LEASE SW. 1/4. SECTION 23. T245. R13W



[•] Controlling data is based woon the best mads and anotographs available to us and ween a regular sucliculus land consgining 640 acres.

February 25, 2020

Approximate a section these were determined using the normal standard of ours of differing surveyors prograting in the state of 60% of 60%. The section conners, which establish the practice section (inexpersed in a macessarily located, one of the entitles the location in the series has nacessarily located, one of the entitles location in the series of the entitles to be a section of the entitles to the series of the entitles o

For KCC Use ONLY	
API # 15	_


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:


- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely

WELL PLUGGING RECORD

Make Required Affidavit		Stafford				4S Rge. 13W RXWK		
Mail or Deliver Report to	Location	on as ."NE,	/CNW}sw}	" or foot:	age from 1	ines		
Conservation Division			SWANE S	W				
State Corporation Comm.	Lease	Owner Cit	ies Se	rvice Co	mpany	,		
245 North Water	Lease 1		nton			ell No. <u>A-6</u>		
Wichita, KS 67202	Office	Address	209 E.	William,	Wichita	,KS 67202		
	Charact	ter of Wel		leted as c ry Hole	Oil, Gas o	r Dry Hole)		
	Date We	ell comple	ted			July 17 1980		
		ation for		g filed		July 17 1980		
-		Application for plugging approved July 17 1980						
-	Pluggi	ng commend	ed	_		July 17 1980		
		Plugging completed July 17 1980						
	Reason	for aband	lonment .	of well o	r producing	g formation		
	If a p	roducing v	ell is	abandoned	date of	last production		
	p.		V		,	19		
Locale well correctly on above Section Plat						ion Division or		
·					ommenced?			
Name of Conservation Agent who Producing formation		prugging oth to tor		ottom Bi		oth of Well 4150		
Show depth and thickness of al					TOTAL Dej	ben of well 1730		
	1 ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Bab	1011111111	, , , , , , , , , , , , , , , , , , ,				
OIL, GAS OR WATER RECORDS						CASING RECORD		
FORMATION	CONTENT	FROM	Го	SIZE	PUT IN	. PULLED OUT		
		1	 -		7	77 02222		
		1	 		1			
,								
Describe in detail the mann	·							
plugs were used, state the cha feet for each pl Plugged as follows: 600' 40 sx					5/ _A	feet to		
360' 40 sx					- AKO	Ø _a		
40'_ 10 sx						20 CA		
5 sx in rat hole, job			p.m.	7-17-80	0 11.	247 Vr		
State Plugger - Bill Owe					ONO V	W O		
Bill Roa	ch, Sterli	ing, Kans	sas		4 P/ V	7 My		
					- Chi 47/01	100 100 m		
								
	··					<u> </u>		
(If additional					this sheet	t) ^{*//}		
Name of Plugging Contractor	HUSKY DRI	LLING CO)., INC	•				
STATE OF KANSAS	COLIN	ту оғ	SEDGW	TCV		,		
Jon T. Williams, Jr		· · · · · · · · · · · · · · · · · · ·				ss. wner or operator)		
of the above-described well, be	ing first d	uly sworn						
the facts, statements, and matt	ers herein	contained	and the	log of t	he above-d	escribed/Well		
as filed and that the same are	true and co	rrect. S	help m	God)	0000			
	•		- //		1.111	-//		
	(Sig	nature) <u>C</u>			allan	red of		
	,	200) E/ Fi			chita/KS 67202		
GEOGGETTER AND GEORGE CO.	_				Address)			
SUBSCRIBED AND SWORN TO be	erore me this	s <u>18th</u>	/ day	of	July	, 19 80		
		· «	Deral	dine	Stewar	t		
		Ğe	aldine	Stewart	No	tary Public.		
My commission expires	y 12, 1981				,			
		Ĺ						
	7							





200 E. First, Suite 500 800 XHITTIMOX BldaX Wichita, Kansas 67202 Phone 316 - 263-7904 Mobile Phone 316 - 793-7859 Unit 7070

July 18, 1980

WELL LOG-

SW, NE SW of Sec. 23-24S-13W, Stafford Co., Kansas Located:

ŃW

Cities Service Company

ROTARY CONTRACTOR: Husky Drilling Co., Inc.

Rotary Contractor: 4150' Elev. 1914 KB

COMMENCED: July 8, 1980 COMPLETED: July 17, 1980

LOG	•	CASING	RECORD

Ran 9 jts., new 24# 8-5/8" casing, 0 - 150 Sand, soil & clay tallied 343.25 set at 350 KB w/275 150 - 353 Red Bed sx 50/50 poz, 2% cc, plug down @ 12:05 a.m. 7-9-80, cement did circ.

353 - 754 Anhydrite by HOWCO

754 - 825 Shale

825 - 1750Shale & shells

1750 - 3575 Shale & lime

3575 - 3621 Lime

3621 - 3715 Lime & shale

3715 - 3936 Lime

Lime & shale 3936 - 4040

4040 - 4110Lime

4110 - 4150 Dolomite

Plugged & Abandoned 7-17-80.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Shari Feist Albrecht, Commissioner Dwight D. Keen, Commissioner

NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Shari Feist Albrecht, Commissioner Dwight D. Keen, Commissioner

March 03, 2020

Robin Austin Rama Operating Co., Inc. 101 S MAIN ST STAFFORD, KS 67578-1429

Re: Drilling Pit Application Benton "A" 6 SW/4 Sec.23-24S-13W Stafford County, Kansas

Dear Robin Austin:

District staff has inspected the location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined. If a plastic liner is to be used it must have a minimum thickness of 80 mil. Integrity of the liner must be maintained at all times.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill.** If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.