KOLAR Document ID: 1509418

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City:	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
	If yes, show depth set: Feet
If Workover/Re-entry: Old Well Info as follows:	
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR	·
GSW	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY			
Confidentiality Requested			
Date:			
Confidential Release Date:			
☐ Wireline Log Received ☐ Drill Stem Tests Received			
Geologist Report / Mud Logs Received			
UIC Distribution			
ALT I II III Approved by: Date:			

KOLAR Document ID: 1509418

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.go\	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion		
Operator	Bobcat Oilfield Service, Inc.		
Well Name	CAYOT 12-19		
Doc ID	1509418		

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	8.75	6	10	20	Portland	5	50/50POZ
Production	5.625	2.875	8	699	Portland	85	50/50POZ

Lease:	Cayot	
Owner:	Bobcat Oilfield	l Services
OPR #:	3895	T A
Contractor:	DALE JACKSON	PRODUCTION CO.
OPR #:	4339	\$ /#\ .s.
Surface:	Cemented:	Hole Size:
20' of 6"	5 Sacks	8 ¾"
Longstring:	Cemented:	Hole Size:
699' 2 7/8 8rd	85 sacks	5 5/8
l		

Dale Jackson Production Co.

Box 266, Mound City, KS 66056

Cell # 620-363-2683

Office # 620-363-2696

	_
Well #: 12-19	
Location: SENWSESWS24T16SR21E	
County: Miami	
FSL: 701	
FEL: 3348	
API#: 15-121-31618	
Started: 11-25-2019	
Completed: 11-26-2019	

SN: ---- Packer: ---- 1

Plugged: ---- Bottom Plug: ----

TD: 711'

Well Log

TKN	ВТМ	Formation	TKN	втм	Formation
	Depth			Depth	
2	2	Top soil	19	603	Shale (Limey)
8	10	Clay	5	608	Lime
24	34	Lime	18	626	Shale (Limey)
4	38	Black shale	2	628	Lime
9	47	Lime	2	630	Black shale
11	58	Shale (Limey)	27	657	Light shale (Limey)
17	75	Lime	2	659	Lime
6	81	Shale	6	665	Shale (Limey)
6	87	Red bed	3	668	Black shale
14	101	Shale	6	674	Shale (Limey)
17	118	Lime	1	675	Lime
6	124	Shale	3	678	Shale
3	127	Sand	3	681	Light shale
20	147	Shale sandy	3	684	Oil sand (Some shale) (Poor bleed)
60	207	Shale	2	686	Oil sand (Very shaley) (Poor bleed)
23	230	Lime	3	689	Sandy shale (Oil sand streak)
5	235	Shale	TD	711	Shale
5	240	Sandy shale			
10	250	Shale			
10	260	Lime			
6	266	Shale			
4	270	Sandy shale			
18	288	Sand			
2	290	Lime (Strong odor)			
5	295	Sand (No oil show)			
1	296	Sandy shale			
12	308	Lime			
2	310	Black shale (Limey)			
17	327	Shale			
9	336	Lime			
3	339	Shale (Limey)			Surface 20" of 6"
12	351	Lime			Set Time 3:00PM 11-25-2019
13	364	Black shale			Called Brooke 1:13PM
19	383	Lime			Long String 699' 2 7/8 8rd 711'TD
5	388	Black shale			Set Time 2:30PM 11-26-2019
13	401	Lime			Called Brooke 1:44PM
102	503	Shale			
23	526	Light shale (Lime)			
4	530	Black shale			
35	565	Shale			
8	573	Lime			
8	581	Shale			
3	584	Lime			
		I.	<u> </u>	<u>I</u>	l