KOLAR Document ID: 1513037

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:			
Name:	Spot Description:			
Address 1:				
Address 2:	Feet from North / South Line of Section			
City:	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()	□ NE □ NW □ SE □ SW			
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx) Datum: NAD27 NAD83 WGS84			
Wellsite Geologist:				
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:			
☐ Oil ☐ WSW ☐ SWD	Producing Formation:			
☐ Gas ☐ DH ☐ EOR	Elevation: Ground: Kelly Bushing:			
☐ OG ☐ GSW	Total Vertical Depth: Plug Back Total Depth:			
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet			
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to:w/sx cmt.			
Original Comp. Date: Original Total Depth:				
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan			
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)			
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls			
Dual Completion Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
EOR Permit #:	On any ban Name			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West			
Recompletion Date Recompletion Date	Countv: Permit #:			

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1513037

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to	Geological Sur	vey	Ye	es 🗌 No		Name)		Тор	Datum
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia reicent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At				Record	
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion			
Operator	J-V Oil, LLC			
Well Name	UHREN 3-H			
Doc ID	1513037			

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight		Type Of Cement		Type and Percent Additives
Surface	12	7	15	20	portland	6	none
Production	5.875	2.875	7	988	portland	135	none

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588 NOTICE TO OWNER
Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filling of a mechanic's lien on the property which is the subject of this contract.

Payless Concrete Products, Inc.

CONDITIONS

Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request.

Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

C11.11.11.310	2 010						
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
2:06 PM	WELL	(3.50	13.50		36		MILCO
DATE	O NUMBER	LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
178/20		1	13.50	16	8.00 4	00 in	47100

WARNING

IRRITATING TO THE SKIN AND EYES
Contains Portland Gement. Wear Rubber Boots and Gloves. PROLONGED CONTACT MAY
CAUSE BURNS. Avoid Contact With Eyes and Prolonged Contact With Skin. In Case of
Contact With Skin or Eyes, Flush Thoroughly With Water, if Irritation Persists, Get Medical
Attention. KEEP CHILDREN AWAY.

CONCRETE is a PERISHABLE COMMODITY and BECOMES the PROPERTY of the PURCHASER UPON LEAVING the PLANT. ANY CHANGES OR CANCELLATION of ORIGINAL INSTRUCTIONS MUST be TELEPHONED to the OFFICE BEFORE LOADING STARTS.

The undersigned promises to pay all costs, including reasonable attorneys' fees, incurred in collecting any sums owed.

All accounts not paid within 30 days of delivery will bear interest at the rate of 24% per annum.

Not Responsible for Reactive Aggregate or Color Quality. No Claim Allowed Unless Made at Time Material is Delivered.

A \$30 Service Charge and Loss of the Cash Discount will be collected on all Returned Checks. Excess Delay Time Charged @ \$60/HR.

PROPERTY DAMAGE RELEASE (TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)

(TO BE SIGNED IF DELIVERY TO BE MADE INSIDE CURB LINE)
Dear Customer-The driver of this truck in presenting this RELEASE to
you for your signature is of the opinion that the size and weight of his
truck may possibly cause damage to the premises and/or adjacent
property if it places the material in this load where you desire it. It is
our wish to help our every way that we can, but in order to do this
the offier is requesting that you sign his RELEASE relieving him and
this supplier from any responsibility from any damage that may occur
to the premises and/or adjacent property, buildings, sidewise,
chriwways, curbs, etc., by the delivery of this material, and that you
also agree to help him remove mud from the wheels of his vehicle so
that he will not litter the public street. Further, as additional consideration, the undersigned agrees to indomnity and hold harmless the driver
of this truck and this supplier for any and all damage to the premises
and/or adjacent property which may be claimed by anyone to have
arisin out of delivery of this order.

Excessive Water is Detrimental to Concrete Performance H₂0 Added By Request/Authorized By

WEIGHMASTER

LOAD RECEIVED BY

X **UNIT PRICE** EXTENDED PRICE QUANTITY CODE DESCRIPTION \$1,012.50 \$165.00

RETURNED TO PLANT	LEFT JOB	FINISH UNLOADING	DELAY EXPLANATION/CYLINDER TEST TAKEN	TIME ALLOWED	\$1,515.
•			1. JOB NOT READY 8. TRUCK BROKE DOWN 2. SLOW POUR OR PUMP 7. ACCIDENT 3. TRUCK AHEAD ON JOB 8. CITATION	× TA	\$ 6.50 \$980 \$1,613 \$1,613
LEFT PLANT	ARRIVED JOB	START UNLOADING	CONTRACTOR BROKE DOWN OTHER ADDED WATER	TIME DUE	11,013
1220	109	130			ADDITIONAL CHARGE 1
TOTAL ROUND TRIP	TOTAL AT JOB	UNLOADING TIME		DELAY TIME	ADDITIONAL CHARGE 2
					GRAND TOTAL

Driller's Log

Lease:	Uhren	Well # 3-H	Date: 1)-26-190		Pipe:
FT	Formation	Total	Remarks	Plotters	later (Manual) 1
2	Soil	2			
1.7	Clay	9			23 >
44	Shale	53			
11	Line	64	1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1		TE SIME 24
31	Shale	95			
1	Lime	96			35.77
99	Shale	195			
75	Line	270	Jank A Albert	A MARINE MARINE	136 JEB
4	Blackshole	277			
3.	Line	276			818
37	Shall	313			
77	Lunc	390			SCP .
92	Shale	483			
10	Line	492			Land Control of the C
6	Shale	478	C)		
1/	bine	509	500 oder		TOT L
11	Shale	200			
3	Lane	523			F 365 - 7.8 6
31,	Shale	555			139 C 149
11	Lines	255			475-046
45	1	600			
3	Ling				200 - 200 -
5	Shale	608			
(25)	Line	633			
1	Shall	652			
1	Link	655	de airea de la companya della companya de la companya de la companya della compan	NAME OF TAXABLE PARTY.	651
3	Coal	655			
16	Shale	601	672 od:		
30	Line	691	672 od		
13	Summit	616			
6	Mulkey	709	d treesday to Steel Steel		
1)	markey	101			
1	Shale	720			
9	Line Odsand Shale	730	721,11	pitquel blace	730
36	Shale	17/1	1210110N	or good present	
1	Line	767	No. 12 20 20 20 20 20 20 20 20 20 20 20 20 20		
2	Con	769		THE THE PARTY OF T	
16	Shale	735			and the second s
1	1101	786		1.478	
2	Line	788			
	chaile	875			
1	Shoile Lime	827			HARRISH BARRES
2	Cont	824			
				NAME OF TAXABLE PARTY.	

Driller's Log

Lease:		Well #	Date:	Cement:	Pipe:
FT	Formation	Total	Remarks	Lauren	Total Total
60	Shale	837			
1	Lune	835		4	1. Can
2	Coul	885			
25	Chall	917			19 307 1
2	Shale Coal Shale	912			
	CGa	11/			36 3617
1982	39916				
Mean and	926	Nel Gand	Rakan SI	ght bleed	000 300
-	937	011 961101	Daren Si) 11	
	924				Man Day E
-	929	NO DE LA CONTRACTION DE LA CON	Control of the second		
	927	CHOROL SUPERIOR CONTROL	Chicago Caraca Cara		1721 Care 392
10000	930	Series Series			
10000		100 M 100 M 100 M 100 M		Chesagona Company	10 Limit = 199
	932				
	955			1-3 032	232 - SAL-MA
and the same of	939				3000 CO
	955	0 1		11111	
	936-94	O Droke	Sand Sli	ght bleed	THE SECOND CONTRACTOR OF THE SECOND CONTRACTOR
	970-942				192
	942-944	1	11	11 11	STATE OF THE PARTY
	999-996	1 1 3 3 5		1 1	
	946-948	1	1(1 1	
	948-950				
13	950	0115900	good 6	1410	
8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	951	11/11	11		
13	952	1111	11	1/	
多母	452	01/590	rtl 1	1	
XXXX		Oreat	bleed		
48	954				
48	955				
	956				
	957	Shale			
	958				
					37.3
					13112 31862
					(a) (b) (b)
	A STATE OF THE PARTY OF THE PAR				
					181 and 1
100					
					14.8
					1 48 1 HO-164