KOLAR Document ID: 1413894

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1413894

Page Two

Operator Name:				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	st West	County:				
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		Re			New Used	ion, etc.		
Purpose of Strin		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l		
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			ON INTERVAL:
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	Submit ACO-18.)							
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5513 1200 10.	5120.		···	. 30.0.71				

Form	ACO1 - Well Completion
Operator	Slawson Exploration Company, Inc.
Well Name	JAMES RE BF #1
Doc ID	1413894

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	23	313	common		2% Gel, 3%CC
Production	7.875	4.5	13.5	4850	common	960	2% Gel, 10%salt

GLOBAL JIL FIELD SERVIC S, LLC

REMIT TO

24 S. Lincoln Russell, KS 67665

SERVICE POINT:

11.00	SEC.	TWP.	RANGE	CALLED OUT	ONLLOCATION	Top a=	
DATE //-007/	9	N Marie B	TO II TO I	CALLED OUT	ON LOCATION	JOB START	JOB FINISH
LEASE Jame		and Married				COUNTY	OTATO
	0 =		LOCATION MA	wagne 825		Spangs	STATE
OLD OR NEW	(CIRCLE ONE)		TRUD one ROB			111011143	173
CONTRACTOR							
TYPE OF JOB	310156	0 - 1 - 1		OWNER			
HOLE SIZE	S Y STRING	T.I		Con al heither ed ty in a			
CASING SIZE	3 2		PTH	CEMENT	131		
TUBING SIZE			PTH	AMOUNT ORD	ERED67	Sey 60/40	64,601
DRILL PIPE	The state of the s		PTH	500 991	1=1455	****	
TOOL			PTH	2500	24657	Flu See!	
PRES. MAX			NIMUM		100		
MEAS. LINE			OE JOINT	_ COMMON	953	@	
CEMENT LEFT IN (CSG.		and the state of t	POZMIX	410	_ @	
PERFS				GELCHLORIDE		_ @	
DISPLACEMENT	734611			_ ASC_	G	_ @	-
	EQUIPME	NT		ASC	1 20/1	_ @	
TUY DE COMMENT				CONTRACTOR OF THE PARTY OF THE	70103	_ @	
PUMP TRUCK	CEMENTER	Bill				_ @	
# PIULY TRIVIA	HELPER	TASOI	V			_ @	
BULK TRUCK	La companie	100		Alexander and the second and the sec		_ @	
BULK TRUCK	DRIVER	Tom		The state of the s		_ @	
	DBWED	-11	,	plate and the second se		@	-
T	DRIVER	F00:			The state of the s	. @	
		Jason		HANDLING_	996	@ 1.90	
				MILEAGE	.08/996	140	
inches and a series as	DEMA						-
The same of the sa	NEIVE	RKS:			/	TOTAL	
DUTOOI-	2 KEMA	ARKS:			oriente de	TOTAL	-
DIDE AND	2 484C		2 2	n blerkhris Jandard y	only and one	TOTAL	
Pipe and	9978	Shee Ju		emply defend, shafrasid in	SEI	TOTAL RVICE	
Pipe and C	1823-	Shoe Ji	Sougel Flu	m bien bae handen glans.	SEI		
Pipe per C	1823-	Shoe Ji		DEPTH OF JOB			
Pipe per Control	24845 1823-	Shoe 37	5 02 gol Flu 2 yo cc to 5=10	PUMP TRUCK CI	HARGE		
Pipe ned of sept and how open grands	24845 1823-	Shoe Ji	5 02 gol Flu 2 yo cc to 5=10	PUMP TRUCK CI EXTRA FOOTAG	HARGE	RVICE @	
PUTOOL- PIPE AND LONG Land HONE PROPERTY OF	1823- 1823- 1823- 1800 FF100	Shoe 34 Bonfood	5 02 gol Flu 2 yo cc to 5=10	PUMP TRUCK CI EXTRA FOOTAG MILEAGE	HARGEE_	RVICE	430000
Pipe and Control Pipe and Control Porton Por	1823- 1823- 1823- 1800 FF100	Shoe 34 Bonfood	5 02 gol Flu 2 yo cc to 5=10	PUMP TRUCK CI EXTRA FOOTAG	HARGEE_	RVICE @	
PUTOOL- PIPE 231 C PORT DO H PORT PLUS PURP PLUS PURP PLUS PURP PLUS PURP PLUS	1823- 1823- 1823- 1800 Floor 1800 Cool 60/40 Cool 60/40 Cool 81/94+ S	Shoe St 18 app Com 18 app Co	emt w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGEE_	RVICE @	430000
DUTOOL- PIPS PROPERTY PURPS PROPERTY CHARGE TO:	1823- 1823- 1823- 1800 Floor 1800 Cool 60/40 Cool 60/40 Cool 81/94+ S	Shoe St 18 app Com 18 app Co	emt w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGEE_	RVICE @	430000
CHARGE TO:	64845 1823- 1823- 1823- 1804- 1940- 1940- 1944- 1944-50	Shoe 37 Representations All hos Comments	ent w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGEE_	RVICE @	230000 -2000
STREET	6928 1823- 1823- 1823- 1823- 1823- 1823- 1945- 194	Shoe 34 E on Con Has E 2/0 for the s the exs	emt uf	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGEE_	RVICE @	230000 -2000
STREET	6928 1823- 1823- 1823- 1823- 1823- 1823- 1945- 194	Shoe 34 E on Con Has E 2/0 for the s the exs	ent w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E HALLOS FRAK 102	RVICE @ @ @ @ TOTAL	200000 - 100 ° °
STREET	6928 1823- 1823- 1823- 1823- 1823- 1823- 1945- 194	Shoe 34 E on Con Has E 2/0 for the s the exs	emt uf	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E HALLOS FRAK 102	RVICE @	200000 - 100 ° °
STREET	4845 1823- 1823- 1823- 1823- 1823- 1945 1945 STATE	Shoe 34 Experience 18 Conf Conf 18 Conf Conf 18 Conf Conf 18 C	emt uf	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E HALLOS FRAK 102	RVICE @ @ @ @ TOTAL	20000 2000
STREET	STATE	Shoe Sylvania Company	ent w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ @ @ @ TOTAL AT EQUIPMEN	230000 400 00
Global Oil Field	STATE Sequested to re	Shoe Street Stre	ent w	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E F F PLUG & FLOA	RVICE @ @ @ TOTAL AT EQUIPMEN	T
Global Oil Field You are hereby refurnish cementer a	STATE Services, I equested to reund helper(s) to	Shoe Sylves Constitute of assist over	and plug 1200 th	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### EQUIPMEN	7 %
Global Oil Field You are hereby refurnish cementer a	STATE d Services, I equested to read helper(s) to the above	ZIP -	ng equipment and ner or contractor to	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### EQUIPMEN ### EQUIPMEN	7 %
Global Oil Field You are hereby refurnish cementer a do work as is listed	STATE d Services, I equested to read helper(s) to d. The above fowner agent	ZIP	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ @ TOTAL AT EQUIPMEN @ ### ***************************	T
Global Oil Field You are hereby refurnish cementer a do work as is liste and supervision of understand the "C	STATE STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL TI	ZIP	ng equipment and ner or contractor to	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### EQUIPMEN ### EQUIPMEN	T
Global Oil Field You are hereby refurnish cementer a do work as is liste and supervision of understand the "C	STATE STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL TI	ZIP	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### ### ### ### ### ### ### ### ### #	130000 100 °C
Global Oil Field You are hereby refurnish cementer a do work as is listee and supervision of understand the "C isted on the revers	STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL The side.	ZIP	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### ### ### ### ### ### ### ### ### #	T
Global Oil Field You are hereby refurnish cementer a do work as is listee and supervision of understand the "C isted on the revers	STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL The side.	ZIP	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ ### TOTAL AT EQUIPMEN ### ### ### ### ### ### ### ### ### #	1300 00 100 00
Global Oil Field You are hereby refurnish cementer a do work as is listee and supervision of understand the "C isted on the revers	STATE STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL The side.	ZIP ZIP LLC ent cementi o assist own work was cor contractor ERMS ANI	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD SALES TAX (If An	HARGE E PLUG & FLOA	RVICE @ @ @ TOTAL AT EQUIPMEN @ @ @ @ @ #### TOTAL	T ***
Global Oil Field You are hereby refurnish cementer a do work as is lister and supervision of understand the "C	STATE STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL The side.	ZIP ZIP LLC ent cementi o assist own work was cor contractor ERMS ANI	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD SALES TAX (If An	HARGE E PLUG & FLOA	RVICE @ @ @ TOTAL AT EQUIPMEN @ @ @ @ @ #### TOTAL	T ***
Global Oil Field You are hereby refurnish cementer a do work as is listee and supervision of understand the "C isted on the revers	STATE STATE d Services, I equested to read helper(s) to d. The above fowner agent GENERAL The side.	ZIP ZIP LLC ent cementi o assist own work was cor contractor ERMS ANI	ng equipment and her or contractor to lone to satisfaction	PUMP TRUCK CI EXTRA FOOTAG MILEAGE MANIFOLD	HARGE E PLUG & FLOA	RVICE @ @ @ TOTAL AT EQUIPMEN @ @ @ @ @ #### TOTAL	T