#### KOLAR Document ID: 1514491

Confider	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL HISTORY - DESCRIPTION OF W	/ELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
Gas DH EOR	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec Twp S. R East _ West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

#### KOLAR Document ID: 1514491

Operator Name:	Lease Name:	Well #:
Sec TwpS. R East 🗌 West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Becker, Steve A. dba A & A Well Service
Well Name	SMITH W6-19
Doc ID	1514491

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	12.5	639	Portland	5	N/A
Production	5.875	2.5	5.5	639	Portland	80	N/A

18-23 33-28 28-33

0.3 Topsoil 2. 80 LIME SHOUL 80 - 89 89-129 LIME 129-142 SHARE 142-150 Lime 150 -267 Sthere 201-200 LINR Jov- 546 Suma 316-349 Limes 349-356 Stace 356-373 Lime 373-375 SILDER 375- 384 Lime 384-433 Sitace 433-450 LIME 450.458 Store 458- '02 Lma 462-618 Store 618- 235 Sandy State odoca Show 635-642 TD Stone

6 6

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749 Phone: (620) 365-5588

Payless Concrete Products, Inc. NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract an result in the filing of a mechanic's lien on the property which is the subject of this contract.

54 E TO 59 HWY - 5 YO OF

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck'i for ontractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION
	BER	8.00	8.004		30		
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
		1	8.00 31		3.00 4	00 1	1.6960
CAUSE BURNS. Avoid C Contact With Skin or Eve	WARNING TING TO THE SKIN t. Wear Rubber Boots and Gloves, ontact With Eyes and Prolonged s, Flush Thoroughly With Water, If	Contact With Skin. In Case of	PROPERTY DAMAGE (TO BE SIGNED IF DELIVERY TO BE Dear Customer-The driver of this truck you for your signature is of the ophion truck may possibly cause damage to property if it places the material in this	MADE INSIDE CURB LINE) in presenting this RELEASE to that the size and weight of his the premises and/or adjacent load where you desire it. It is	H₂0 A0 GAL >	is Detrimental to Conc Ided By Request/Autho	rized By
Attention. KEEP CHILDRE CONCRETE is a PERISHABL LEAVING the PLANT. ANY TELEPHONED to the OFFICE The undersigned promises to any sums owed. All accounts not paid within 30	IN AWAY. E COMMODITY and BECOMES the PRI CHANGES OR CANCELLATION of OR BEFORE LOADING STARTS. pay all costs, including reasonable at days of delivery will bear interest at the r e Aggregate or Color Quality. No Cla	DPERTY of the PURCHASER UPON IGINAL INSTRUCTIONS MUST be tomeys' fees, incurred in collecting ate of 24% per annum.	our wish to help you in every way that the driver is nequesting that you sign th this suppler from any responsibility for to the premises and/or adjoont p driveways, curbs, eld; by the delivery also agree to help him remove mud for that he will not litter the public street. F ton, the undersigned agrees to indemni of this truck and this suppler for any a and/or adjoont property, which may be arise out of delivery of this order. SIGNED	is RELEASE relieving him and m any damage that may occur roparty, buildings, sidewalks, of this material, and that you m the wheels of his vehicle so urther, as additional considera- ty and hold harmless the driver of all damage to the premises	WEIGHMASTER NOTICE: MY SIGNATURE BE NOTICE: AND SUPPLIER W WHEN DELIVENING INSIDE C LOAD RECEIVED BY:	LOW INDICATES THAT I HAVE ILL NOT BE RESPONSIBLE URB LINE.	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
A \$30 Service Charge and Excess Delay Time Charged @	Loss of the Cash Discount will be coll	lected on all Returned Checks.	X		X		
		DESCRIPTION	X		X	UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged	9 \$60/HR.		X	(T) B B	X	UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged	9 \$60/HR.	DESCRIPTION	X	(T) 8 9		UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged @	9 \$60/HR.	DESCRIPTION	X	T) B B		UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged	9 \$60/HR.	DESCRIPTION	X	(T) B B		UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged ( QUANTITY	9 \$60/HR.	DESCRIPTION	X       DELAY EXPLANATION/CYLII	NDER TEST TAKEN		UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged ( QUANTITY	CODE	DESCRIPTION	DELAY EXPLANATION/CYLII 1. JOB NOT READY 2. SLOW FOUR OR POMP 3. TRUCK AHEAD ON JOB	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	00 00 *	UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged @	CODE	DESCRIPTION FINISH UNLOADING	DELAY EXPLANATION/CYLII 1. JOB NOT READY 2. SLOW FOR DR DIMP	6. TRUCK BROKE DOWN 7. ACCIDENT	00 00 *	UNIT PRICE	EXTENDED PRICE
Excess Delay Time Charged ( QUANTITY	CODE LEFT JOB	DESCRIPTION FINISH UNLOADING	DELAY EXPLANATION/CYLI 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED	UNIT PRICE	
Excess Delay Time Charged ( QUANTITY	CODE LEFT JOB	DESCRIPTION FINISH UNLOADING	DELAY EXPLANATION/CYLI 1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB 4. CONTRACTOR BROKE DOWN	6. TRUCK BROKE DOWN 7. ACCIDENT 8. CITATION	TIME ALLOWED	7.90	1