KOLAR Document ID: 1511773

For KCC Use:						
Effective Date:						
District #						
SGA?	Yes No					

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form C-1
March 2010
Form must be Typed
Form must be Signed
All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R [E [] \
DPERATOR: License#	feet from N / S Line of Section
Vame:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City:	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Mall Drillad Fav. Mall Class. Time Favingsont.	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary	Public water supply well within one mile:
Disposal Wildcat Cable	Depth to bottom of fresh water:
Seismic ; # of Holes Other	Depth to bottom of usable water:
Other:	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
	Length of Conductor Pipe (if any):
Operator:	
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth: Water Source for Drilling Operations:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
f Yes, true vertical depth:	
Bottom Hole Location:	DWR Permit #:(Note: Apply for Permit with DWR)
VCC DVT #:	(Note: Apply for a strike that BVVV
NOC DN 1 #:	Will Cores be taken?
NOC DN I #	Will Cores be taken? If Yes, proposed zone:
	If Yes, proposed zone:
AFF	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug	If Yes, proposed zone:
The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met:	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	If Yes, proposed zone:
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	If Yes, proposed zone: IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig;
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: IDAVIT IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the	If Yes, proposed zone: IDAVIT IDAVIT
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In drilling
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distress. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In y circulating cement to the top; in all cases surface pipe shall be set underlying formation. In ict office on plug length and placement is necessary prior to plugging; In dead or production casing is cemented in; If from below any usable water to surface within 120 DAYS of spud date.
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distr 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases are pipe shall be set underlying formation. In the complete of the complete
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the complete of the complete of the complete of the cases are pipe shall be set underlying formation. In the complete of the complete
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the district. 5. The appropriate district office will be notified before well is either plugge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	If Yes, proposed zone: IDAVIT In gring of this well will comply with K.S.A. 55 et. seq. In drilling rig; In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. If the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set underlying formation. In the complete of the top; in all cases surface pipe shall be set un
AFF The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to:
AFF The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification
AFF The undersigned hereby affirms that the drilling, completion and eventual plug t is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrest. 5. The appropriate district office will be notified before well is either plugger 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #13 must be completed within 30 days of the spud date or the well shall be	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
AFF The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the surface of the specific of the set of t	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; I from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugic is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the interval of the distrection of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders;
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the set of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; If rom below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date;
The undersigned hereby affirms that the drilling, completion and eventual plugit is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the distrection of the distrection	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
The undersigned hereby affirms that the drilling, completion and eventual plug is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i> to through all unconsolidated materials plus a minimum of 20 feet into the set. If the well is dry hole, an agreement between the operator and the distrection of the intensity of the specific of the set of	IDAVIT gging of this well will comply with K.S.A. 55 et. seq. drilling rig; by circulating cement to the top; in all cases surface pipe shall be set underlying formation. ict office on plug length and placement is necessary prior to plugging; ed or production casing is cemented in; from below any usable water to surface within 120 DAYS of spud date. 33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Well will not be drilled or Permit Expired Date: _

Signature of Operator or Agent:

For KCC Use ONLY
API # 15

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:						
Lease:	feet from N / S Line of Section						
Well Number:	feet from E / W Line of Section						
Field:							
Number of Acres attributable to well:	is section. Regular of Integular						
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW						
lease roads, tank batteries, pipelines and electrical lines, a	PLAT Trest lease or unit boundary line. Show the predicted locations of the service of the serv						
	LEGEND						
©—	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location						
	EXAMPLE :						
	1980' FSL						

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1511773

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:				
Operator Address:						
Contact Person:		Phone Number:				
Lease Name & Well No.:		Pit Location (QQQQ):				
Type of Pit:	Pit is:					
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R			
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section			
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(111)	Feet from East / West Line of Section			
		(bbls)	County			
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)			
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?			
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits			
Depth fro	om ground level to dee	pest point:	(feet) No Pit			
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.			
Distance to nearest water well within one-mile of	of pit:	Depth to shallowest fresh water feet. Source of information:				
feet Depth of water well	feet	measured	well owner electric log KDWR			
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:			
Producing Formation:		Type of material utilized in drilling/workover:				
Number of producing wells on lease:		Number of working pits to be utilized:				
Barrels of fluid produced daily:		Abandonment procedure:				
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.				
	-					
Submitted Electronically						
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS						
Date Received: Permit Numl	ber:	Permi				

KOLAR Document ID: 1511773

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled


CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)						
OPERATOR: License #	Well Location:						
Name:	SecTwpS. R East						
Address 1:	County:						
Address 2:	Lease Name: Well #:						
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of						
Contact Person:	the lease below:						
Phone: () Fax: ()							
Email Address:							
Surface Owner Information:							
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional						
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the						
Address 2:	county, and in the real estate property tax records of the county treasurer.						
City: State: Zip:+							
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.						
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.						
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.						
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.						
Submitted Electronically							

RAMA OPERATING COMPANY, INC. HILLARD LEASE NE. 1/4, SECTION 1, T285, R13W PRATT COUNTY, KANSAS



^{*} Controlling data is based upon the best maps and photographs available to us and upon a regular section of land containing 640 acres.

*Ingress plat is opened t

April 13, 2020

Approximate section lines were determined using the normal standard of care of oilfield surveyors practicing in the state of Kansas. The section corners, which establish the precise section lines, were not necessarily located, and the exact location of the drillsite location in the section is not guaranteed. Therefore, the operator securing this service and accepting this plat and all other parties relying therean agree to hold Central Kansas Diffield Services, Inc., its afficers and employees harmless from all lasses, costs and expenses and said entities released from any liability from incidental or consequential damages

For KCC Use ONLY	
API # 15	-

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

SEWARD CO. 3390' FEL

1980' FSL

Operator:	Rama (Operati	ng Co.	Inc.			Loc	cation of W	/ell: Cou	nty:	PRATT	
Lease:											feet from N / S Line of Secti	on
Well Numb	oer:										feet from E / W Line of Section	on
Field:							Se	c	Twp.		S. R	
Number of	Acres attri	ibutable to	well:				- le ⁽	Section:	Reg	ular or	Irregular	
QTR/QTR	/QTR/QTR	of acreag	e:				-	occion.	ixcg	aiai oi	megulai	
							If S	Section is	Irregula		e well from nearest corner boundary.	
							Se	ction corne	er used:	NE	E NW SE SW	
							PLAT					
	Sh	now locatio	on of the w	ell. Show t	footage to th	ne neares	st lease or	unit bound	dary line.	Show t	the predicted locations of	
	lease roa	ds, tank b	atteries, pi	ipelines and						ce Own	ner Notice Act (House Bill 2032).	
								plat if desi	ired.		-	
					1050)¦ FNL			7			
		:	:	:				:				
		:	:	<u> </u>							LEGEND	
						.	· · · · · · · · · · · · · · · · · · ·		19(Well Location	
		:	:			$\stackrel{\mathtt{v}}{\leftarrow}$:	900'	Г	Tank Battery Location	
		:	:	:	:		:	:	FE	_	Pipeline Location	
		:	:	:	:		:	:	T	_	Electric Line Location	
		:	:	:				:		_	Lease Road Location	
		•	•	•	•••••		•	•				
		:	:	<u>:</u>				:				
										EXAN	MPLE : :	
		· :	· :	: 	l — :	:	:	<u>.</u> :	-			
		:	:					•				
		:	:	:	:			:				
		:	:	:	:			:				
		: :	: :	:				: :				

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.

PRATT

- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Shari Feist Albrecht, Commissioner Dwight D. Keen, Commissioner

April 30, 2020

Robin Austin Rama Operating Co., Inc. 101 S MAIN ST STAFFORD, KS 67578-1429

Re: Drilling Pit Application Hillard 5-1 NE/4 Sec.01-28S-13W Pratt County, Kansas

Dear Robin Austin:

District staff has inspected the above referenced location and has determined that an unsealed condition will present a pollution threat to water resources.

District staff has recommended that the reserve pit be lined with bentonite or native clay, constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

KEEP PITS on North side of stake.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (620) 682-7933 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 682-7933.