KOLAR Document ID: 1524389

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	SecTwpS. R East West
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx) Datum: NAD27 NAD83 WGS84
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
□ Oil □ WSW □ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	Leading of fleth diseased if headed offelia
EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Could Date or Date Decembed TO Commission Date or	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY				
Confidentiality Requested				
Date:				
Confidential Release Date:				
Wireline Log Received Drill Stem Tests Received				
Geologist Report / Mud Logs Received				
UIC Distribution				
ALT I II III Approved by: Date:				

KOLAR Document ID: 1524389

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives			
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	ALEXANDER EAST A-4
Doc ID	1524389

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	7	24	42	Portland	12	NA
Production	5.875	2.875	7	1110	HD5055	150	See Ticket

DRILLERS LOG

								_		
API NO:	15 - 207	29756 - 00	- 00		_			•••	S . 2	T. 24
OPERATOR:	ALTAVIS	TA ENERGY	INC		_				LC	CATION:
ADDRESS:	4595 K-3	3 HWY, P.O. (BOX 128,	WELLSVII	LE, KS 66	092		_		COUN' ELEV. G
WELL #:	A - 4	_	LEAS	E NAME:	ALEXAND	ER EAST		_		
FOOTAGE LOC	CATION:	2690	FEET	FROM	(N)	<u>(S)</u>	LINE	720	FEET	FROM
CONTR	RACTOR:	FINNEY DRI	LLING CO	MPANY				GEO	LOGIST:	DOUG

S . 2	T. 24	R.	16	<u>E.</u>		W.
	LOCATION:	SE	sw	SE NE	<u> </u>	
	COUNTY:	wo	opse	ON		
	ELEV. GR.:	1	073			
1	DF:				(B:	

<u>(E)</u>

(W)

LINE

GEOLOGIST: DOUG EVANS

P.B.T.D. SPUD DATE: 2/10/2020 TOTAL DEPTH: 1120

OIL PURCHASER: COFFEYVILLE RESOURCES CRUDE TRANSPORTATION DATE COMPLETED: 3/6/2020

CASING RECORD

REPORT OF ALL STRINGS - SURFACE, INTERMEDIATE, PRODUCTION, ETC.

PURPOSE OF STRING	SIZE HOLE : DRILLED	SIZE CASING SET (in O.D.)	WEIGHT LBS/FT	SETTING DEPTH	TYPE CEMENT	SACKS	TYPE AND % ADDITIVES
SURFACE:	12.250	7	24	42.4		12	
PRODUCTION:	5.8750	2.8750	1109	70-30	123		SERVICE COMPANY

WELL LOG

CORES: # NONE RAN: 3 CENTRALIZERS

RECOVERED: 1 BAFFLE ACTUAL CORING TIME: 1 CLAMP 1 FLOAT SHOE

FORMATION	TOP	воттом
TOP SOIL	0	3
CLAY	3	18
SHALE	18	170
LIME	170	179
SAND	179	192
LIME	192	194
SHALE	194	204
LIME	204	232
SHALE	232	262
LIME	262	307
SHALE	307	310
LIME	310	377
SHALE	377	386
LIME	386	447
SHALE	447	481
LIME & SHALE	481	491
SHALE	491	496
LIME	496	498
SHALE	498	501
LIME & SHALE	501	503
KC LIME	503	581
SHALE	581	588
KC LIME	588	607
SHALE	607	613
KC LIME	613	618
SHALE	618	621
KÇ LIME	621	631
SHALE	631	633
LIME	633	635
BIG SHALE	635	828
LIME	828	837
SHALE	837	845
LIME	845	850
SAND & SHALE	850	904
LIME	904	906
SAND & SHALE	906	914
LIME	914	921
SHALE	921	932
LIME	932	936
SAND & SHALE	936	950
LIME	950	960

FORMATION	TOP	BOTTOM
SAND & SHALE	960	970
LIME	970	977
SAND & SHALE & LIME	977	1024
CAP LIME & SHALE	1024	1027
OIL SAND & SHALE GOOD SHOW	1027	1030
OIL SAND & SHALE GOOD SHOW	1030	1034
OIL SAND & SHALE GOOD SHOW	1034	1037
SAND & SHALE NO SHOW	1037	1040
SHALE & SAND	1040	1081
LIME	1081	1082
SHALE	1082	1090
LIME	1090	1091
SHALE	1091	1120 T.D
		<u> </u>
• • •		
		
····		
_ 		



		Territories de la company		Read State of the Control of the Con							
EMENT	TRE	ATMEN	IT REPO	DRT							
Cust	omer:	Altavist	a Energy	/	Well:	Alexander East A-	4 Ticket:	ICT3383			
City,	State:	Wellsvi	lle, KS		County:	ty: WO, KS Date:					
Fiel	d Rep:	Bryan N	Miller		S-T-R:	NE 2-24-16	Service:	longstring			
Dow	nhole I	nformati	on		Calculated Siu	rry - Lead	Calculated 5	Blurry - Tail			
Hole	Size:	5 7/8	in		Blend:						
Hole I	Depth:	1120	ft		Weight:	13.8 ppg	Weight:	ppg			
Casing	Size:	2 7/8	in		Water / Sx:	5.9 gal / sk	Water / Sx:	gal/s			
Casing Depth: 1110 ft					Yield:	1.37 ft ³ / sk	Yield:	ft ³ / sk			
ubing /			in		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / f			
	Depth:		ft		Depth:	ft	Depth:	ft			
Fool / Pa		bat			Annular Volume:	0.0 bbls	Annular Volume:	0 bbls			
Tool I		1080			Excess:		Excess:				
isplace	menti	6.25	bbls	7074	Total Source:	36.6 bbls	Total Salvery:	0.0 bbls			
IME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks:	150 sks	Total Sacks:	#DIV/0! sks			
2:30 PM				-	held safety meeting	carried typical associated at a payable is a com-	Laten, Harland School area History His				
	4.0				established circulation						
	4.0					tonite followed by 5 bbls fresh wa	ter				
	4.0				mixed and pumped 150 sks h						
22,000	4.0			-	flushed pump clean						
	1.0				pumped 2 7/8" rubber plug to	baffle w/ 6.25 bbls fresh water					
	1.0				pressured to 800 PSI						
					released pressure to set floa	t valve					
	4.0				washed up equipment						
				·····							
				-							
			1								
				-							
				-							
		F SALES AT									
		CREW			UNIT		SUMMARY				
	nenter:	1900	y Kennedy		89	Average Rate	Average Pressure	Total Fluid			
Pump Operator: Harold Bechtle			Id Bechtle Sanborn		239	3.1 bpm	#DIV/0! psi	- bbls			
THE RESERVE OF THE PERSON NAMED IN	ulk #1:		SADDOLD								