KOLAR Document ID: 1524734

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
ODED ITOD 11	feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1: Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Cathodic Borehole Total Depth:
Name: Type Drilling Equipment:	Depth to Bedrock:
Type Drilling Equipment:	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	Well Farm Pond Stream Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;;;;;	Annular space between borehole and casing will be grouted with:
•	Concrete Neat Cement Bentonite Cement Bentonite Clay Anode vent pipe will be set at: feet above surface
;;;;;;	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
A FEID AVIT	Depth of TOP of Backfill installation material:
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
	An arrangement between the arrangement the District Office and the
 Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior 	
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.	
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	r to any grouting.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	r to any grouting. grouting to the top when the cathodic surface casing is set.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
 Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp 	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
 and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp 	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by is. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet Approved by: This authorization expires: from the conductor of the prior of the provided in the provided prior of the prior of t	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below. Permit Expired Well Not Drilled
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet Approved by: This authorization expires: from the conductor of the prior of the provided in the provided prior of the provi	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

perator:	i						[ocation of V	/ell: Countv:				
Facility Name:					Location of Well: County:feet from N / S Line of Section								
Borehole	Number:							feet from L E / L W Line of Section Sec. Twp. S. R. E W					
							5	Sec	Twp	S.	R	_	∐ W
							I	s Section:	Regular	or 🗌 lı	rregular		
								f Section is Section corn	Irregular, loc er used:		from neares	st corner bo	undary.
	lease roa	ds, tank ba			d electric	cal lines,	as required	st lease or u	nit boundary l sas Surface C ired.				
	479 ft.	: :				•	•	:	7				
4 ft.											LEGEND		
			· · · · · · · · · · · · · · · · · · ·							<u> </u>	Well Locate Tank Batte Pipeline Le	ery Locatio	n
											Tank Batte	ery Locatio ocation ne Locatio	n
				3					EX		Tank Batte Pipeline L Electric Li	ery Locatio ocation ne Locatio	n
				3					E)		Tank Batte Pipeline L Electric Li	ery Locatio ocation ne Locatio	n
				3							Tank Batte Pipeline L Electric Li	ery Locatio ocation ne Locatio	n

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1524734

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
•		Dhana Niumhau			
Contact Person:		Phone Number:			
Lease Name & Well No.:	T		Pit Location (QQQQ):		
Type of Pit:	Pit is:				
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R		
Settling Pit Drilling Pit	If Existing, date con-	structed:	Feet from North / South Line of Section		
Workover Pit Haul-Off Pit	Pit capacity:		Feet from East / West Line of Section		
(If WP Supply API No. or Year Drilled)	Tit capacity.	(bbls)	County		
la the mit leasted in a Constitut Constant Water A	2 \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	,	,		
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?		
Yes No	Yes No	0			
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet)		
Depth fro	om ground level to deep	pest point:	(feet) No Pit		
If the pit is lined give a brief description of the liming material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.		
,		0 7			
Distance to nearest water well within one-mile of	of nit:	Denth to shallo	west fresh water feet.		
Distance to nearest water wer within one time of	Si pit.	Source of inforr			
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:		
Producing Formation:		Type of materia	l utilized in drilling/workover:		
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment p	procedure:		
Does the slope from the tank battery allow all slow into the pit? Yes No	pilled fluids to	Drill pits must be closed within 365 days of spud date.			
	-				
Submitted Electronically					
Oubilitied Lieutionically					
	KCC C	OFFICE USE OI	NLY		
			Liner Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No		

KOLAR Document ID: 1524734

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 ((Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🗌 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	
I	
	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Southern Star Central Gas Pipeline, Inc.
Well Name	RECTIFIER 352 01
Doc ID	1524734


Anode Installation Depths

Depth Commence of the Commence
75
35
25
45
45
65
95
55
85
85
55
205
25
95
35
75
15
805
65
15

BELOW GROUND COMPLETION

Well Name: RECTIFIER 352

County: LYON



For KCC Use ONLY	
API # 15	



IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:SOUTHERN STAR CENTRAL GAS PIPELINE Location of Well: County:LYON Facility Name:RECTIFIER 352	Section
Borehole Number: 01 44 feet from E / W Line of S	Section
Is Section: Regular or Irregular	
If Section is Irregular, locate well from nearest corner boundary	
	/-
Section corner used: NE NW SE SW	
PLAT	
Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of	
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).	
You may attach a separate plat if desired	
419 Pood 1110	
494 Road 140	
μμ' δ LEGEND	
97	
O Well Location	
Tank Battery Location	
Electric Line Location	
Lease Road Location	
EXAMPLE :	
2	
3	
198	D' FSL
SEWARD CO. 3390' FEL	
MOTE A SHOW A SH	
NOTE: In all cases locate the spot of the proposed drilling locaton.	

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.