

Confidentiality Requested:

Yes No

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION**

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

**WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Recompletion Date _____ Date Reached TD _____ Completion Date or Recompletion Date _____

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5) (Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
-------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--

Form	ACO1 - Well Completion
Operator	Merit Energy Company, LLC
Well Name	JACQUART 2
Doc ID	1416067

All Electric Logs Run

ANNULAR HOLE VOLUME
ARRAY COMPENSATED TRUE RESISTIVITY LOG
ARRAY COMPENSATED TRUE RESISTIVITY LOG 1
ARRAY COMPENSATED TRUE RESISTIVITY LOG 2
BOREHOLE COMPENSATED SONIC ARRAY LOG
DUAL SPACED NEUTRON SPECTRAL DENSITY LOG
MICROLOG
QUAD COMBO LOG

Form	ACO1 - Well Completion
Operator	Merit Energy Company, LLC
Well Name	JACQUART 2
Doc ID	1416067

Tops

Name	Top	Datum
Heebner	4052	
Toronto	4070	
Lansing	4151	
Kansas City	4554	
Marmaton	4709	
Pawnee	4817	
Cherokee	4869	
Atoka Lime	5034	
Morrow	5203	
Morrow Lime	5250	
Morrow Sands	5312	
L Morrow Sans	5362	
Chester Lime	5401	
Basal Chester SS	5445	
St Genevieve	5512	
St Louis	5550	
Spergen	5678	

Form	ACO1 - Well Completion
Operator	Merit Energy Company, LLC
Well Name	JACQUART 2
Doc ID	1416067

Perforations

Shots Per Foot	Perforation Top	Perforation Bottom	BridgePlugType	BridgePlugSet At	Material Record
4	5488	5500			Chester-Acid:47.6 bbls 7.5% acid 30 bio balls, 32 bbls 2% KCL flush
			CIBP Cast Iron Bridge Plug	5480	
4	5338	5344			Morrow Sands- Frac:560 bbls, total x-frac 427 bbls, total L-frac 133, total 16/30 white 60,237 lbs, total N2 1002,000 SCF
4	5349	5359			" "
					" "
4	5387	5392			" "
					" "
			CIBP Cast Iron Bridge Plug	5334	

Form	ACO1 - Well Completion
Operator	Merit Energy Company, LLC
Well Name	JACQUART 2
Doc ID	1416067

Perforations

Shots Per Foot	Perforation Top	Perforation Bottom	BridgePlugType	BridgePlugSet At	Material Record
4	5273	5284			Morrow Lime - Frac: 1686 bbls, total 40/70 white, total 16/30 r/c
4	5298	5302			" "
4	5305	5307			" "

FIELD TICKET

Client MERIT ENERGY COMPANY

Well Jacquart 2

Job Description Surface

Date March 22, 2018

Field Ticket # FT-04944-N3W4R80202-58117



MATERIALS

Product Code	Description	UOM	Quantity	List Price	Gross Amount	Disc (%)	Net Amount
L100112	ACCELERATOR, SALT, CHLORIDE, CALCIUM, A-7P, PELLETS	LB	1,613.0000	\$2.40	\$3,871.20	76.00	\$929.09
L100318	CEMENT EXTENDER, GYPSUM, A-10	LB	856.0000	\$0.72	\$616.32	76.00	\$147.92
L100275	CEMENT EXTENDER,SODIUM METASILICATE A-2 ANHYDROUS	LB	856.0000	\$3.28	\$2,807.68	76.00	\$673.84
L013156	Cement Nose, 8-5/8 in.	EA	1.0000	\$460.00	\$460.00	76.00	\$110.40
L488168	CEMENT, ASTM TYPE I	SK	630.0000	\$44.11	\$27,789.30	76.00	\$6,669.43
L017068	CENTRALIZER,8-5/8"NON-WELD	EA	10.0000	\$246.40	\$2,464.00	76.00	\$591.36
L100120	EXTENDER, BENTONITE	LB	1,711.0000	\$2.08	\$3,558.88	76.00	\$854.13
L015399	Float collars with poppet valve, 8 5/8 in.	EA	1.0000	\$1,258.00	\$1,258.00	76.00	\$301.92
L488701	IntegraGuard STAR II concentrate	LB	400.0000	\$34.40	\$13,760.00	76.00	\$3,302.40
L488521	IntegraGuard STAR PLUS	LB	300.0000	\$5.84	\$1,752.00	76.00	\$420.48
L100295	IntegraSeal CELLO	LB	315.0000	\$5.76	\$1,814.40	76.00	\$435.46
L415082	IntegraSeal KOL	LB	2,275.0000	\$1.20	\$2,730.00	76.00	\$655.20
L86718	PLUG,CEMENT 8.6 TOP BJPL	EA	1.0000	\$287.04	\$287.04	76.00	\$68.89
L100404	SALT,SODIUM CHLORIDE, A-5	LB	1,103.0000	\$1.04	\$1,147.12	76.00	\$275.31
1000101	THREAD LOCK, 8-5/8 IN.	EA	3.0000	\$220.00	\$660.00	76.00	\$158.40
Product Material Subtotal:					\$64,975.94		\$15,594.23

SERVICES

Product Code	Description	UOM	Quantity	List Price	Gross Amount	Disc (%)	Net Amount
S-100004	Cement Crew Mobilization-Demobilization Fee	EA	1.00	\$10,880.00	\$10,880.00	91.00	\$979.200
S-100475	Cement head	EA	1.00	\$2,656.00	\$2,656.00	91.00	\$239.040
S-100049	Cement pump charge,	4/HR	1.00	\$4,680.00	\$4,680.00	91.00	\$421.200

Cementing Treatment



pressure test the lines to 1500PSI
20bbl spacer of stop loss
208bbl lead cement @ 12.10#
39bbl tail cement @ 15.20#
shut down
drop the top plug
105bbl displacement (wash up on top of the plug)
@55bbl slow rate down to 2bpm to land the
plug the whole job to be pumped @ 5bpm
Set @1704

FIELD TICKET

Client MERIT ENERGY COMPANY
Well Jacquart 2
Job Description Long String
Date March 27, 2018



Field Ticket # FT-04911-H851J60202-73469

MATERIALS

Product Code	Description	UOM	Quantity	List Price	Gross Amount	Disc (%)	Net Amount
L100318	CEMENT EXTENDER, GYPSUM, A-10	LB	1,326.0000	\$0.72	\$954.72	78.00	\$210.04
L013152	Cement Nose, 5-1/2 in.	EA	1.0000	\$561.00	\$561.00	78.00	\$123.42
L488168	CEMENT, ASTM TYPE I	SK	235.0000	\$44.11	\$10,365.85	78.00	\$2,280.49
L017064	CENTRALIZER,5-1/2"NON-WELD	EA	15.0000	\$193.05	\$2,895.75	78.00	\$637.07
20000018	CFL-210	LB	111.0000	\$22.72	\$2,521.92	78.00	\$554.82
L100120	EXTENDER, BENTONITE	LB	442.0000	\$2.08	\$919.36	78.00	\$202.26
L015395	FLOAT COLLAR,CEM,5-1/2"K55	EA	1.0000	\$1,243.00	\$1,243.00	78.00	\$273.46
L101196	Foam Preventer, FP-25	LB	45.0000	\$14.52	\$653.40	78.00	\$143.75
L488735	IntegraGuard ULTRA CONCENTRATE	GAL	12.0000	\$159.60	\$1,915.20	78.00	\$421.34
L100295	IntegraSeal CELLO	LB	59.0000	\$5.76	\$339.84	78.00	\$74.77
L415082	IntegraSeal KOL	LB	1,175.0000	\$1.20	\$1,410.00	78.00	\$310.20
L86710	PLUG,CEMENT 5.5 TOP BIPL	EA	1.0000	\$1,026.48	\$1,026.48	78.00	\$225.83
L100404	SALT,SODIUM CHLORIDE, A-S	LB	1,876.0000	\$1.04	\$1,951.04	78.00	\$429.23
Product Material Subtotal:					\$26,757.56		\$5,886.68

SERVICES

Product Code	Description	UOM	Quantity	List Price	Gross Amount	Disc (%)	Net Amount
S-100004	Cement Crew Mobilization-Demobilization Fee	EA	1.00	\$10,880.00	\$10,880.000	92.00	\$870.400
S-100475	Cement head	EA	1.00	\$2,656.00	\$2,656.000	92.00	\$212.480
S-100053	Cement pump charge, 5,001-6,000 feet/1,501 - 1,800 m	6/HR	1.00	\$7,032.00	\$7,032.000	92.00	\$562.560
S 100066	Cement pump charge, Additional Hours	HR	0.00	#Error	\$0.000	92.00	\$0.000
S-100001	Mileage - vehicle heavy	MI	50.00	\$18.96	\$948.000	92.00	\$75.840

Cementing Treatment



COMMENTS

Treatment Report

20bbbls of super flush 17bbbls of rat and mouse hole 63bbbls of long string cement 129bbbls of displacement .

Set @ 5624

50sx RH

Job Summary

arrive at location, spot trucks, rig up, safety meeting, pressure test lines at 2500psi, pump 20bbbls of super flush pump cement to fill out rat and mouse hole with 17bbbls from 50sacks at 13.6lbs, pump 63bbbls of cement from 185sacks at 13.6lbs, drop plug/ wash pump and lines to pit, start displacement with 129bbbls of kcl water. bump plug/check if float holds and rig down.