

Confidentiality Requested:

Yes No

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION**

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

**WELL COMPLETION FORM
WELL HISTORY - DESCRIPTION OF WELL & LEASE**

OPERATOR: License # _____

Name: _____

Address 1: _____

Address 2: _____

City: _____ State: _____ Zip: _____ + _____

Contact Person: _____

Phone: (_____) _____

CONTRACTOR: License # _____

Name: _____

Wellsite Geologist: _____

Purchaser: _____

Designate Type of Completion:

New Well Re-Entry Workover

Oil WSW SWD

Gas DH EOR

OG GSW

CM (Coal Bed Methane)

Cathodic Other (Core, Expl., etc.): _____

If Workover/Re-entry: Old Well Info as follows:

Operator: _____

Well Name: _____

Original Comp. Date: _____ Original Total Depth: _____

Deepening Re-perf. Conv. to EOR Conv. to SWD

Plug Back Liner Conv. to GSW Conv. to Producer

Commingled Permit #: _____

Dual Completion Permit #: _____

SWD Permit #: _____

EOR Permit #: _____

GSW Permit #: _____

Spud Date or Recompletion Date _____ Date Reached TD _____ Completion Date or Recompletion Date _____

API No.: _____

Spot Description: _____

_____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West

_____ Feet from North / South Line of Section

_____ Feet from East / West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE NW SE SW

GPS Location: Lat: _____, Long: _____
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum: NAD27 NAD83 WGS84

County: _____

Lease Name: _____ Well #: _____

Field Name: _____

Producing Formation: _____

Elevation: Ground: _____ Kelly Bushing: _____

Total Vertical Depth: _____ Plug Back Total Depth: _____

Amount of Surface Pipe Set and Cemented at: _____ Feet

Multiple Stage Cementing Collar Used? Yes No

If yes, show depth set: _____ Feet

If Alternate II completion, cement circulated from: _____

feet depth to: _____ w/ _____ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: _____ ppm Fluid volume: _____ bbls

Dewatering method used: _____

Location of fluid disposal if hauled offsite: _____

Operator Name: _____

Lease Name: _____ License #: _____

Quarter _____ Sec. _____ Twp. _____ S. R. _____ East West

County: _____ Permit #: _____

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: _____

Confidential Release Date: _____

Wireline Log Received Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT I II III Approved by: _____ Date: _____

Operator Name: _____ Lease Name: _____ Well #: _____

Sec. _____ Twp. _____ S. R. _____ East West County: _____

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i> Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No List All E. Logs Run: _____	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well? Yes No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons? Yes No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry? Yes No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____			
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	---	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--

Ackarman Hardware & Lumber
 Ackarman Inc
 160 East Main St
 Sedan, KS 67361
 620-725-3103
 Fax: 620-725-5688

CUSTOMER COPY



INVOICE

1807-123657 PAGE 1 OF 1

SOLD TO
STAN MILLER SM OIL & GAS P. O. BOX 189 SKIATOOK OK 74070

JOB ADDRESS
STAN MILLER SM OIL & GAS P. O. BOX 189 SKIATOOK OK 74070 918-396-3020

ACCOUNT	JOB
00680	0
SOLD ON	7/9/2018 10:57:05 AM
CUST PICKUP	
BRANCH	1000
CUSTOMER PO#	
STATION	A1
CASHIER	DK
SALESPERSON	CM
ORDER ENTRY	

Quantity	UM	Item	Description	D	T	Price	Per	Amount
8	EACH	MP10092	PORTLAND CEMENT 92.6#		Y	15.7500	EACH	126.00

Payment Method(s) Buyer: TOM OAST

Charge to Acct 138.60

KS 10.00%	SubTotal	126.00
	Sales Tax	12.60
	Deposit	
Please Pay This Amount		138.60

WCTH 108
 Tom OAST
 Signature TOM OAST

810 E 7TH
 PO Box 92
 EUREKA, KS 67045
 (620) 583-5561



Cement or Acid Field Report
 Ticket No. **4019**
 Foreman Kevin McCoy
 Camp EUREKA

Date	Cust. ID #	Lease & Well Number		Section	Township	Range	County	State
7-12-18	1180	Keith # 108					CO	KS
Customer <u>S.M. OIL & GAS INC.</u>				Safety Meeting KM DG	Unit #		Driver	
Mailing Address <u>P.O. Box 189</u>					105		DAVE G.	
City <u>SKIATOOK</u>					110			
State <u>OK</u>				112				
Zip Code <u>74070</u>								

Job Type Longstring Hole Depth 1630' Slurry Vol. 38 BBL LEAD Tubing _____
 Casing Depth 1618' Hole Size 6 3/4" Slurry Wt. 12.8" - 14" Drill Pipe _____
 Casing Size & Wt. 4 1/2 11.60" Cement Left in Casing 0' Water Gal/SK _____ Other _____
 Displacement 25.5 BBL Displacement PSI 900 Bump Plug to 1300 PSI BPM _____

Remarks: Safety Meeting: Rig up to 4 1/2 casing w/ wash head. Break circulation w/ 37 BBL fresh water. wash down 12' 4 1/2. Pump 500* Gel Flush w/ Hulls, 2 BBL water spacer. Shut down. Rig up Cement Head. Mixed 130 SKS 50/50 Pozmix Cement w/ 6% Gel, 2* PhenoSeal /SK @ 12.8*/gal, yield 1.64 = 38 BBL slurry. TAIL in w/ 75 SKS OWC Cement w/ 2* PhenoSeal /SK @ 14*/gal, yield 1.50 = 20 BBL slurry. wash out pump & lines. Shut down. Release Plug. Displace Plug to Seat w/ 25.5 BBL fresh water. Final Pumping Pressure 900 PSI. Bump Plug to 1300 PSI. wait 2 mins. Release Pressure. Float Held. Good Cement Returns to SURFACE = 20 BBL slurry to Pit. Job Complete. Rig down.

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 102	1	Pump Charge	1050.00	1050.00
C 107	30	Mileage	3.95	118.50
C 204	130 SKS	50/50 Pozmix Cement	11.25	1462.50
C 206	670 #	Gel 6%	.20 #	134.00
C 208	260 #	PhenoSeal 2*/SK	1.25 #	325.00
C 202	75 SKS	OWC Cement	19.15	1436.25
C 208	150 #	PhenoSeal 2*/SK	1.25 #	187.50
C 206	500 #	Gel Flush	.20 #	100.00
C 214	45 #	Hulls	.45 #	20.25
C 108A	9.57 TONS	TON Mileage BULK TRUCKS X2	M/C X 2	690.00
C 113	3 HRS	80 BBL VAC TRUCK (C & E OIL)	85.00	255.00
C 224	3,300 gals	City water	10.00 /1000	33.00
C 403	1	4 1/2 Top Rubber Plug	45.00	45.00
			Sub Total	5857.00
			Less 5%	308.76
			Sales Tax	318.20
				5866.44

Authorization witnessed By Toby Title _____ Total _____

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.