For KCC Use:
Effective Date:
District #
CA2 Vos No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S. Line of Section S S S S S Sec Feet from N / S
lame:	feet from E / W Line of Section E SECTION Parties Irregular
ddress 1:	Is SECTION: Regular Irregular?
ddress 2: + State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
contact Person:	County:
hone:	Lease Name: Well #:
ONTRACTOR: License#	Field Name:
ame:	Is this a Prorated / Spaced Field? Target Formation(s):
	Nearest Lease or unit boundary line (in footage):
Well Drilled For: Well Class: Type Equipment:	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary	Water well within one-quarter mile:
Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable	Public water supply well within one mile:
Disposal Wildcat Cable Seismic : # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
	Surface Pipe by Alternate: I II
If OWWO: old well information as follows:	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	Projected Total Depth:
Original Completion Date: Original Total Depth:	Formation at Total Depth:
	Water Source for Drilling Operations:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
OC DR1 #.	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual pl	
he undersigned hereby affirms that the drilling, completion and eventual pl	
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig;
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; t by circulating cement to the top; in all cases surface pipe shall be set the underlying formation.
he undersigned hereby affirms that the drilling, completion and eventual pl is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each of the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; they circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug and alternate in COMPLETION, production pipe shall be cemented.	h drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each an additional state of the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug or pursuant to Appendix "B" - Eastern Kansas surface casing order #	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	by drilling rig; the drilling rig; the production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the approved notice of intent to drill <i>shall be</i> posted on each and the second of t	by drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength of the strength of the spud date or the well shall be completed within 30 days of the spud date or the well shall be	by drilling rig; If by circulating cement to the top; in all cases surface pipe <i>shall be set</i> the underlying formation. It ict office on plug length and placement is necessary <i>prior to plugging;</i> ged or production casing is cemented in; and from below any usable water to surface within <i>120 DAYS</i> of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual please agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the strength of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug of the strength of the strength of the spud date or the well shall be completed within 30 days of the spud date or the well shall be	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing e plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as through all unconsolidated materials plus a minimum of 20 feet into the standard plus of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the appropriate district office will be notified before well is either plug for pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office of intent to drill shall be set through all unconsolidated materials plus a minimum of 20 feet into the structure of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of the shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be submitted Electronically For KCC Use ONLY	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district of the second of th	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; ed from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified before the specified before the specified before well is either plug specified bef	th drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual please is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified like in the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug of an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the well shall be appropriated within 30 days of the spud date or the well shall be appropriated. Sometime of the complete of the spud date or the well shall be appropriated.	h drilling rig; the price of this well will comply with K.S.A. 55 et. seq. the drilling rig; the price of the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented. Or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. Ibmitted Electronically For KCC Use ONLY API # 15	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry;
he undersigned hereby affirms that the drilling, completion and eventual plis agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified. Ibmitted Electronically For KCC Use ONLY API # 15	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the specified before well is either plug specified. If the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be specified before the well shall be specified before the specified before well is either plug specified. In the well is dry hole, an agreement between the operator and the district office will be notified before well is either plug specified before	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing the plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office prior to spudding of well; 2. A copy of the approved notice of intent to drill shall be posted on each and a specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all unconsolidated materials plus a minimum of 20 feet into the set through all the set through all the set of the set of the set into the set of th	h drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set ne underlying formation. Strict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing are plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R
Number of Acres attributable to well:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

2970 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:					
Operator Address:							
Contact Person:		Phone Number:					
Lease Name & Well No.:			Pit Location (QQQQ):				
Type of Pit:	Pit is:						
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R				
Settling Pit Drilling Pit	If Existing, date cor	nstructed:	Feet from North / South Line of Section				
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section				
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)				
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?				
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits				
Depth fro	m ground level to dee	pest point:	(feet) No Pit				
material, thickness and installation procedure. liner integrity, including any special monitoring.							
		Depth to shallo Source of infor	west fresh water feet. nation:				
feet Depth of water well	feet	measured	well owner electric log KDWR				
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:				
Producing Formation:		Type of materia	al utilized in drilling/workover:				
Number of producing wells on lease:		Number of worl	mber of working pits to be utilized:				
Barrels of fluid produced daily: Abar			Abandonment procedure:				
Does the slope from the tank battery allow all spilled fluids to flow into the pit?			e closed within 365 days of spud date.				
Submitted Electronically							
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS							
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:				

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)					
OPERATOR: License #	Well Location:					
Name:	SecTwpS. R East West					
Address 1:	County:					
Address 2:	Lease Name: Well #:					
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:					
Contact Person:						
Phone: () Fax: ()						
Email Address:						
Surface Owner Information:						
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional					
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the					
Address 2:	county, and in the real estate property tax records of the county treasurer.					
City:						
the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be located CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, and I have not provided this information to the surface owner(s). I ack KCC will be required to send this information to the surface owner.	cknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this					
that I am being charged a \$30.00 handling fee, payable to the Ko	fee with this form. If the fee is not received with this form, the KSONA-1					
Submitted Electronically						

125 N. Market, Suite 1110 Wichita, Kansas 67202

Office: (316) 263-6688 Fax: (316) 262-2512

August 5, 2020

Kansas Corporation Commission 266 N. Main St. Ste #220 OWWO Wichita, KS 67202-1513 Cranston 1
Now being named Herrenbruck V1-30
S/2 SW NE Sec 30-32S-6E
Cowley County, Kansas

To Whom it may concern,

VAL Energy Inc. requests an Exemption to the Surface Pipe, Table 1 requirement of 300ft., for the above captioned well. This well was originally drilled by McKnab & Lindsey Drilling who set 8-5/8" casing at 144 ft with 110 sacks of cement. We would like to deepen this well and run 5-1/2" casing to TD and will 2 stage this well and circulate the cement to surface.

Sincerely,

Dustin Wyer



BOX 8604 - PRATT, KS 67124 (620) 672-6491

OIL FIELD SURVEYORS

Taylor Printing Inc., • Proff, KS 57124 • 620-672-3656

1-30 HERRENBUCK V OWWO FARM
NO. FARM
C S/2 SW NE
ELEVATION: 1225 GR
)
SCALE: 1" = 1000'
HERRENBUCK V 1-30 OWWO (Granston #1)
Leak ed CO RD
Ingress from SEc at Sawyer battery.

Well Record Crenaton #1 8/2 SW/h N2/h 30-325-65 Cowley County, Kansas

Operator: R. D. Holliday Contractor: McKnab & Lindsay Date Comms: 3-6-58 Date Under Surf: 3-8-58 Date Comp: 3-15-58

DRILLER'S LOG:

0-152	Lime
152-1125	Lime & Shale
1125-1404	Shale
140h-1835	Lime & Shale
1835-1870	Shale
1870-1900	Sand
1900-2086	Lime & Shale
5086-5850	Shale
2220-2234	Core #1
2234-2235	Shale & sandy lime
2235-2375	Shele
2375-2533	Lime
2533-2543	Sand
25113-2605	Sandy lime & shale
2605-2777	Line & shale
2777-2980	Shals
2980-3025	Line
3005	T. 73

5 jts. 8 5/8" 10 thrd. suls casing set at 114' with 110 sks He 5 Cement

Plugging record: 3025-180 Mud 180-135 coment 135-38 mud 38-0 cement

Acknowledgeds

McKnab & Lindsay

Dated: March 31, 1958

Subscribed and sworn to before me this 31st day of Merch, 1958.

Mology Tufau (Notary Public)

My commission expires August 21, 1961

RECEIVED

APR 5 3

Wichite, Karray

PLUGGING

BOOK PAGE 90 LINE 8

KANSAS STATE CORPORATION COMMISSION

WELL PLUGGING SUPERVISOR'S REPORT

TO:
Jewel M. Ogden, Director
500 Insurance Building
212 North Market
Wichita 2. Kansas



Wichita 2, Kansas		
File No	Location: $5/2$	SN NE.
County: Couley	Sec. 30 Two	. 32 Rge. 6 (E) 酶
Name of Field or Pool:		Total Depth: 3025
I have this date completed sup	pervision of plugging of	
Well No. Le	ase (manston)	
Operator's Full Name), Stalfitage	
Complete Address: Dog Ko	8, Then Hold	Lans.
Plugging Contractor:	Each & Freds	leag
Address: Day 808 Min	field Year	License No
Abandoned Oil Well Gas W	nllInput Well	SWD Well D & A
If well is a rotary drilled dr	ry hole did operators wai	it for you to arrive
If yes how long η_{e}	Reason:	
2		
	·	Ž.
Operation Completed: Hour 72	Bofn Day 15 Mor	nth 3 Year 58
The above well was plugged as		1
Hilled hole with	much to 180 C	where Gushed doson
Halliburton Alug	is dunged so An	acks Coment
Thud from top of a		Cohen Preshed
down Walliantton	plus my aung	sed 10 Akoks Cement
Cut off Surface.	at 2/2 - Can	rent to top.
		,
	8	1.
I hereby certify that the above present while the above well w	e well was plugged as he as being plugged.	erein stated and that I was
-	Signed:	regime V. Fraken
		Well Plugging Supervisor
to the best of my knowledge an	d belief it was plugged	well was being plugged, however, as herein stated. A full account
for my not being present is as	follows:	
	A.	(A) 43 ca ca
	A	SAME COURS AND SOCIALISMS
	<u> </u>	MAR 24 (17)
Reviewed: Muteu	Signed:	Well Plugging SupervissERV/TION Des
Field Supervisor Remarks:	PLUGGING	Wichita, Kaha La
	FILE SEC. 3 0 35R 6E	
	BOOK PAGE 90 LINE 8	1

1. 4 STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affiduvit Mail or Deliver Report to: Conservation Division State Compagning Completion

WELL PLUGGING RECORD

State Corporation Commission 211 No. Broadway Wichita, Kansas	Cowley		Count	y. Sec. 30	Twp. 32S Rge.	6 (E) E (W)
NORTH	Location as "N Lease Owner_	E/CNWKSWE" o R. D. Hol		m lines S/2	SW NE	
	Lease Name	Cranston				Well No. 1
		Box 808,				
	Character of W	/ell (completed pleted	as Oil, Gas or 15_58	r Dry Hole) _	dry hole	
		pleted plugging filed	3-1!	5-58		19
		plugging approv	ed3-:	15-58		19
		enced		15-58	· · · · · · · · · · · · · · · · · · ·	19
	Plugging compl	leted ndonment of well		15 - 58		19
	reason for abai	idonment of well	or producing	g romauon		
		well is abandone				19
Locate well correctly on above Section Plat			the Conserv	ation Division	or its agents befo	ore plugging was com-
Section Plot Name of Conservation Agent who sup	menced? mervised plugging of thi		ngene Gr	aham		
Producing formation					Total Depth of	WellFeet
Show depth and thickness of all water						
OIL, GAS OR WATER RECOR	IDS				٠ .	CASING RECORD
FORMATION	CONTENT	FROM	TO	SIZE	PUT IN	PULLED OUT
		1	,,,	dize.	POLIA	POLLED GOT
		<u> </u>			<u> </u>	
	 	 	ļ			
	1		 		}	
	<u> </u>					
				, , , , , , , , , , , , , , , , , , ,	58 c' .	20.12.7E
	· · · · · · · · · · · · · · · · · · ·		•		STATE CORP	93. 45 5
	, <u>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</u>				ΛΙ	D. T.
					<u>pa</u>	
						W. Y. St.
	(If additional	description is neces	tury, use BACK	of this sheet)	<u>996</u>	litte 11
Name of Plugging Contractor Ro	tary plugged - x 808, Winfield	McKnah & I	indsay			
,						
STATE OF <u>Kansas</u> V. W. McKnab			Cowley		, \$5.	
well, being first duly sworn on oath,		(e	mployee of o	wner) or (own	er or operator)	of the above-described
bove-described well as filed and the	it the same are true an	d correct. So h	elo me God	nis, und matte	rs nerein contain	ed and the log of the
		(Signature)	<i>Ul</i>	Vimityu	al .	***************************************
Subscribed and Sworn to befo	ore me this lst	day of	Anri 1	uvu, Wini'	Address	9 :
				Melvin	Luch	au
My commission expires August 21,	1961					Notary Public.
			la series de la se	PLUG	GING	
			1	LE SEC.3.2	T. 32R66	-

STATE OF KANSAS STATE CORPORATION COMMISSION

Give All Information Completely Make Required Affidavit Mail or Deliver Report to: Conservation Division State Corporation Commission 211 No. Broadway

WELL PLUGGING RECORD

211 No. Broadway Wichita, Kansas	Cowley		Count	y. Sec. 30	wp. 32S Rge.	6 (E) <u>E</u> (W)
NORTH	Location as "N Lease Owner_	E/CNW%SW%" R. D. Ho]	or footage fro L liday	m lines S/2	SW NE	
	Lease Name			d Venege		Well No. 1
	1	Vell (completed			dry hole	
	Date well com	pleted3-	<u> 15-58</u>			19
		plugging filed_		5-58 15-58		19
	Plugging comm	plugging appro-		15 - 58	***	19
	Plugging comp	leted	3-	15 - 58		19
	Reason for aba	ndonment of we	II or producing	g formation		
	If a producing	well is abandor	ed, date of la	st production_		19
Locate well correctly on above			the Conserv	ation Division	or its agents befo	re plugging was com-
Section Plat Tame of Conservation Agent who su	menced? pervised plugging of th	yes nis well	ugene Gr	aham		
roducing formation					Total Depth of	WellFeet
how depth and thickness of all water	er, oil and gas formatio	ons.				
OIL, GAS OR WATER RECOR	RDS		_			CASING RECORD
FORMATION	CONTENT	FROM	то	SIZE	PUT IN	PULLED DUT
			 			
			ļ			
			-			
			1	<u> </u>		
·						
-						32 IN/36
* *					STATE CORP	
					ΔΙ	Dr. r.
					<u> </u>	The grants and
		· · · · · · · · · · · · · · · · · · ·			Viic	9.440, 80
Tame of Plugging Contractor Reddress Be				of this sheet)	,	
	,	,				
TATE OF Kansas		UNTY OF	Cowley		_, ss.	
V. W. McKnah	, says: That I have kr	nowledge of the	facts, stateme	ents, and matter	ner or o <u>perator)</u> rs herein contain	of the above-described ed and the log of the
bove-described well as filed and th	at the same are true a		help me God //	hi ho Alu	1	
		(Signature)		o. mer gu	au	
			Box	808, Wihfi	eld, Kansa ^{Address})	s
Subscribed and Sworn to be	fore me this 1st	day of_	April	na. 0 ·	, 19	58.
ly commission expires August 21	, 1961			Munn	O ret	AU Notary Public.
)		01010	
	•	700		PLUG	GING	

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

August 13, 2020

Dustin Wyer Val Energy, Inc. 125 N MARKET ST STE 1110 WICHITA, KS 67202-1728

Re: Drilling Pit Application Herrenbruck V1-30 OWWO NE/4 Sec.30-32S-06E Cowley County, Kansas

Dear Dustin Wyer:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed **without slots**, the bottom shall be flat and reasonably level, and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as practical after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (316) 337-7400 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (316) 337-7400.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Susan K. Duffy, Chair Dwight D. Keen, Commissioner Andrew J. French, Commissioner

August 12, 2020

Val Energy, Inc. 125 N Market St., Ste 1110 Wichita, KS 67202-1728

RE: Surface Casing Exception Herrenbruck V1-30 OWWO, Sec. 30-T32S-R6E Cowley County, Kansas

Dear Mr. Wyer:

The Kansas Corporation Commission (KCC) has received your request for an exception to the Table 1 minimum surface pipe requirement of 300 feet for the proposed washdown of this well. From your request, the KCC understands that Val Energy, Inc. is requesting to utilize the existing 144 feet of surface casing, and cement in 5.5 inch casing from a depth of at least 350 feet to surface.

After review of this matter by technical staff it was determined that:

- 1. Bedrock at this location is the Permian Chase Group and is located at or near surface.
- 2. The depth of the nearest water well of record within one mile of the proposed location is 79 feet.

Based on this information, an exception is granted for the Table 1 Minimum Surface Casing Requirements with the following stipulations:

- The KCC District #2 office must be notified prior to spudding the well.
- 2. Upon **reaching total depth** of the well, the production or long string casing nearest the formation wall shall be **immediately** cemented from a depth of at least 350 feet back to surface.
- 3. The KCC District #2 office must be notified one day before cementing the production casing so staff can be onsite to witness the cementing <u>from at least 350' to surface</u>. Cementing must be witnessed during business hours of 8am to 5pm, Monday through Friday.
- 4. In the event the well is dry, plugging will be performed according to KCC rules and KCC District #2 requirements.

Sincerely,

Ryan A. Hoffman

Director

cc: Rene Stucky, Prod. Dept. Supervisor ✓ (via e-mail 8/10/2020) Jeff Klock – Dist. #2 Supervisor ✓ (via e-mail 8/10/2020)