#### KOLAR Document ID: 1516071

Confider	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

#### WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPT	FII &	
VVELL	<b>HISIONI</b> -	DESCRIPT		LEASE

OPERATOR: License #	API No.:			
Name:	Spot Description:			
Address 1:				
Address 2:	Feet from North / South Line of Section			
City: State: Zip:+	Feet from East / West Line of Section			
Contact Person:	Footages Calculated from Nearest Outside Section Corner:			
Phone: ()				
CONTRACTOR: License #	GPS Location: Lat:, Long:			
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)			
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84			
Purchaser:	County:			
Designate Type of Completion:	Lease Name: Well #:			
New Well Re-Entry Workover	Field Name:			
	Producing Formation:			
☐ Oil ☐ WSW ☐ SWD □ Gas □ DH □ EOR	Elevation: Ground: Kelly Bushing:			
	Total Vertical Depth: Plug Back Total Depth:			
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet			
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?			
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet			
Operator:	If Alternate II completion, cement circulated from:			
Well Name:	feet depth to:w/sx cmt.			
Original Comp. Date: Original Total Depth:				
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan			
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)			
	Chloride content: ppm Fluid volume: bbls			
Commingled         Permit #:           Dual Completion         Permit #:	Dewatering method used:			
SWD Permit #:	Location of fluid disposal if hauled offsite:			
EOR Permit #:	Escation of huid disposal if hadred offshe.			
GSW Permit #:	Operator Name:			
	Lease Name: License #:			
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East West			
Recompletion Date Recompletion Date	County: Permit #:			

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

#### Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

#### KOLAR Document ID: 1516071

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate		Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the</li> <li>Was the hydraulic fracture</li> </ol>	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		METHOD OF			TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease Open Hole Perf.			-	·	nit ACO-4)	юр	Bollom		
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	RJ Energy, LLC
Well Name	HANEY 2A
Doc ID	1516071

#### Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	17	40	portland	5	
Production	5.875	2.875	6.5	1033	portland	135	

#### HAMMERSON CORPORATION

PO BOX 189 Gas, KS 66742

### Invoice

Date	Invoice #
4/9/2020	16212

R.J. ENE	RGY LLC		,	
	E NEOSHO RI	)	1	
GARNE	FT. KS 66032			
	1 1 1 A			
	1	· w .		
	1. 18			
		No. 14		
		1 4 4 1 to		

			P.O. No.	Terms		Projec	t
				Due on recei	ot		
2 Quantity	1 M.	Description		F	Rate	Arr	ount
1.25 135 1.5 135 135 135 1	TRUCKING (\$50 PER H WELL MUD (\$8.00 PER TRUCKING (\$50 PER H WELL MUD (\$8.00 PER TRUCKING (\$50 PER H	SACK) Haney 2A Ticket #162 IOUR) SACK) Haney 2I Ticket #1622 IOUR) SACK) Haney 3A Ticket #162	14 & #16215 9 & #16230	l	8.00 0.00 3.00 ).Q0 0.00 3.00 0.00 0.00 0%		.080.00 62.50 .080.00 75.00 080.00 50.00 1 0.00 5.00 7.86
hank you for yo	bur business.			Tot	al	agase and only in the state of a set	<u>۵</u>
					ana da calan ku na mana mana mana mana mana mana mana	al all only formed with a sharp interaction	anten a constante de la constante des

# R

# RJ Energy

22082 NE Neosho Rd Garnett. Kansas 66032

## Haney 2-A

6	soil	6	
18	clay/gravel	24	
115	shale	139	
35	lime	174	
5	shale	179	
50	lime	229	
83	shale	312	
15	lime	327	
17	shale	344	
96	lime	440	
<b>46</b>	shale	486	
<b>68</b>	lime	554	
6	shale	560	
58	lime	618	
175	shale	793	
14	lime	807	
52	shale	859	
35	lime	894	
17	shale	911	
6	lime	917	
14	shale	931	
7	lime	938	
7	shale	945	
7	lime	952	
30	shale	982	
3	sandy shale	985	odor
9	bkn sand	994	good show
3	dk sand	997	show
53	shale	1050	T.D.

Start	3-27-20
Finish	3-31-20

Set 40'of 7" w/5sxs Ran 1033.5' of 2 <sup>7</sup>/<sub>8</sub> cemented to the surface 135sxs