

**Notice:** Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

**WELL PLUGGING RECORD**  
K.A.R. 82-3-117

Form CP-4  
March 2009  
**Type or Print on this Form**  
**Form must be Signed**  
**All blanks must be Filled**

OPERATOR: License #: \_\_\_\_\_  
 Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_  
 Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Contact Person: \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Type of Well: (Check one)  Oil Well  Gas Well  OG  D&A  Cathodic  
 Water Supply Well  Other: \_\_\_\_\_  SWD Permit #: \_\_\_\_\_  
 ENHR Permit #: \_\_\_\_\_  Gas Storage Permit #: \_\_\_\_\_  
 Is ACO-1 filed?  Yes  No If not, is well log attached?  Yes  No  
 Producing Formation(s): List All (If needed attach another sheet)  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_  
 \_\_\_\_\_ Depth to Top: \_\_\_\_\_ Bottom: \_\_\_\_\_ T.D. \_\_\_\_\_

API No. 15 - \_\_\_\_\_  
 Spot Description: \_\_\_\_\_  
 \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West  
 \_\_\_\_\_ Feet from  North /  South Line of Section  
 \_\_\_\_\_ Feet from  East /  West Line of Section  
 Footages Calculated from Nearest Outside Section Corner:  
 NE  NW  SE  SW  
 County: \_\_\_\_\_  
 Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_  
 Date Well Completed: \_\_\_\_\_  
 The plugging proposal was approved on: \_\_\_\_\_ (Date)  
 by: \_\_\_\_\_ (KCC District Agent's Name)  
 Plugging Commenced: \_\_\_\_\_  
 Plugging Completed: \_\_\_\_\_

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: \_\_\_\_\_ Name: \_\_\_\_\_  
 Address 1: \_\_\_\_\_ Address 2: \_\_\_\_\_  
 City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
 Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
 Name of Party Responsible for Plugging Fees: \_\_\_\_\_  
 State of \_\_\_\_\_ County, \_\_\_\_\_, ss.  
 \_\_\_\_\_  Employee of Operator or  Operator on above-described well,  
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

**Submitted Electronically**



**CEMENT TREATMENT REPORT**

Customer: <b>TDR Construction</b>	Well: <b>Naylor (Heirs) ## 10, 5, 6, 7, 8, 9, 1</b>	Ticket: <b>ICT4035</b>
City, State: <b>Louisburg, KS</b>	County: <b>FR, KS</b>	Date: <b>8/25/2020</b>
Field Rep: <b>Lance Town</b>	S-T-R: <b>8-16-21</b>	Service: <b>plugs</b>

Downhole Information	
Hole Size:	In
Hole Depth:	ft
Casing Size:	2 1/2 In
Casing Depth:	700 ft
Tubing / Liner:	In
Depth:	ft
Tool / Packer:	
Tool Depth:	ft
Displacement:	bbls

Calculated Slurry - Lead	
Blend:	H-Plug
Weight:	13.50 ppg
Water / Sk:	7.50 gal / sk
Yield:	1.50 ft <sup>3</sup> / sk
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0.00 bbls
Excess:	
Total Slurry:	0.00 bbls
Total Sacks:	0 sks

Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sk:	gal / sk
Yield:	ft <sup>3</sup> / sk
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0.00 bbls
Excess:	
Total Slurry:	0.00 bbls
Total Sacks:	#DIV/0! sks

TIME	RATE	PSI	BBLs	TOTAL BBLs	REMARKS
8:00 AM			-	-	held safety meeting
	4.0			-	#10 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#5 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#6 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#7 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#8 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#9 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
	4.0			-	#1 - established rate, mixed and pumped 26 sks H-Plug cement w/ 10# Cottonseed Hulls, pressured to 1200 PSI,
	4.0			-	shut in casing, washed up equipment
				-	
				-	
				-	
				-	
				-	
				-	
				-	

CREW		UNIT	SUMMARY		
Cementer:	Casey Kennedy	89	Average Rate	Average Pressure	Total Fluid
Pump Operator:	Garrett Scott	238	4.0 bpm	#DIV/0! psi	- bbls
Bulk #1:	Alan Madar	248			
H2O:	Pat Sanborn	109			