KOLAR Document ID: 1524789

| For KCC Use: |
|-----------------|
| Effective Date: |
| District # |
| SGA? Yes No |

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

| Contact Person: Facility Name: Fac | Form KSONA-1, Certification of Compliance with the Kansas S | Surface Owner Notification Act, MUST be submitted with this form. |
|--|---|---|
| Control Cont | Expected Spud Date: | Snot Description: |
| Consideration | | |
| Name: | | (0/0/0/0) |
| Address 1: Address 2: Address 2: Address 2: Address 2: Address 2: Address 3: Addres | | |
| Address 2: Chick State: Zip: | | |
| County: State: Zip: + + | | |
| Country Coun | | (Check directions from nearest outside corner boundries) |
| Contact vertaction Facility Name: | | County: |
| Borenois Numer: | | Facility Name: |
| Value Type Drilling Equipment: Mud Rotary Cable Construction Features Air Rotary Other | Phone: | Borehole Number: |
| Cathodic Surface (Non-Metallic) Casing Palaned to be set: | CONTRACTOR: License# | Ground Surface Elevation: MSL |
| Air Rotary Other | | Cathodic Borehole Total Depth: |
| Construction Features Length of Cathodic Surface (Non-Metallic) Casing Panend to be set: Length of Conductor pipe (if army): feet length of Conductor pipe (if army): Surface casing borehole size: Cathodic surface casing swill terminate at: Cathodic surface sating will terminate at: Cathodic surface sating will terminate at: Cathodic surface sating swill terminate at: Cathodic surface sating sating swill terminate at: Concrate Nation of Stream Other Water Well Location Cathodic surface sating swill terminate at: Concrate Nation of Stream Other Water Well Location Cathodic surface sating swill be prouted with: DWR Permit # Cathodic surface sating swill be grouted with: Cathodic surface sating swill be grouted with: Analysis proprietie District of fixe form to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. A copy of the appropriate District Office Ab hours prior to southween ore re-entry. A copy of the appropriate District Office Ab hours prior to southween ore re-entry. A copy of the appropriate District Office Ab hours prior to southween ore re-entry. The minimum amount of carbodics undence sating as specified below whall be set by grouting to the top | Type Drilling Equipment: | Depth to Bedrock: feet |
| Aguifer Penetration: None Single Multiple | | Water Information |
| Planned to be set: | | Aquifer Penetration: None Single Multiple |
| Planned to be set: | Length of Cathodic Surface (Non-Metallic) Casing | Depth to bottom of fresh water: |
| Surface casing borehole size: inches Cathodic surface casing dentralizers set at depths of: ; ; ; ; ; ; ; ; ; ; | | Depth to bottom of usable water: |
| Public water supply well within one mile: | Length of Conductor pipe (if any): feet | Water well within one-quarter mile: Yes No |
| Cathodic surface casing size: | | Public water supply well within one mile: Yes No |
| Cathodic surface casing centralizers set at depths of: ; ; ; ; ; ; ; ; ; ; ; | | Water Source for Drilling Operations: |
| Water Well Location: | | |
| DWR Permit # Standard Casing will terminate at: | | Water Well Location: |
| Pitless casing adaptor will be used: \ yes \ No Depth \ feet Anode installation depths are: \ ; ; ; ; ; ; \ ; ; \ ; \ ; \ ; \ | | DWR Permit # |
| Anode installation depths are: | ☐ Above surface ☐ Surface Vault ☐ Below Surface Vault | Standard Dimension Ratio (SDR) is = |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required feet Minimum Cathodic Surface Casing Required: feet feet pipe feet f | Pitless casing adaptor will be used: Yes No Depth feet | |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | Anada installation depths are: | Annular space between borehole and casing will be grouted with: |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 49 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically If this permit has expired or will not be drilled, check a box below, sign, date and reconductor pipe required | Anode installation depths are:;;;;; | ☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging for this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | ;;;;;; | Anode vent pipe will be set at: feet above surface |
| AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | Anode conductor (backfill) material TYPE: |
| The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required | | Depth of BASE of Backfill installation material: |
| The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify the appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notificatic Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically If this permit has expired or will not be drilled, check a box below, sign, date and reference to the address below. Permit Expired Well Not Drilled Permit Expired Well Not Drilled Permit Expired Signature of Operator or Agent Date Signature of Operator or Agent | AFFIDAVIT | Depth of TOP of Backfill installation material: |
| it is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 - | The undersigned hereby affirms that the drilling, completion and eventual plugging | Borehole will be Pre-Plugged? Yes No |
| Lis agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansass Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - | | |
| Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. For KCC Use ONLY API # 15 | | |
| and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 | is agreed that the following minimum requirements will be met. | |
| Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 | | |
| t. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 | | to any grouting. |
| The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 | | |
| File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 | | |
| Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 | | |
| d. Submitted Electronically For KCC Use ONLY API # 15 | , | , |
| Submitted Electronically For KCC Use ONLY API # 15 | | suon i onn (ACO-1) within oo days nom spud date. |
| For KCC Use ONLY API # 15 | ar cashin plagging report (cr. 1) main to days after that plagging to complete a | |
| For KCC Use ONLY API # 15 | | |
| For KCC Use ONLY API # 15 | Submitted Floctronically | |
| API # 15 | Submitted Electronically | |
| API # 15 | | |
| Conductor pipe required | For KCC Use ONLY | |
| Conductor pipe required | ADI # 45 | |
| Minimum Cathodic Surface Casing Required:feet Approved by: | | |
| Approved by: | Conductor pipe requiredfeet | to the dediction polon. |
| Approved by: | Minimum Cathodic Surface Casing Required:feet | Permit Expired Well Not Drilled |
| This authorization expires: (This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent | | |
| (This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent | | |
| Date Signature of Operator or Agent | | |
| | (11) authorization void it drilling not started within 12 months of approval date.) | |
| | Could date: | Date Signature of Operator or Agent |
| Spud date: Agent: | Spud date: Agent: | |

| For KCC Use ONLY |
|------------------|
| API # 15 |

Operator: ___

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Location of Well: County: ___

SEWARD CO. 3390' FEL

| Facility Name: | feet from N / S Line of Section |
|---|--|
| Borehole Number: | feet from E / W Line of Section |
| | Sec Twp S. R 🗌 E 🔲 W |
| | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| Show location of the Cathodic Borehole. Show foo | PLAT stage to the nearest lease or unit boundary line. Show the predicted locations of |
| lease roads, tank batteries, pipelines and electrical | I lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). ay attach a separate plat if desired. 555 ft. |
| | O 37 ft. |
| | O Well Location Tank Battery Location —— Pipeline Location |
| | Electric Line Location Lease Road Location |
| 6 | EXAMPLE |
| | |
| | 1980' FSL |
| | |

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1524789

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

| | - Cui | omit in Dupilcat | |
|--|-----------------------|------------------------------------|--|
| Operator Name: | | | License Number: |
| Operator Address: | | | |
| Contact Person: | | | Phone Number: |
| Lease Name & Well No.: | | | Pit Location (QQQQ): |
| Type of Pit: | Pit is: | | |
| Emergency Pit Burn Pit | Proposed | Existing | SecTwp R |
| Settling Pit Drilling Pit | If Existing, date cor | nstructed: | Feet from North / South Line of Section |
| Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled) | Pit capacity: | | Feet from East / West Line of Section |
| - Cappy All The of Teal Diffied | | (bbls) | County |
| Is the pit located in a Sensitive Ground Water A | rea? Yes I | No | Chloride concentration: mg/l (For Emergency Pits and Settling Pits only) |
| Is the bottom below ground level? | Artificial Liner? | | How is the pit lined if a plastic liner is not used? |
| Yes No | Yes N | lo | |
| Pit dimensions (all but working pits): | Length (fee | et) | Width (feet)N/A: Steel Pits |
| Depth fro | m ground level to dee | epest point: | (feet) No Pit |
| material, thickness and installation procedure. | | inei integrity, ii | ncluding any special monitoring. |
| Distance to nearest water well within one-mile of | of pit: | Depth to shallo Source of infor | west fresh water feet. mation: |
| feet Depth of water well | feet | measured | well owner electric log KDWR |
| Emergency, Settling and Burn Pits ONLY: | | Drilling, Work | over and Haul-Off Pits ONLY: |
| Producing Formation: | | Type of materia | al utilized in drilling/workover: |
| Number of producing wells on lease: | | Number of worl | king pits to be utilized: |
| Barrels of fluid produced daily: | | Abandonment p | procedure: |
| Does the slope from the tank battery allow all s flow into the pit? Yes No | pilled fluids to | Drill pits must b | pe closed within 365 days of spud date. |
| | - | | |
| Submitted Electronically | | | |
| | ксс | OFFICE USE O | NLY Liner Steel Pit RFAC RFAS |
| Date Received: Permit Num | ber: | Permi | it Date: Lease Inspection: Yes No |

KOLAR Document ID: 1524789

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (| (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application) |
|--|--|
| OPERATOR: License # | Well Location: |
| Name: | SecTwpS. R 🗌 East 🗌 West |
| Address 1: | County: |
| Address 2: | Lease Name: Well #: |
| City: | If filing a Form T-1 for multiple wells on a lease, enter the legal description of |
| Contact Person: | the lease below: |
| Phone: () Fax: () | |
| Email Address: | |
| Surface Owner Information: | |
| Name: | When filing a Form T-1 involving multiple surface owners, attach an additional |
| Address 1: | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the |
| Address 2: | county, and in the real estate property tax records of the county treasurer. |
| City: | |
| the KCC with a plat showing the predicted locations of lease roads, tan | odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. |
| owner(s) of the land upon which the subject well is or will be I | Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address. |
| KCC will be required to send this information to the surface or | acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP- | fee with this form. If the fee is not received with this form, the KSONA-1 will be returned. |
| Submitted Electronically | |
| I | |
| | _ |


| Form | CB1CDP1 - Cathodic Protection Borehole Intent | |
|-----------|---|--|
| Operator | erator Southern Star Central Gas Pipeline, Inc. | |
| Well Name | RECT 985 01 | |
| Doc ID | 1524789 | |

Anode Installation Depths

| epth |
|------|
| 05 |
| 65 |
| 55 |
| 25 |
| 45 |
| 05 |
| 35 |
| 65 |
| 15 |
| 35 |
| 95 |
| 75 |
| 25 |
| 35 |
| 35 |
| 75 |
| 45 |
| 15 |
| 55 |
| 95 |

BELOW GROUND COMPLETION

Well Name: RECT 985 County: HASKELL



| For KCC Use ONLY | |
|------------------|--|
| API # 15 | |



IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

| rator:SOUTHERN STAR CENTRAL GAS PIPELINE | Location of Well: County: HASKELL 555 feet from N / S Line of Section |
|---|---|
| ehole Number: 01 | <u>37</u> feet from |
| | |
| | Is Section: Regular or Irregular |
| | If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW |
| | PLAT |
| Show location of the Cathodic Borehole. Show footage to | o the nearest lease or unit boundary line. Show the predicted locations of as required by the Kansas Surface Owner Notice Act (House Bill 2032). |
| . You may attac | ch a separate plat if desired. |
| HWY144 | 555' |
| | 37' LEGEND |
| | O Well Location Tank Battery Location Pipeline Location |
| | Electric Line Location Lease Road Location |
| | |
| N N N N N N N N N N N N N N N N N N N | EXAMPLE |
| 2 | 8 |
| | 1980' FS |
| | |
| | |
| | SEWARD CO. 3390' FEL |

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.