KOLAR Document ID: 1405873

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:	SecTwpS. R East West					
Address 2:	Feet from North / South Line of Section					
City:	Feet from _ East / _ West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No					
Cathodic Other (Core, Expl., etc.):						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to: w/ sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content:ppm Fluid volume:bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
EOR Permit #:	Location of haid disposal in hadica offsite.					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West					
Recompletion Date Recompletion Date	County: Permit #:					

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II Approved by: Date:

KOLAR Document ID: 1405873

#### Page Two

Operator Name:					Lease Nam	ne:			Well #:		
Sec Tw	pS. F	R [	East	West	County:						
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool erature, fluid recovery,  Digital electronic log	
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample	
Samples Sent to	Geological Sur	vey	Ye	Yes No			)		Тор	Datum	
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€  Y€	es No							
			Repo		RECORD [	Nev	w Used rmediate, producti	on. etc.			
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	OF MENTING /						
Purpose:	[	Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	ad Parcent Additives		
Perforate Protect Casing Plug Back TD			туре	or cement	# Sacks Used			туре а	Type and Percent Additives		
Plug Off Z											
Did you perform     Does the volum     Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,	
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)			
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping  Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity	
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity	
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:	
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom	
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)			
Shots Per Foot	Perforation Top	Perforation Bottom							Record		
TUBING RECOR	D: Size:		Set At:		Packer At:						

Form	ACO1 - Well Completion
Operator	BEREXCO LLC
Well Name	LENA MAI 4-29
Doc ID	1405873

## Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	23	1782	A-Serv Lite/Premi um Plus	775	3% CC 1/4# flakes



# Liberal Yard #1717 Phone 620-624-2277 - 1700 S. Country Estates Road, Liberal KS 67901

## PRESSURE PUMPING

Job Log

								-			
Gustomer:		Berexco Inc	į.		Gement Pump No.: 38119-19570 9HRS		570 9HRS	Operator TRK No.:	96815		
Address:	2020 N BRA	MBLEWOOD	Tiel			1718-	15867	Bulk TRK No.:	70897-37725 14355-3772		
City, State, Zip:	WICHITA K	S 67206			Job Type:		Z42 - Cement Surface Casing				
Service District:		neko cany-un panbat pyra a time montan 20 tru cedan ta			Well Type:			OIL		Ang kat didangkana keraka percala dinangganggang	
Vell Name and No.:		ena Mai 4-29	A STATE OF THE STA		Well Location:	29,23,32	County:	Finney	State:	Ks	
Туре с	of Cmt	Sacks			Additives			Truck Loa			
A-SER	V LITE	625		3	%CaCl, 1/4#POLYF	LAKE	7.0897	-37725	Back		
PREMIU	PREMIUM PLUS 150 2%CaCl, 1/4#POLYFLAKE 14355-37724		Front	Back							
						, , , , , , , , , , , , , , , , , , ,			Front	Back	
Lead	/Tail:	Weight #1 Gal.	Cu/F	t/sk	Water Rec	uirements	CU, FT.	Man I	Hours / Persor	nel	
Lea	adı	12.3	2.0	8	11	.52	1300	Man Hours:	53		
Ta	ila	14.8	1.3	4	6.	33	201	# of Men on Job:	4		
Time		Volume	Pum	nps	Press	sure(PSI)	D	escription of Opera	ition and Materials		
(am/pm)	(BPM)	(BBLS)	Т	С	Tubing	Casing					
15:30							· .c	N LOC, SAFT	EY MTG, R.U.		
10:42						2000		TEST L	INES		
10:44 AM	5					110	START MIXING LEAD @ 12.3#				
11:28 AM	6	232				80	ON TAIL @ 14.8#				
11:37 AM		36					SHUT DOWN, DROP PLUG				
11:40	5					70	START DISPLACEMENT, WASHUP			UP	
12:00	2	90				470	SLOW RATE				
12:11 PM		111				600-1100	PLUG DOWN				
12:14							F	RELEASE PSI,			
								JOB COMPLETE			
							THAN	K YOU FOR Y	OUR BUSINES	38!!!	
				***************************************			_				
									eredina uswapowo on tella occupation	to the state of th	
		-									
					NAMES OF THE OWNER OWNER OWNER OF THE OWNER OWN		- The state of the	***************************************	reskovená Medreofistikovanistinuotokovamiavod		
				-							
			$\vdash$								
								A CONTRACTOR OF THE PROPERTY O	(1000)		
			$\vdash$					***************************************			
					***************************************						
Size Hole	12 1/4	Depth			1782'		TYPE				
Size & Wt. Csg.	8 5/8 23#	Depth	1781.	-	New / Used		Packer		Depth		
tbg.		Depth					Retainer		Depth		
Top Plugs		Туре			,		Perfs	· ····································	CIBP	· ·	
	1.		1			Basic Represe	ntative:		CHAD HINZ		
Customer Sia	Customer Signature: What I have the				Basic Signature:			7			
,						Date of Service		8/22/2018			
						Dare of Service	o.	UIZZIZU 10	1		

# GLOBAL OIL FIELD SERVICES, LLC

REMIT TO	24 S. Lind Russell, K		. <del>.</del>	SERVICE POINT:						
	Kussen, is	20 07005	•			KUSTEL				
DATE 5-30 -	18 SEC	TWP.	RANGE	CALLED OUT	ON LOCATION	JOB START	JOB FINISH			
LEASE Ma	WELL#.	4-29	LOCATION COL	don City 20	245	COUNTY	STATE			
OLD OR NEW	(CIRCLE ONE)					14-1-11-57				
CONTRACTOR	Berel	ہ ر خار		OWNER		1				
TYPE OF JOB	Plac			O ITTLE						
HOLE SIZE	7 7	T.	D.	CEMENT						
CASING SIZE		D	EPTH	AMOUNT OR	DERED					
TUBING SIZE	*		EPTH							
DRILL PIPE TOOL			EPTH		0 mgs 66	1110 419	Lod			
PRES. MAX			EPTH	1,7			."			
MEAS, LINE			INIMUM HOE JOINT							
CEMENT LEFT IN	CSG.	51	IOE JOINT							
PERFS	0.00,						- 1 2/2/04			
DISPLACEMENT				4.50			2/4/20			
	EQUIPME	ENT				·				
PUMP TRUCK	CEMENTER	52:11		6.5		. @				
# 4/7	HELPER	21950	W			@ @				
BULK TRUCK		-room				@				
#	DRIVER	Jorg				@				
BULK TRUCK			•			_				
#	DRIVER					~				
,				HANDLING		@				
				MILEAGE						
•	REMA	ARKS:			•	TOTAL	·			
4 1 3 45										
-1800	1	5006	<u> </u>		SEE	RVICE				
-1050	<i>UI</i> ;	COAL	<u>'</u>	· · · · · · · · · · · · · · · · · · ·	OLI.					
4,50	<del> 69</del>	<u> </u>	<del>/</del>	DEPTH OF JOB						
<del></del>	- William		<u> </u>	PUMP TRUCK (	CHARGE					
- <del>K</del> []	The state of the s			EXTRA FOOTA	GE	@				
	20ph			MILEAGE		@				
				MANIFOLD		@				
CHARGE TO: 🏒	1000 V 50	. 11.	(G)			@ ———	- · · · · · · · · · · · · · · · · · · ·			
							•			
STREET						TOTAL				
CITY	STATE	ZIP								
					PLUG & FLOA	IT EQUIPMEN	T			
Olahar Otter t										
Global Oil Fiel	d Services,	LLC								
You are hereby	requested to	rent cement	ing equipment and			@				
urnish cementer	and helper(s)	to assist ow	ner or contractor to			@				
nd supervision o	ed. The above	e work was	done to satisfaction			@				
inderstand the "	or owner agent	contrac	tor. I have read and							
isted on the rever	GENEKAL I se side	CAMA CIVIA	D CONDITIONS"	( )						
						TOTAL	<u></u>			
RINTED NAME	DalLan	Ron	4							
		10000	2/1	SALES TAX (If A	Any)					
IGNATURE ///	2001	- Doll-	ير السياس		FS					