KOLAR Document ID: 1530588

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:	_+ Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	
Wellsite Geologist:	
Purchaser:	
Designate Type of Completion:	Lease Name: Well #:
☐ New Well ☐ Re-Entry ☐ Workove	Field Name:er
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth: _	
	onv. to SWD Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Committee of the Commit	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #: ☐ Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	
EOR Permit #:	25541511 51 11414 41505541 11 1144154 51 51 51
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion	Quarter Sec TwpS. R East West
Recompletion Date Recomplet	

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1530588

Page Two

Operator Name: _				Lease Name:			Well #:	
Sec Twp.	S. R.	Ea	ast West	County:				
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No					
		R			New Used	on, etc.		
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I		
Purpose:		epth Ty	pe of Cement	# Sacks Used		Type and F	Percent Additives	
Protect Casi								
Plug Off Zon								
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)		
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·			
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record
TUBING RECORD:	Size:	Set /	At:	Packer At:				
. 5213 (1200) 10.	JIEG.			. 30.0.71				

Form	ACO1 - Well Completion	
Operator	TDR Construction, Inc.	
Well Name	REVEY 15	
Doc ID	1530588	

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	20	Portland	3	50/50 POZ
Production	5.625	2.875	14.25	790	Portland	105	50/50 POZ



MENT	TREA	TMEN	T REP	ORT	TO THE SAME			
		DR Cor		Production of the Party of the	Well:	Revey 15	Ticket:	ICT4155
City,	State: [udeluo_	rg, KS		County:	FR, KS	Date:	9/17/2020
Field Rep: Lance Town				S-T-R:	30-15-21	Service:	longstring	
					- Name and Address of the Control of			
		formatio			Calculated Sh			ulated Slurry - Tail
Hole Hole C	Size:	5 5/8			Blend:	50/50/2	Blend:	
Casing	STATE OF THE PARTY.	2 7/8			Weight: Water / Sx:	14.25 ppg 5.63 gal / sk	Weight: Water / Sx:	ppg gal / sk
asing C		790			Yield:	1.24 ft ³ / sk	Yield:	ft ³ / sk
ibing /	Liner:		in		Annular Bbls / Ft.;	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.
¢	Depthi		ft		Depth:	ft	Depth:	ft
ool / Pa	icker:	bafi	le		Annular Volume:	0.0 bbls	Annular Volume:	0 bbis
Tool C		760			Excess		Excess:	
splace	ment	4,40	bbis	TOTAL	Total Slurry:	23.18 bbls	Total Slurry:	0.0 bbls
IME	RATE	PSI	STAGE BBLs	TOTAL BBLs	Total Sacks:	105 sks	Total Sacks:	#DIV/0! sks
:15 AM					held safety meeting		San Cilmo I de Callero I de	
	4.0			200	established circulation			
	4.0				mixed and pumped 200#	Bentonite followed by 5 bbls	fresh water	
	4.0				mixed and pumped 106	sks 50/50/2 Pozmix cement, ce	ment to surface	
	4.0			4	flushed pump clean			
	1.0					ug to baffle w/ 4.40 bbls fresh	water	
	1.0	800.0		-	pressured to 800 PSI, w			
	4.0				released pressure to set washed up equipment	: float valve		
	4.0				Assued ab adminustr			
								·
-	-							
)—————————————————————————————————————
	-							
				<u>:•</u> 2				
ZOUNE I		CREW			UNIT	DEIN STATISTICS		
Car	nenter		y Kenned		89	August Ret	SUMMAR	
neo aO amu			ett Scott	9	238	Average Rate 3.1 bpm	Average Pressure 800 psi	Total Fluid
	alk #1		aithazor		247	5.1 25th	nao pai	Pr seit CI
	H2O		Fotiz		111			

Franklin County, KS TDR Construction, Inc. Commenced Spudding:

(913) 710-5400

9/9/2020

Lease Owner:TDR Construction Inc.

WELL LOG

Thickness of Strata	Formation	Total Depth
0-27	soil-clay	27
33	shale	60
25	lime	85
8	shale	93
10	lime	103
4	shale	107
19	lime	126
37	shale	163 red bed
22	lime	185
30	shale	215
3	lime	218
46	shale	264
31	lime	295
4	shale	299
6	lime	305
20	shale	325
2	lime	327
19	shale	346
2	lime	348
15	shale	363
9	lime	372
2	shale	374
13	lime	387
8	shale	395
23	lime	418
4	shale	422
4	lime	426
5	shale	431
5	lime	436 Hertha
117	shale	553
15	sand	568 slight oil show
46	shale	614
6	lime	620
20	shale	640
7	lime	647
14	shale	661
4	lime	665
8	shale	673
3	lime	676
2	shale	678

Franklin County, KS TDR Construction, Inc.
Well:Revey 15 (913) 710-5400 9/9/2020
Lease Owner:TDR Construction Inc.

9/9/2020

6	lime	684
19	shale	703
2	lime	705
6	shale	711
3	sand	714 broken-good saturation
2	sandy lime	716 no oil
5	sand	721 solid-good saturation
1	sandy lime	722 no oil
5	sand	727 broken - good saturation
2	sand	729 no oil
71	sandy shale	800 TD