#### KOLAR Document ID: 1534654

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	- DESCRIP	WEII &	IFASE
	INSIONI		$\mathbf{W} \mathbf{L} \mathbf{L} \mathbf{L} \boldsymbol{\alpha}$	LLASL

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

### Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

#### KOLAR Document ID: 1534654

Operator Name:	Lease Name: Well #:
Sec TwpS. R East _ West	County:

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Perforate	Depth Top Bottom	Туре	e of Cement	# Sacks Used	k		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol>	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes Yes Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	<b>IPLE</b>	TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		erf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)			Bottom	
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Kiser, Michael dba MWK Petroleum Co.
Well Name	BREWER A OWWO 2
Doc ID	1534654

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.625	23	211	common	150	*
Production	7.875	4.5	10.5	3136	common	75	*
Liner	4.5	3.5	7.58	3116	common	165	*

Cement or Acid	Field Report 5259
Foreman Kevin	MCCoy
Camp EUREKA	

810 E 7 <sup>TH</sup>
PO Box 92
EUREKA, KS 67045
(620) 583-5561



County State Township Range Lease & Well Number Section Date Cust. ID # BREWER #2 Rutler KS 1313 10-14-20 Unit# Driver Unit# Driver Safety Customer Meeting 104 ALAN M. etroleum Co MWK KM Steve M 113 Mailing Address AM 508 Stone LAKE Court SM Zip Code State City 15 67010 Augusta Slurry Vol. 41 BbL Job Type 31/2 OD LINER - Hole Depth \_ Tubing Hole Size 7 %" Casing Depth 3116 Slurry Wt. 14" Drill Pipe Cement Left in Casing O Casing Size & Wt. 31/2 Other Water Gal/SK Bump Plug to 1500 PSI Displacement 29.3 BbL Displacement PSI 1000 BPM Remarks: SAFEty Meeting: 31/2 OD LINER Set @ 3116' INSIDE 41/2 CASING. Rig up to 31/2 LINER BREAK CIRCULAtion w/ 10 BbL FRESH WATER. Pump 10 BbL Dye WATER. MIXed 165 SKS 60/40 POZMIX CEMENT W/ 4% Gel 1/4% CFL-115 @ 14 #/gAL, yield 1.40= 41 Bbl Slurry. Shut down, WASH out Pomp & Lines. Stuff Plug. Start Displacement, Had 24 Bbl Displaced Good Gement Returns to SURFACE ON ANNULUS OF 31/2. Shut ANNULUS IN Squeeze 5.2 Bbl Cement out Holes IN 41/2 while Finishing Displacement. Total Displacement = 29.2 Bbl. Final Pumping PRESSURE WAS 1000 PSI. BUMP Plug to 1500 PSI. WAIT 2 MINS. Release PRESSURE. FLOAT Held. LEFT ANNULUS Shut in. Job Complete. Rig down.

Code	Qty or Units	Description of Product or Services	Unit Price	Total
C 104	11	Pump Charge	1100.00	1100.00
2 107	35	Mileage	4.20	147.00
C.203	165 sks	60/40 POZMIX CEMENT	13.40	2211.00
C 206	565 #	Gel 4%	. 21#	118.65
C 211	35*	CFL-115	11.00 #	385.00
C /08 A	7.09 Tons	TON MileAge	M/c	365.00
C 401	1	31/2 Top Rubber Plug	42.00	42.00
C 682		31/2 Top Rubber Plug 31/2 OD Flush Joint FloAT Shoe	263.00	263.00
	in the second			
			Sub TotAL	4631.65
			Less 5%	241.40
		6.5%	Sales Tax	196.28
	ation By Mu	Ke Kiser Title	_ Total	4586.5.

Authorization By Mike Kiser

I agree to the payment terms and conditions of services provided on the back of this job ticket. Any amendments to payment terms must be in writing on the front of this job ticket or in the Customer's records at ELITE's office.