KOLAR Document ID: 1430289

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip: +	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	·
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
Described	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Location of fluid disposal if flauled offsite.
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II Approved by: Date:						

KOLAR Document ID: 1430289

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS	S. R	Eas	t West	County:					
	l, flowing an	d shut-in press	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.gov	v. Digital electronic log
Drill Stem Tests (Attach Addit	Taken tional Sheets)			Yes No		☐ Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Logs	S		Yes No Yes No Yes No						
			Rep	CASING	RECORD [New		on, etc.		
Purpose of St	tring	Size Hole Drilled		ize Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		<u>'</u>	
Purpose: Perforate		Depth Top Bottom	Тур	e of Cement	# Sacks Use	ed		Type and	Percent Additives	
Protect Ca										
Plug Off Z										
Did you perform Does the volume Was the hydraul	e of the total I	base fluid of the	hydraulic f	racturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Produ Injection:	iction/Injection	n or Resumed Pr	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:
Vented		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom
,	ed, Submit AC							·		
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	ize:	Set At	:	Packer At:					

Form	ACO1 - Well Completion
Operator	Colt Energy Inc
Well Name	KOCH 12
Doc ID	1430289

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.25	8.625	22	40	Portland	20	none

810 E 7TH PO Box 92 **EUREKA, KS 67045** (620) 583-5561



Cement or Acid Field Report
Ticket No. 4258 Foreman Kevin McCoy

Camp Euseka

Date	Cust. ID#	Le	ease & Well Number		Section	Township	Range	1 0	T 0
12-5-18	1003		ch # 12	1.1	21	225		County	Stat
Customer			/	Safety	Unit#		195	ANDERSON	Ks
COLT	ENERGY	INC		Meeting	104		ver	Unit#	Driver
Mailing Address		7		Lm	114	Alan Steve	m.		
	Pox 388			5 m		07100	111.		1700
City		State	Zip Code						RAUS
IOIA		长	100		186				
0-	NEU	0	66749			- 1			
A STATE OF THE STA	TA. WEL		epth 895		Slurry Vol.		Tu	bing	
asing Depth_		Hole S	Size _6-3/4						
asing Size & \	Vt	Cemen	t Left in Casing					Il Pipe 4"	
splacement_	TO CALL LINE							ner	Will will be
			cement PSI	E	lump Plug to		BP	M	
emarks: 🔍	AFETY Med	ting: 1	Big up to 4" 2	DRILL PIP	e. Spot	Coment F	Vues Ac	£11	
							/-	remediay.	
	Maria de la compansión de	3.	55K5 @ 894	,					OBC2
	Transition of		el Spacer						
				,		100			
		10	SAS @ 475					The second second second	
			SKS @ 475						
		6	el Space			No.			
		6			FACE	of the			*
		6	el Space		FACE				# ************************************
		6	el Space		FACE	POF IIV			* A A A A A A A A A A A A A A A A A A A

1000		II - IA Ph-2	
	Description of Product or Services Pump Charge	Unit Price	Total
45	Mileage	YOU	ROM
90 sks	60/40 Pozmix Coment	Mana	A
310	666 4%	(4/10)0	建工作
400	GOL SPACERS	PARION.	
2.87 TOAS	Ton Milenge		
		Sub TotAL	A CONTRACTOR OF THE PARTY OF TH
	-M	Sales Tax	
	90 SKS 310 " 400 "	90 SKS 60 /40 POZMIX CEMENT 310° GEL 49/. 400° GEL SPACERS BY TONS TON Milenge THANK YOU M	90 SKS 60/40 POZMIX CEMENT 310° GEL 49%. 400° GEL SPACERS BT TONS TON Milenge THANK YOU THANK YOU Sales Tax Sales Tax

lagree to the payment terms and conditions of continue and conditions

Total

Mud Rotary Drilling Andrew King - Manager/Driller

Bar Drilling, LLC Phone: (719) 210-8806

1317 105th Rd. Yates Center, KS 66783

Company/Operator	Well No.	Well No. Lease 12 Ko Well API # 15-003-26640		Lease Name Well Location		1/4	1/4	1/4	Sec.	Twp.	Rge,	
Colt Energy Inc.	12				870' fsl, 3600' fel County			NW	SE	21	22	19e
P.O. Box 388	Well API#							Total Depth		Date Star	ted Date	Completed
Iola, KS 66749	15-003-266			oil Anderson				89	96 12/3/20		8 12	/4/2018
Job/Project Name/No.	0	Bit Record					Coring Record					
	Surface Re	cora	Туре	Size	From	То	Соге	# :	Size	From	То	% Rec.
Driller/Crew	Bit Size:	11 1/4	PDC	11 1/4	0'	40'	1		3"	873	896	
Andy King	Casing Size:	8 5/8	PDC	6 3/4	40'	896						
Charles King	Casing Length:	Casing Length: 40'										
Damian King	Cement Used:	20sx										
	Cement Type:	Portland										

Formation Record

From	To	Formation	From	То	Formation	From	То	Formation
0	12	overburden						
12	84	lime						
84	116	shale						
116	124	lime						
124	245	shale						
245	287	lime						
287	352	shale						
352	473	lime						
473	672	shale						
672	683	lime						
683	745	shale						
745	757	lime						
757	787	shale						
787	809	lime						
809	844	shale						
844	873	lime						
. 873	896	core						
896		t.d.				Well Notes		
						Plugged we	ell (Elite Cemer	ting)