KOLAR Document ID: 1541338

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4 March 2009 Type or Print on this Form Form must be Signed All blanks must be Filled

OPERATOR: License #:	API No. 15
Name:	Spot Description:
Address 1:	Footages Calculated from Nearest Outside Section Corner:
Type of Well: (<i>Check one</i>) Oil Well Gas Well OG D&A Cathodic Water Supply Well Other: SWD Permit #: SWD Permit #:	NE NW SE SW County:

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #:	Name:
Address 1:	Address 2:
City:	State: Zip: +
Phone: ()	
Name of Party Responsible for Plugging Fees:	
State of County,	, ss.
(Print Name)	Employee of Operator or Operator on above-described well,

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically



EMENT	TRE	ATMEN	T REPO	DRT				_	
Customer: Vess Oil			Well: Augusta Unit 6-5		it 6-54	Ticket:	EP1209		
City, State: Wichita, Ks. Field Rep: Shane Summers			County:	Butler Co.	Ks.	Date:	1/6/2021		
		S-T-R:	NE 11-28	NE 11-28-4		РТА			
Dow	nhole li	nformatic	m		Calculated Siu	rry - Lead		Calcu	ulated Slurry - Tail
Hole Size: in Blend:			Class A		Blend:				
Hole E	Depth:		ft		Weight:	15.6 ppg		Weight:	ppg
Casing	Size:	5 1/2	in	Water / Sx:		5.2 gal / sx		Water / Sx:	gal / sx
Casing I	epth:		ft		Yield:	1.18 ft ³ / sx		Yield: Annular Bbls / Ft.:	ft ³ / sx bbs / ft. ft 0 bbls
Fubing /	Liner:	2 7/8	in		Annular Bbis / Ft.:	bbs / ft.	S.		
I	Depth:	2499	ft		Depth: Annular Volume:	ft 0.0 bbls		Depth:	
Tool / Pa	acker:							Annular Volume:	
Tool I	Depth:		ft		Excess:			Excess:	
Displace	ment:	bbls			Total Slurry:	0.0 bbls		Total Slurry:	0.0 bbls
			STAGE	TOTAL	Total Sacks:	0 sx		Total Sacks:	#DIV/0! sx
	RATE	PSI	BBLs	BBLs	REMARKS	-feb	-		1 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -
9:45 AM	_		-		Arrive on location. Hold s	satety meeting. Rig up			(0) - 04 (M
10:05 AM	3.0	200.0	15.0	- 15.0	Pump 15 bbis water to cit	rculate oil out of well			
NA CU:US	3.0	200.0	15.0 8.0	23.0	Mix and pump 65 sacks C				
	3.5	200.0	11.5	34.5	Displaced cement with 11				
	5.5	200.0			Diopidood Content india				
10:20 AM					Start pulling tubing		jet.		
11:20 AM				-	Check depth, found musl	hy cement			
11:50 AM					Check depth hard cemen	t at 2345'			
12:00 PM					Run tubing back in to 200	00'			
1:15 PM		200.0	15.0	49.5	Mix 25 sacks Cl;ass ceme	ent with 3% c.c. Displace w	vith 10 bbl wa	ater	
4.05 00					Start pulling tubing.				
1:25 PM				i ii	Start punning tubing.				
2:20 PM					Checked cement depth				
					Perf @ 310			3	
4:20 PM					Pump dye around thru pe	erfs. Mixed and pumped 11	5 sacks Clas	s A cement. Good ceme	ent returns.
4:45 PM					Closed valve. Wash up.				
								- 18	
								19 Colt	
_		CREW			UNIT			SUMMARY	
Cementer: Jake Mueller 81		Average R	ate	Average Pressure	Total Fluid				
Pump Operator: Alan Mader 239		3.3 bpr	m	200 psi	50 bbis				
	ulk #1:		Foltz		110				
Eulk #2: Pat Sanborn 248			248						