KOLAR Document ID: 1543371

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPTI	I & I FASE
VVELL		DESCRIPTIN	L Q LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
	Quarter Sec TwpS. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1543371

Operator Name:	Lease Name:	Well #:
Sec TwpS. R East 🗌 West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold Used on Lease Open Hole (If vented, Submit ACO-18.)			-	·	mingled	юр			
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	McFadden, Jack W. dba McFadden Oil Co.
Well Name	APT 3AO
Doc ID	1543371

Casing

	Size Hole Drilled	Size Casing Set	U U	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	12	20	Portland	3	0
Production	6.125	2.875	4	855	Portland	120	0

Top Sand Goal Bleed 802 Real Good Bleed Lil Blade Shale 802-807 Rock hourd Shew XX 807-812 812-81-1 Bleef 814-817 Shele 812- 817

855 pize

and the second

860 TD

Lung Strie 2081 Surfea 12/28/20 12/22/2

31687

≥d

802 N. Industrial Rd. P.O. Box 664 Iola, Kansas 66749

JACK MCFADDEN P.O. BOX 394

MEDINE:

CO.W

-



Phone: (620) 365-5588 NOTICE TO OWNER Failure of this contractor to pay those persons supplying material or services to complete this contract can result in the filing of a mechanic's lien on the property which is the subject of this contract.

CONDITIONS Concrete to be delivered to the nearest accessible point over passable road, under truck's own power. Due to delivery at owner's or intermediary's direction, seller assumes no responsibility for damages in any manner to sidewalks, roadways, driveways, buildings, trees, shrubbery, etc., which are at customer's risk. The maximum allotted time for unloading trucks is 5 minutes per yard. A charge will be made for holding trucks longer. This concrete contains correct water contents for strength or mix indicated. We do not assume responsibility for strength test when water is added at customer's request. Contractor must provide place for truck to wash out. A \$30 charge will be added per truck if contractor does not supply a place to wash truck out. Tow charges are buyers responsibility.

LEASE: APT3 WELL# 3A0

54 E TO 3600 (2MI.84 MORAN) S 1/2MI GREEN DOUBLE GATES ON ESD

	ingland and a state of the stat				I I I I I I I I I I I I I I I I I I I		
TIME	FORMULA	LOAD SIZE	YARDS ORDERED		DRIVER/TRUCK		PLANT/TRANSACTION #
1:13 AM	VELL	15.00	12,1910				I. Phase has been been
P	O NUMBER						
DATE		LOAD #	YARDS DEL.	BATCH#	WATER TRIM	SLUMP	TICKET NUMBER
2/20/20		1	12.00	2	0 a 12000 - 44	1 60 60 2 11	T and farm phy it
and the second se	WARDING		DDODEDTV DAU	MAGE RELEASE	Excessive Wate	r is Detrimental to Cond	rete Performance
	WARNING	ND EVER	(TO BE SIGNED IF DELIVERY T	O BE MADE INSIDE CURB LINE)		dded By Request/Autho	
Contains Portland Cement	Wear Rubber Boots and Gloves. Pl	ROLONGED CONTACT MAY	you for your signature is of the op	ruck in presenting this RELEASE to inion that the size and weight of his		/	
Contact With Skin or Eves	ontact With Eyes and Prolonged Co , Flush Thoroughly With Water, If Ir	ritation Persists, Get Medical	truck may possibly cause damag property if it places the material in	e to the premises and/or adjacent this load where you desire it. It is	GAL >		
Attention. KEEP CHILDRE	N AWAY.	The second second	the driver is requesting that you s	that we can, but in order to do this ign this RELEASE relieving him and	WEIGHMASTER	And the second second second	A REAL PROPERTY AND A REAL
CONCRETE is a PERISHABLE	COMMODITY and BECOMES the PROP HANGES OR CANCELLATION of ORIG	ERTY of the PURCHASER UPON	to the premises and/or adjace	y from any damage that may occur nt property, buildings, sidewalks,			
TELEPHONED to the OFFICE	BEFORE LOADING STARTS.		also agree to help him remove mu	ivery of this material, and that you d from the wheels of his vehicle so			
The undersigned promises to any sums owed.	pay all costs, including reasonable attor	neys' fees, incurred in collecting	tion, the undersigned agrees to ind	eet. Further, as additional considera- lemnify and hold harmless the driver	NOTICE: MY SIGNATURE BE	LOW INDICATES THAT I HAVE	READ THE HEALTH WARNING FOR ANY DAMAGE CAUSED
	days of delivery will bear interest at the rate		and/or adjacent property which m	any and all damage to the premises ay be claimed by anyone to have	WHEN DELIVERING INSIDE C	URB LINE.	TON ANY DAMAGE CAUGED
Not Responsible for Reactive Material is Delivered.	Aggregate or Color Quality. No Claim	Allowed Unless Made at Time	arisin out of delivery of this order. SIGNED		LOAD RECEIVED BY:		-
	oss of the Cash Discount will be collec	ted on all Returned Checks.	X		X		
Excess Delay Time Charged @				-			
QUANTITY	CODE	DESCRIPTION	ACKS PER U	VITY 1	2.00	UNIT PRICE	EXTENDED PRICE
QUANTITY	WELLE	TRUCKING CI	NCKS PER U	HITY I	<u>9. MA</u> , NO	UNIT PRICE	EXTENDED PRICE
1.35	WEELS ING	TRUCKING C	ACKS PER U HARGE HAULING	NITY I		UNIT PRICE	
1.35	WELLE	AELECRIPTION SA TRUCKING CI MIXING AND	NCKS PER U HARGE HAULING	4IT) 1 1 1	. 20	UNIT PRICE	EXTENDED PRICE
1.35	WEELS ING	TRUCKING CI	NCKO PER U HARGE HAULING	917) 1 1 1 1	. 20		
1.35	WEELS ING	TRUCKING CI	NGKO PER U HARGE HAULING	NITN 1 1 1 1 1 1	. 20		EXTENDED PRICE
1.35	WEELS ING	DESCRIPTION SH TRUCKING CI MIXING AND	NGKO PER U HARGE HAULING	ALLY 1 1 1 1 1 1 1 1	. 20		EXTENDED PRICE
1.35	WEELS ING	DESCRIPTION SH TRUCKING CI MIXING AND	ACKO PER U HARGE HAULING	917) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	. 20		EXTENDED PRICE 9000 3000 8 - 75,00
1.00	WELL TRUCKING MIX&HALL	AELE (10 SH TRUCKING C MIXING AND			.00 2.00		EXTENDED PRICE 9000 3000 8-75.00
1.25	WEELS ING	FINISH UNLOADING	HARGE HAUL ING	YLINDER TEST TAKEN	. 20		EXTENDED PRICE
2.00	WELL TRUCKING MIX&HALL	AELE (10 SH TRUCKING C MIXING AND	1. JOB NOT READY 2. SLOW POUR OR PUMP	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT	.00 2.00		EXTENDED PRICE
RETURNED TO PLANT 1.2.90 RETURNED TO PLANT 1.2.97	LEFT JOB	FINISH UNLOADING	1. JOB NOT READY 2. SLOW POUR OR PUMP 3. TRUCK AHEAD ON JOB	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED		EXTENDED PRICE
1.00	WELL TRUCKING MIX&HALL	AELE (10 SH TRUCKING C MIXING AND	1. JOB NOT READY 2. SLOW POUR OR PUMP	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	.00 2.00		EXTENDED PRICE 9000 3000 875.00 875.00
RETURNED TO PLANT 1.2.90 RETURNED TO PLANT 1.2.97	LEFT JOB	FINISH UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED	RATE	\$ 9000 3000 \$ 75.00 \$ 9881
RETURNED TO PLANT 1.2.90 RETURNED TO PLANT 1.2.97	LEFT JOB	FINISH UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED		\$ 9000 3000 \$ 75.00 \$ 9881
RETURNED TO PLANT 1.2.90 RETURNED TO PLANT 1.2.97	LEFT JOB	FINISH UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED	RATE	\$ 9000 3000 \$ 75.00 \$ 9881
RETURNED TO PLANT 1.2-977 LEFT PLANT 11-33	LEFT JOB IZ-ZS ARRIVED JOB	FINISH UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED	RATE ADDITIONAL CHARGE ADDITIONAL CHARGE	\$ 9000 3000 \$ 75.00 \$ 9881
RETURNED TO PLANT 1.2-977 LEFT PLANT 11-33	LEFT JOB IZ-ZS ARRIVED JOB	FINISH UNLOADING	JOB NOT READY SLOW POUR OR PUMP TRUCK AHEAD ON JOB CONTRACTOR BROKE DOWN	YLINDER TEST TAKEN 6. TRUCK BROKE DOWN 7. ACCIDENT 8. CTATION	TIME ALLOWED	RATE	\$ 9000 3000 \$ 75.00 \$ 9881