KOLAR Document ID: 1549688

Confidentiality Requested:

Yes No

#### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

## WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R East _ West				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	Datum: NAD27 NAD83 WGS84				
Wellsite Geologist:	County:				
Purchaser:	·				
Designate Type of Completion:	Lease Name: Well #:				
☐ New Well ☐ Re-Entry ☐ Workover	Field Name:				
☐ Oil     ☐ WSW     ☐ SWD       ☐ Gas     ☐ DH     ☐ EOR       ☐ OG     ☐ GSW	Producing Formation: Kelly Bushing:   Elevation: Ground: Kelly Bushing:   Total Vertical Depth: Plug Back Total Depth:				
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet				
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? ☐ Yes ☐ No				
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet				
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to:w/sx cmt.				
Original Comp. Date: Original Total Depth:					
□ Deepening       □ Re-perf.       □ Conv. to EOR       □ Conv. to SWD         □ Plug Back       □ Liner       □ Conv. to GSW       □ Conv. to Producer	Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content:ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR Permit #:	·				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or Recompletion Date	Quarter Sec.         TwpS. R East West           County:         Permit #:				

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II III Approved by: Date:							

KOLAR Document ID: 1549688

#### Page Two

Operator Name:				Lease Name:			Well #:		
Sec Twp.	S. R.	Ea	st West	County:					
	lowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	v. Digital electronic log	
Drill Stem Tests Ta			Yes No			on (Top), Depth ar		Sample	
Samples Sent to G	eological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		Re			New Used	ion, etc.			
Purpose of Strin		Size Hole S Drilled S		Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / SO	QUEEZE RECORD	l			
Purpose:		epth Ty Bottom	pe of Cement	# Sacks Used Type and Percent Additives					
Protect Casii									
Plug Off Zon									
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	_	No (If No, sk	ip questions 2 an ip question 3) out Page Three	,	
Date of first Producti Injection:	on/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other <i>(Explain)</i>			
Estimated Production Oil Bbls. Per 24 Hours			Mcf Water Bbls.			Gas-Oil Ratio	Gravity		
DISPOSITION OF GAS: METHOD OF COM					LETION:			ON INTERVAL:	
✓ Vented     ✓ Sold     ✓ Used on Lease     ✓ Open Hole						mmingled mit ACO-4)	Тор	Bottom	
,	Submit ACO-18.)								
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid,	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5513   1200  10.	5120.		···	. 30.0.71					

Form	ACO1 - Well Completion
Operator	Smith, Richard E. dba Smith Oil Operations
Well Name	FAIR SLEEPER TRUST 1 OWWO
Doc ID	1549688

### Casing

Purpose Of String		Size Casing Set	Weight	Setting Depth	Cement		Type and Percent Additives
Surface	12.25	8.625		282		225	
Production	7.875	5.50	14	3408	60/40	175	10%SALT

# QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-1071 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 2107

Sec. 15	Twp. Range	1	County	State	On Location	Finish	
Date 9.30.20 15	2 11	Sto	attore	K 5		9145AW	
Lease Pair Sleeper -	To (2)		ion Dinw	200 5/90	ORD SE S	SINY	
1 1/1	TWST Well No. ] 6	WNO	Owner To Quality Oil	lwell Cementing, Inc			
Contractor DUKE #2			You are herel	by requested to rent	cementing equipmen	nt and furnish	
Type Job How Str.	cementer and helper to assist owner or contractor to do work as listed.						
Hole Size 248	Charge To Smith Oi Operations						
Csg. 5/2	Depth 3408	ate of the	Street			L	
Tbg. Size	Depth		City		State	=	
Tool	Depth		The above was	done to satisfaction a	and supervision of owne	r agent or contractor.	
Cement Left in Csg. 10	Shoe Joint 10		Cement Amou	unt Ordered / 25	60/40 10/5	2/+ .	
Meas Line		BL	5Dogal	mod dect	, ,	5/6/Bonite	
EQUIP	MENT		Common /	-	= 7 ***		
Pumptrk / 7 No. Cementer Helper	(13)		Poz. Mix				
Bulktrk No. Driver Driver	W)		Gel.			Province and	
Bulktrk 9 No. Driver Driver	1/2		Calcium				
JOB SERVICES	& REMARKS		Hulls				
Remarks:	-	1	Salt /5			1	
Rat Hole 30			Flowseal				
Mouse Hole 20			Kol-Seal 800#				
Centralizers		- 48	Mud CLR 48 500 Pal,				
Baskets		***************************************	CFL-117 or CD110 CAF 38				
D/V or Port Collar	- maritim		Sand	5110 OAI 30			
51/2 5AD 3400	2 P. 1 am 2	200	Handling /	00			
5 2 9 C 3 7 C	MD seemal M	200	Mileage	18			
Dhie Ditale Mass	, 1 /	SACTOR SECTIONS	ivilleage	FLOAT EQUIPM	The second secon		
	chole. Cement		Guide Chas	FLOAT EQUIPM	ENI		
· /:	K Ofer lines	N ASSESSMENT	Guide Shoe		2 2 24 24		
Displace Pus.	*		Centralizer	2 1.1017	1 . 1 . 0.0 f		
Paganoed of	500#	a. t	Baskets 10	2 Well on:	Scratches 5		
LITT DESSUR L	100 h	N #	AFU Inserts				
			Float Shoe		W. Carrier Co.		
		mark.	Latch Down /	1 100 100	THE PARTY SEE SAME		
		Para Caraca Cara					
		H. 74	Pumptrk Charg	ge prod 5	tring		
			Mileage 28	1	<b>V</b>		
			1	1/4	Tax		
v A - 1			In	ank	Discount		
Signature Ulan Vosç	rue		// //	anks	Total Charge		
U			6				