

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form U3C  
June 2015  
Form must be Typed  
Form must be completed  
on a per well basis

**ANNUAL REPORT OF PRESSURE MONITORING,  
FLUID INJECTION AND ENHANCED RECOVERY**

Complete all blanks - add pages if needed. Copy to be retained for five (5) years after filing date.

OPERATOR: License # \_\_\_\_\_  
Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
Lease Name: \_\_\_\_\_  
Well Number: \_\_\_\_\_

API No.: \_\_\_\_\_  
Permit No.: \_\_\_\_\_  
Reporting Year: \_\_\_\_\_  
(January 1 to December 31)  
\_\_\_\_ - \_\_\_\_ - \_\_\_\_ - \_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_  E  W  
(a/a/a/a)  
\_\_\_\_\_ feet from  N /  S Line of Section  
\_\_\_\_\_ feet from  E /  W Line of Section  
County: \_\_\_\_\_

**I. Injection Fluid:**

Type (Pick one):  Fresh Water  Treated Brine  Untreated Brine  Water/Brine  
Source:  Produced Water  Other (Attach list)  
Quality: Total Dissolved Solids: \_\_\_\_\_ mg/l Specific Gravity: \_\_\_\_\_ Additives: \_\_\_\_\_  
(Attach water analysis, if available)

**II. Well Data:**

Maximum Authorized Injection Pressure: \_\_\_\_\_ psi Injection Zone: \_\_\_\_\_  
Maximum Authorized Injection Rate: \_\_\_\_\_ barrels per day  
Total Number of Enhanced Recovery Injection Wells Covered by this Permit: \_\_\_\_\_ (Include TA's)

III.	Month:	Total Fluid Injected BBL	Maximum Fluid Pressure	Total Gas Injected MCF	Maximum Gas Pressure	# Days of Injection
	January	_____	_____	_____	_____	_____
	February	_____	_____	_____	_____	_____
	March	_____	_____	_____	_____	_____
	April	_____	_____	_____	_____	_____
	May	_____	_____	_____	_____	_____
	June	_____	_____	_____	_____	_____
	July	_____	_____	_____	_____	_____
	August	_____	_____	_____	_____	_____
	September	_____	_____	_____	_____	_____
	October	_____	_____	_____	_____	_____
	November	_____	_____	_____	_____	_____
	December	_____	_____	_____	_____	_____
	<b>TOTAL</b>	_____	_____	_____	_____	_____

Units of Measurement: **Standard**

**Water Analysis Report**

Production Company: **Falcon Exploration**  
Well Name: **Yount**  
Sample Point: **disposal**  
Sample Date: **2/23/2016**  
Sample ID: **WA-331999**

Sales Rep: **Timothy Schiffelbein**  
Lab Tech: **Beatrice Rodriguez**

Scaling potential predicted using ScaleSoftPitzer from  
Brine Chemistry Consortium (Rice University)

Sample Specifics		Analysis @ Properties in Sample Specifics			
Test Date:	3/8/2016	<i>Cations</i>	<i>mg/L</i>	<i>Anions</i>	<i>mg/L</i>
System Temperature 1 (°F):	300	Sodium (Na):	17128.65	Chloride (Cl):	30000.00
System Pressure 1 (psig):	3000	Potassium (K):	257.08	Sulfate (SO4):	102.00
System Temperature 2 (°F):	72	Magnesium (Mg):	375.44	Bicarbonate (HCO3):	244.00
System Pressure 2 (psig):	71	Calcium (Ca):	1380.52	Carbonate (CO3):	
Calculated Density (g/ml):	1.0312	Strontium (Sr):	38.44	Acetic Acid (CH3COO)	
pH:	7.50	Barium (Ba):	0.00	Propionic Acid (C2H5COO)	
Calculated TDS (mg/L):	49535.97	Iron (Fe):	0.48	Butanoic Acid (C3H7COO)	
CO2 in Gas (%):		Zinc (Zn):	0.01	Isobutyric Acid ((CH3)2CHCOO)	
Dissolved CO2 (mg/L):	200.00	Lead (Pb):	0.01	Fluoride (F):	
H2S in Gas (%):		Ammonia NH3:		Bromine (Br):	
H2S in Water (mg/L):	2.50	Manganese (Mn):	0.08	Silica (SiO2):	9.26
Tot. Suspended Solids (mg/L):		Aluminum (Al):		Calcium Carbonate (CaCO3):	
Corrosivity (Langlier Sat. Indx)	0.00	Lithium (Li):		Phosphates (PO4):	
Alkalinity:		Boron (B):		Oxygen (O2):	
		Silicon (Si):	4.33		

Notes:

(PTB = Pounds per Thousand Barrels)





Temp (°F)	PSI	Calcium Carbonate		Barium Sulfate		Iron Sulfide		Iron Carbonate		Gypsum CaSO4·2H2O		Celestite SrSO4		Halite NaCl		Zinc Sulfide		
		SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	
72.00	71.00	0.25	17.13	0.00	0.00	0.32	0.14	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.79	0.00
97.00	396.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.87	0.00
123.00	722.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.50	0.00
148.00	1047.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.24	0.00
173.00	1373.00	0.06	4.60	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.05	0.00
199.00	1698.00	0.19	13.29	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.88	0.00
224.00	2024.00	0.33	21.33	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.74	0.00
249.00	2349.00	0.48	28.54	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.61	0.00
275.00	2675.00	0.63	34.89	0.00	0.00	0.12	0.06	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.50	0.00
300.00	3000.00	0.78	40.39	0.00	0.00	0.24	0.11	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.39	0.00

Water Analysis Report

Temp (°F)	PSI	Hemihydrate CaSO4~0.5H2O		Anhydrate CaSO4		Calcium Fluoride		Zinc Carbonate		Lead Sulfide		Mg Silicate		Ca Mg Silicate		Fe Silicate	
		SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB	SI	PTB
72.00	71.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	9.16	0.00	0.00	0.00	0.00	0.00	0.00	0.00
97.00	396.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.93	0.00	0.00	0.00	0.00	0.00	0.00	0.00
123.00	722.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	7.28	0.00	0.00	0.00	0.00	0.00	0.00	0.00
148.00	1047.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.79	0.00	0.00	0.00	0.00	0.00	0.00	0.00
173.00	1373.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.38	0.00	0.00	0.00	0.00	0.00	0.00	0.00
199.00	1698.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	6.02	0.00	0.00	0.00	0.00	0.00	0.00	0.00
224.00	2024.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.72	0.00	0.00	0.00	0.00	0.00	0.00	0.00
249.00	2349.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.44	0.00	0.03	0.59	0.00	0.00	0.00	0.00
275.00	2675.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	5.19	0.00	1.08	13.04	0.00	0.00	0.00	0.00
300.00	3000.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	4.97	0.00	2.06	19.48	0.34	3.29	0.00	0.00


These scales have positive scaling potential under initial temperature and pressure: Calcium Carbonate Iron Sulfide Zinc Sulfide Lead Sulfide

These scales have positive scaling potential under final temperature and pressure: Calcium Carbonate Iron Sulfide Zinc Sulfide Lead Sulfide Mg Silicate Ca Mg Silicate



Water Analysis Report

Lead Sulfide



Ca Mg Silicate

