



**TRILOBITE
TESTING, INC.**

DRILL STEM TEST REPORT

FLUID SUMMARY

Berexco LLC

17-21S-12W Stafford

2020 N Bramblewood
Wichita, KS 67206

Heaton 10

Job Ticket: 64886

DST#: 1

ATTN: Jerry Smith

Test Start: 2019.01.06 @ 18:56:00

Mud and Cushion Information

Mud Type: Gel Chem

Cushion Type:

Oil API:

deg API

Mud Weight: 9.00 lb/gal

Cushion Length:

ft

Water Salinity:

18000 ppm

Viscosity: 70.00 sec/qt

Cushion Volume:

bbbl

Water Loss: 7.98 in³

Gas Cushion Type:

Resistivity: ohm.m

Gas Cushion Pressure:

psig

Salinity: 2000.00 ppm

Filter Cake: 0.02 inches

Recovery Information

Recovery Table

Length ft	Description	Volume bbbl
0.00	3037 GIP	0.000
63.00	OMCW 4%O 10%M 86%W	0.884
199.00	GOWCM 22%G 6%O 32%W 40%M	2.791

Total Length: 262.00 ft Total Volume: 3.675 bbl

Num Fluid Samples: 0

Num Gas Bombs: 0

Serial #:

Laboratory Name:

Laboratory Location:

Recovery Comments: RW was .45 @ 60 degrees

Pressure vs. Time



