

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form U3C  
June 2015  
Form must be Typed  
Form must be completed  
on a per well basis

**ANNUAL REPORT OF PRESSURE MONITORING,  
FLUID INJECTION AND ENHANCED RECOVERY**

Complete all blanks - add pages if needed. Copy to be retained for five (5) years after filing date.

OPERATOR: License # \_\_\_\_\_  
Name: \_\_\_\_\_  
Address 1: \_\_\_\_\_  
Address 2: \_\_\_\_\_  
City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_  
Contact Person: \_\_\_\_\_  
Phone: ( \_\_\_\_\_ ) \_\_\_\_\_  
Lease Name: \_\_\_\_\_  
Well Number: \_\_\_\_\_

API No.: \_\_\_\_\_  
Permit No.: \_\_\_\_\_  
Reporting Year: \_\_\_\_\_  
(January 1 to December 31)  
\_\_\_\_ - \_\_\_\_ - \_\_\_\_ - \_\_\_\_ Sec. \_\_\_\_ Twp. \_\_\_\_ S. R. \_\_\_\_  E  W  
(a/a/a/a)  
\_\_\_\_\_ feet from  N /  S Line of Section  
\_\_\_\_\_ feet from  E /  W Line of Section  
County: \_\_\_\_\_

**I. Injection Fluid:**

Type (Pick one):  Fresh Water  Treated Brine  Untreated Brine  Water/Brine  
Source:  Produced Water  Other (Attach list)  
Quality: Total Dissolved Solids: \_\_\_\_\_ mg/l Specific Gravity: \_\_\_\_\_ Additives: \_\_\_\_\_  
(Attach water analysis, if available)

**II. Well Data:**

Maximum Authorized Injection Pressure: \_\_\_\_\_ psi Injection Zone: \_\_\_\_\_  
Maximum Authorized Injection Rate: \_\_\_\_\_ barrels per day  
Total Number of Enhanced Recovery Injection Wells Covered by this Permit: \_\_\_\_\_ (Include TA's)

III.	Month:	Total Fluid Injected BBL	Maximum Fluid Pressure	Total Gas Injected MCF	Maximum Gas Pressure	# Days of Injection
	January	_____	_____	_____	_____	_____
	February	_____	_____	_____	_____	_____
	March	_____	_____	_____	_____	_____
	April	_____	_____	_____	_____	_____
	May	_____	_____	_____	_____	_____
	June	_____	_____	_____	_____	_____
	July	_____	_____	_____	_____	_____
	August	_____	_____	_____	_____	_____
	September	_____	_____	_____	_____	_____
	October	_____	_____	_____	_____	_____
	November	_____	_____	_____	_____	_____
	December	_____	_____	_____	_____	_____
	<b>TOTAL</b>	_____	_____	_____	_____	_____

K3 OIL & GAS  
 TYLER MORAN  
 PRATT KS

Meireis 1  
 BLEEDER

Report Date: 11-27-2019  
 Sample #: 5027

Sampled: 11-22-2019 at 0000  
 Sample ID: 244798

**CATIONS**

Calcium (as Ca)	11080
Magnesium (as Mg)	2341
Barium (as Ba)	4.36
Strontium (as Sr)	1160
Sodium (as Na)	57543
Potassium (as K)	569.10
Lithium (as Li)	8.80
Ammonia (as NH <sub>3</sub> )	0.00
Aluminum (as Al)	0.00
Iron (as Fe)	79.62
Manganese (as Mn)	1.68
Zinc (as Zn)	0.443
Lead (as Pb)	0.00

**ANIONS**

Chloride (as Cl)	116800
Sulfate (as SO <sub>4</sub> )	50.00
Bromine (as Br)	0.00
Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )	180.00
Bicarbonate (as HCO <sub>3</sub> )	48.80
Carbonate (as CO <sub>3</sub> )	0.00
Oxalic acid (as C <sub>2</sub> O <sub>4</sub> )	0.00
Silica (as SiO <sub>2</sub> )	0.00
Phosphate(as PO <sub>4</sub> )	0.00
H <sub>2</sub> S (as H <sub>2</sub> S)	0.00
Fluoride (as F)	0.00
Nitrate (as NO <sub>3</sub> )	0.00
Boron (as B)	11.41

**PARAMETERS**

Calculated T.D.S.	202281
Molar Conductivity	135491
Resistivity	7.38
Sp.Gr.(g/mL)	1.12
Pressure(atm)	1.00
pCO <sub>2</sub> (atm)	0.0128
pH <sub>2</sub> S(atm)	0.00
Temperature (°F)	50.00
pH	6.20

**CORROSION RATE PREDICTION**

CO <sub>2</sub> - H <sub>2</sub> S Rate(mpy)	0.0816
--	--------

**COMMENTS**

PRATT KS

**JACAM LABORATORIES**

205 S. Broadway • P.O. Box 96 • Sterling, KS 67579-0096

# DownHole SAT™ Water Analysis Report



## SYSTEM IDENTIFICATION

K3 OIL & GAS  
Meireis 1  
TYLER MORAN  
BLEEDER  
PRATT KS

Sample ID#: 5027  
Sample ID: 244798  
Sample Date: 11-22-2019 at 0000  
Report Date: 11-27-2019

## WATER CHEMISTRY

### CATIONS

Calcium(as Ca)	11080
Magnesium(as Mg)	2341
Barium(as Ba)	4.36
Strontium(as Sr)	1160
Sodium(as Na)	57543
Potassium(as K)	569.10
Lithium(as Li)	8.80
Iron(as Fe)	79.62
Field Iron(as Fe)	0.00
Ammonia(as NH <sub>3</sub> )	0.00
Aluminum(as Al)	0.00
Manganese(as Mn)	1.68
Zinc(as Zn)	0.443
Lead(as Pb)	0.00

### ANIONS

Chloride(as Cl)	116800
Sulfate(as SO <sub>4</sub> )	50.00
Bromine(as Br)	0.00
Dissolved CO <sub>2</sub> (as CO <sub>2</sub> )	180.00
Bicarbonate(as HCO <sub>3</sub> )	48.80
Carbonate(as CO <sub>3</sub> )	0.00
Silica(as SiO <sub>2</sub> )	0.00
Phosphate(as PO <sub>4</sub> )	0.00
H <sub>2</sub> S (as H <sub>2</sub> S)	0.00
Fluoride(as F)	0.00
Nitrate(as NO <sub>3</sub> )	0.00
Boron(as B)	11.41

Temperature(°F)	50.00
Conductivity	135491
Resistivity	7.38

### PARAMETERS

Sample pH	6.20
Sp.Gr.(g/mL)	1.12
T.D.S.	202281

## SCALE AND CORROSION POTENTIAL

Temp. (°F)	Press. (atm)	Calcite CaCO <sub>3</sub>		Anhydrite CaSO <sub>4</sub>		Gypsum CaSO <sub>4</sub> *2H <sub>2</sub> O		Barite BaSO <sub>4</sub>		Celestite SrSO <sub>4</sub>		Siderite FeCO <sub>3</sub>		Mackawenite FeS		CO <sub>2</sub> (mpy)	pCO <sub>2</sub> (atm)
50.00	0.00	0.333	-0.00457	0.0402	-122.48	0.0552	-99.66	0.716	-0.807	0.0775	-76.32	0.850	>-0.001	0.00	-0.0653	0.0714	0.0128
65.45	0.00	0.327	-0.00407	0.0361	-127.09	0.0480	-107.29	0.433	-2.32	0.0674	-82.12	0.936	>-0.001	0.00	-0.0924	0.186	0.0128
80.91	0.00	0.330	-0.00363	0.0344	-124.69	0.0427	-113.20	0.278	-3.96	0.0623	-83.30	1.05	< 0.001	0.00	-0.123	0.110	0.0128
96.36	0.00	0.337	-0.00326	0.0346	-116.47	0.0387	-117.40	0.189	-5.66	0.0596	-81.96	1.19	< 0.001	0.00	-0.156	0.147	0.0128
111.82	0.00	0.343	-0.00296	0.0363	-104.18	0.0384	-111.36	0.135	-7.38	0.0579	-79.69	1.34	< 0.001	0.00	-0.192	0.153	0.0128
127.27	0.00	0.342	-0.00275	0.0398	-89.65	0.0403	-99.98	0.0972	-9.25	0.0561	-77.99	1.46	< 0.001	0.00	-0.237	0.133	0.0128
142.73	0.00	0.333	-0.00262	0.0452	-74.54	0.0421	-90.92	0.0711	-11.30	0.0541	-76.94	1.55	< 0.001	0.00	-0.295	0.115	0.0128
158.18	0.00	0.315	-0.00254	0.0531	-60.08	0.0435	-83.69	0.0525	-13.57	0.0521	-76.48	1.60	< 0.001	0.00	-0.368	0.112	0.0128
173.64	0.00	0.292	-0.00252	0.0643	-47.06	0.0448	-77.95	0.0391	-16.06	0.0500	-76.61	1.60	< 0.001	0.00	-0.462	0.112	0.0128
189.09	0.00	0.264	-0.00253	0.0800	-35.89	0.0458	-73.44	0.0295	-18.81	0.0479	-77.30	1.56	< 0.001	0.00	-0.582	0.0498	0.0128
204.55	0.00	0.233	-0.00257	0.102	-26.67	0.0466	-69.97	0.0224	-21.86	0.0457	-78.58	1.49	< 0.001	0.00	-0.735	0.00	0.0128
220.00	0.171	0.199	-0.00274	0.132	-20.00	0.0469	-69.80	0.0170	-25.69	0.0433	-83.12	1.36	< 0.001	0.00	-0.956	0.00	0.0150

Saturation Levels (xSAT) are the ratio of ion activity to solubility, e.g. {Ca}{CO<sub>3</sub>}/K<sub>sp</sub>. pCO<sub>2</sub> (atm) is the partial pressure of CO<sub>2</sub> in the gas phase.  
Lbs/1000 Barrels scale is the quantity of precipitation (or dissolution) required to instantaneously bring the water to equilibrium.

