KOLAR Document ID: 1566235

For KCC Use:	
Effective Date:	
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No CATHODIC PROTECTION BOREHOLE INTENT All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this for

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E W
	(0/0/0/0)
OPERATOR: License#	
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City: State: Zip: +	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth: fee
Type Drilling Equipment:	Depth to Bedrock: fee
☐ Air Rotary ☐ Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depthfeet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anada installation depths are:	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;; ;; ;;	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surfac
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
f this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
 Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prio 	
Notify appropriate District Office 48 hours prior to workover or re-entry.	
3. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	
i. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (in Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed.	orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
Cubesitted Flootropically	
Submitted Electronically	
Submitted Electronically For KCC Use ONLY	
For KCC Use ONLY	If this permit has expired or will not be drilled check a hox below sign date and return
For KCC Use ONLY API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
For KCC Use ONLY API # 15 Conductor pipe requiredfeet	
For KCC Use ONLY API # 15	
For KCC Use ONLY API # 15 Conductor pipe requiredfeet	to the address below.
For KCC Use ONLY API # 15	to the address below.
API # 15	to the address below.
For KCC Use ONLY API # 15	to the address below.

For KCC Use ONLY	
API # 15	

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:							Loc	ation of W	ell: County:	
Facility Name:										feet from N / S Line of Section
Borehole Numb	ber:									feet from E / W Line of Section
							Sec	:	_ Twp	S. R
							000		p	
							ls S	ection:	Regular	or Irregular
							If S	ection is I	rregular, lo	ocate well from nearest corner boundary.
							Sec	tion corne	r used:	NE NW SE SW
							PLAT			
Sho	ow loca	tion of the	Cathodic	Borehole.	Show foo	tage to the	e nearest l	ease or un	it boundary	line. Show the predicted locations of
lea	se road	ls, tank ba	atteries, pi	pelines and	d electrica	l lines, as	required b	y the Kans	as Surface	Owner Notice Act (House Bill 2032).
						ay attach a				,
						,			1050 ft.	
									,	
	:			: :		:	:	:		
	:			:		:	•	:		LEGEND
	:	:		:		:	:	:		LEGEND
			:		•••••		:			 Well Location
				:		:	:	Ļ	- 50 ft.	Tank Battery Location
	:					:	:	: 6	<i>y</i> 50 it.	—— Pipeline Location
		•••••			********		•••••			· · · · · · · · · · · · · · · · · · ·
	:					:	:			Electric Line Location
	:			:		:	:	:		Lease Road Location
			•	·	••••			•		
	:	:	:			:	:			
	:					:	:			TVAMPLE : :
	:			. 0	6	:	:	:		EXAMPLE
	:					:	:			
	:				İ	:	:			
	:					:	:			
•••				• • • • • • • • • • • • • • • • • • • •	•••••	• • • • • • • • • • • • • • • • • • • •				
	:									: : :
	:					:			'	
	• • • • • •	• • • • • • • • • • • • • • • • • • • •			•••••	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •		1980' FSL
	:					:	:			
	:					:	:		.	
		:								: 🎚: : :
	:					:	:			<u> </u>
				,					1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1566235

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.		illei littegrity, il	acluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	ıl utilized in drilling/workover:	
Number of producing wells on lease:		Number of world	king pits to be utilized:	
Barrels of fluid produced daily:		Abandonment	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	KCC (OFFICE USE O	NLY Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:	

KOLAR Document ID: 1566235

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:
Contact Person:	
Phone: () Fax: () Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	
Ι	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	Colby Compressor Station West #1 Well #1
Doc ID	1566235

Anode Installation Depths

Depth
90
80
70
60
50
40
30
20
10
00
90
80
70
60
50
40
30
20
10
00
0
0
0
0

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	Colby Compressor Station West #1 Well #1
Doc ID	1566235

Anode Installation Depths

Depth	
50	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairman Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.