KOLAR Document ID: 1566241

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Sec. Twp. S. R. E V N Class of Section	Form KSONA-1, Certification of Compliance with the Kansas	Surface Owner Notification Act, MUST be submitted with this form.
OPERATOR: License#	Expected Spud Date:	Spot Description:
COCOD feet from N / S Line of Section Name: feet from E / W Line of Section Name: feet from E / W Line of Section Name: feet from E / W Line of Section Name: feet from E / W Line of Section Name: feet from E / W Line of Section Name: feet from N / S Line of Section Name: feet from N / S Line of Section Name: feet from Name:	month day year	Sec. Two S.R. F.W
Name Address 1:	ODED ATOR: License#	(0/0/0/0)
Address 3 Address 3 Address 3 Address 2 Addr		
Contact Person: State: Zip: +		
Counts: Person: Phone: Contract Contract Person: Phone: Contract Contract Person: Parson did be person: Parson did be set: Person: Person did be set: Person: Person: Person did be set: Person:		
Contact Person:		,
Phone:	·	County.
Sorenic Number:		Facility Name:
Cathodic Borehole Total Depth:	r lione	
Type Drilling Equipment: Mud Rotary Cable Air Rotary Other	CONTRACTOR: License#	
Water Information Construction Features Length of Cathodic Surface (Non-Metallic) Casing Planned to be set:	Name:	· ·
Depth to bottom of fresh water: Depth to bottom of fresh water: Depth to bottom of usable water: Depth to water water Depth to the water		
Planned to be set:	Construction Features	Aquifer Penetration: None Single Multiple
Planned to be set:	Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Surface casing borehole size: inches Cathodic surface casing size: inches Cathodic surface casing size: inches Cathodic surface casing entralizers set at depths of: ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;		Depth to bottom of usable water:
Public water supply well within one mile: Yes No Cathodic surface casing size: inches Cathodic surface casing size: inches Cathodic surface casing will terminate at: Standard Surface vaut Below Surface Vaut Stream Other Water Source or Surface Well Farm Pond Stream Other Water Surface casing will terminate at: Water Surface vaut Stream Other Water Surface vaut Water Surface vaut Water Surface vaut Water Well Location: Wate	Length of Conductor pipe (if anv): feet	Water well within one-quarter mile: Yes No
Water Source for Drilling Operations: Cathodic surface casing size: Cathodic surface casing entralizers set at depths of: Surface casing will terminate at: Above surface as unface unface as unface as unface as unface as unface as unface as un		
Cathodic surface casing centralizers set at depths of:		
Water Well Location:	•	
Cathodic surface casing will terminate at: Above surface Surface Vault Below Surface Vault Standard Dimension Ratio (SDR) is =		
Above surface Surface Vault Below Surface Vault Pites casing adaptor will be used: Yes No Depth feet Anode installation depths are: Yes Yes No Depth feet Anode installation depths are: Yes Yes Yes No Depth Anode ventual Bentonite Canada asing will be grouted with: Concrete Neat Cement Bentonite Clay Anode vent pipe will be set at: Get above surface Anode conductor (backfill) material TYPE: Depth of BASE of Backfill installation material:		DWR Permit #
Pritess casing adaptor will be used:		Standard Dimension Ratio (SDR) is =
Anode installation depths are:		, ,
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District office 48 hours prior to workover or re-entry. A copy of the appropriate District office 49 hours prior to workover or re-entry. A copy of the appropriate District office 49 hours prior to workover or re-entry. A copy of the appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workower or re-entry. A copy of the approvad notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Anode installation depths are:;; ;; ;;	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging fit is well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		
AFFIDAVIT The undersigned hereby affirm that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY		, ,
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pt Application (form CDP-1) with Intent to Drill (form CB-1), b. File Cortification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	A FEID AVIIT	
The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15		Borehole will be Pre-Plugged? Ves No
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1), b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		g
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15	·	
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 -	is agreed that the following minimum requirements will be met:	
Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
t. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submitted Electronically For KCC Use ONLY API # 15 -		
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1). c. File Completion Form (ACC-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	• • • •	
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	., .,	arouting to the top when the cathodic surface casing is set
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15	Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Complete	·
For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15	Submitted Electronically	
API # 15	•	
Conductor pipe required	For KCC Use ONLY	
Conductor pipe required	ΔΡΙ # 15 -	If this parmit has expired or will not be drilled check a how below sign, data and return
Minimum Cathodic Surface Casing Required:feet		
Approved by:		
This authorization expires:	Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
(This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent	Approved by:	
(This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent	This authorization expires:	
		Date Signature of Operator or Agent
	Spud date: Agent:	

Cido	Time
Side	

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

			Location of Well: County:
ility Name:			feet from N / S Line of Sec
ehole Number:			feet from L E / L W Line of Sec
			Sec Twp S. R 🗌 E 🔲 W
			Is Section: Regular or Irregular
			If Section is Irregular, locate well from nearest corner boundary.
			Section corner used: NE NW SE SW
			D. 47
Show location (of the Cathodic	: Borehole Show footage	PLAT to the nearest lease or unit boundary line. Show the predicted locations of
			s, as required by the Kansas Surface Owner Notice Act (House Bill 2032).
		You may att	tach a separate plat if desired.
			1370 ft.
			LEGEND
	···· ·		····· O Well Location
	:		Tank Battery Location
1	:		Pipeline Location
	•••		
·			Electric Line Location
			Electric Line Location Lease Road Location
			Electric Line Location
			Lease Road Location Electric Line Location
		02	Lease Road Location Electric Line Location
		02	Lease Road Location Electric Line Location
			Lease Road Location EXAMPLE
		02	Lease Road Location EXAMPLE
			Lease Road Location EXAMPLE
			EXAMPLE Example
			EXAMPLE EXAMPLE
			EXAMPLE Example

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1566241

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		-	License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con-	structed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
(I W Cappy All TWO. of Total Difficult		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.
· · · · · · · · · · · · · · · · · · ·		Depth to shallow Source of inform	west fresh water feet.
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease: Number		Number of work	ring pits to be utilized:
Barrels of fluid produced daily: Abando		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
	KCC C	OFFICE USE OF	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KOLAR Document ID: 1566241

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 ((Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)		
OPERATOR: License #	Well Location:		
Name:	SecTwpS. R 🗌 East 🗌 West		
Address 1:	County:		
Address 2:	Lease Name: Well #:		
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of		
Contact Person:	the lease below:		
Phone: () Fax: ()			
Email Address:			
Surface Owner Information:			
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional		
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the		
Address 2:	county, and in the real estate property tax records of the county treasurer.		
City:			
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.		
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.		
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.		
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.		
Submitted Electronically			
I			
	_		

Form	CB1CDP1 - Cathodic Protection Borehole Intent	
Operator	Tallgrass Interstate Gas Transmission, LLC	
Well Name	PXP #53A Well #1	
Doc ID	1566241	

Anode Installation Depths

Depth
290
280
270
260
250
240
230
220
210
200
190
180
170
160
150
140
130
120
110
100
90
80
70
60

Form	CB1CDP1 - Cathodic Protection Borehole Intent	
Operator	Tallgrass Interstate Gas Transmission, LLC	
Well Name	PXP #53A Well #1	
Doc ID	1566241	

Anode Installation Depths

Depth	
50	

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairman Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.