For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Sec. Twp. S. R. E V V V S Line of Section Leddress ! State: Zip: + Contact Person: State: Zip: + Contact Person: State: Zip: + Contact Person: Facility Name: Sorehole Number: Sorehole Numbe	Form KSONA-1, Certification of Compliance with the Kansas S	Surface Owner Notification Act, MUST be submitted with this form.
Sec	Expected Spud Date:	Spot Description:
Coccool feet from N / S Line of Section Notices		
State Stat	OPERATOR, License#	(0/0/0/0)
SECTION: Regular Irregular?		
Address 2:		
County:		
County County County County Cable Cathodic Surface (Non-Metallic) Casing Part Cathodic Surface casing casing size: Inches Cathodic surface casing casing will terminate at: Cathodic surface casing will terminate at: Cathodic surface casing will terminate at: Cathodic surface casing size: Cathodic surface casing surface (Non-Metallic) Part Non-Metallic) Part Non-Metallic) Part Non-Metallic) Part Non-Metallic) Part Non-Metallic) Part Pa		
Borehole Number:	Contact Person:	
Ground Surface Elevation:	Phone:	
Same	CONTRACTOR, License#	
Type Drilling Equipment: Muul Rotary Cable Construction Features Ar Rotary Other		
Water Information		·
Aquifer Penetration: None Single Multiple		
Depth to bottom of fresh water:	Construction Features	Aquifer Penetration: None Single Multiple
Panned to be set:		Depth to bottom of fresh water:
Public vater supply well within one mile: yes No Water Source for Drilling Operations: Cathodic surface casing size: inches Cathodic surface casing with the properties of the pro		<u> </u>
Water Source for Drilling Operations: inches	Length of Conductor pipe (if any): feet	
Wall Farm Pond Stream Other	Surface casing borehole size: inches	
Water Well Location:	Cathodic surface casing size: inches	
DWR Permit # Standard Dimension Ratio (SDR) is = Standard Dimension Ratio (SDR) is the standard Dimension Ratio (SDR) in the standard Casing will be grouted with: Candard Casing will be grouted with: Candard Casing will be grouted the standard Casing will be set at Candard Casing in will be proved in Batch (SDR) in the Standard Dimension Ratio (SDR) in the Standard Dimension Ratio (SDR) is = Standard Dimension Ratio (SDR) in the Standard Dimension Ratio (SDR) is = Standard Dimension Ratio (SDR) in the Standard Dimension Ratio (SDR) is = Standard Dimension Ratio (SDR) in the Sta		
Standard Dimension Ratio (SDR) is = Carbodic surface Vault Below Surface Vault Get Anode installation depths are:		
Pittless casing adaptor will be used: Yes No Depth feet Anode installation depths are: ; ; ; ; ; ; ; ; ;		
Annular space between borehole and casing will be grouted with: Cancrete Neat Cement Bentonite Clay Annular space between borehole and casing will be grouted with: Cancrete Neat Cement Bentonite Clay Annular space between borehole and casing will be grouted with: Cancrete Neat Cement Bentonite Cement Bentonite Clay Annular space between borehole and casing will be grouted with: Cancrete Neat Cement Bentonite Cement Bentonite Clay Annular space between the place of the space of th		· · · ·
AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT APRIL AGE (Concrete Neat Cement Bentonite Cement Bentonite Clay Anode vent pipe will be set at the feet above surface Anode vent pipe will be set at the feet above surface Anode vent pipe will be set at the feet above surface Anode vent pipe will be set at the feet above surface Anode vent pipe will be pre-Plugged? Yes No AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT AFFIDAVIT A copy of the appropriate District Office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pil Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY	Pitiess casing adaptor will be used: Tees No Depth Teet	
AFFIDAVIT he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pri Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Anode installation depths are:;; ;; ;	
AFFIDAVIT he undersigned hereby affirms that the drilling, completion and eventual plugging from the purpose of this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of casing as specified below shall be set by grouting to the top when the cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		
AFFIDAVIT the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pil Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		
AFFIDAVI The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq. Is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pri Application (from CDP-1) with Intent to Drill (form CB-1). b. File Cortification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Depth of BASE of Backfill installation material:
Borehole will be Pre-Plugged? Yes No If this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Cortification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15 -	AFFIDAVIT	Depth of TOP of Backfill installation material:
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 4 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACC-1) within 60 days from spud date. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required		Borehole will be Pre-Plugged? Yes No
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. For KCC Use ONLY API # 15		
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. Submitted Electronically For KCC Use ONLY API # 15		
Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	, ,,,	, , , , , , , , , , , , , , , , , , , ,
A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		r to any grouting.
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set. File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1).c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15		
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15	., .,	grouting to the top when the cathodic surface casing is set.
d. Submitted Electronically For KCC Use ONLY API # 15		
Submitted Electronically For KCC Use ONLY API # 15		etion Form (ACO-1) within 60 days from spud date.
For KCC Use ONLY API # 15	d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	
For KCC Use ONLY API # 15		
For KCC Use ONLY API # 15	0.1. 1/2 1.51	
API # 15	Submitted Electronically	
API # 15		
API # 15	For KCC Use ONLY	
Conductor pipe required		
Minimum Cathodic Surface Casing Required:feet	-	
Approved by:	Conductor pipe requiredfeet	to are address below.
Approved by:	Minimum Cathodic Surface Casing Required:feet	Permit Expired Well Not Drilled
This authorization expires:		
(This authorization void if drilling not started within 12 months of approval date.) Date Signature of Operator or Agent		
Date Signature of Operator or Agent		r
	,	Date Signature of Operator or Agent
	Spud date: Agent:	Date Signature of Operator of Agent
	· •	<u> </u>

0:-1-	T

For KCC Use ONLY	
API # 15	-

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section Feet from E / W Line of Section
Borehole Number:	feet from L E / W Line of Section
	Sec Twp S. R 🗌 E 📗 W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW

PLAT

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1655 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date core Pit capacity:	Existing nstructed: (bbls)	SecTwp R East West Feet from North / South Line of Section Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		illei littegrity, il	acluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	ıl utilized in drilling/workover:
Number of producing wells on lease: Nu		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:

Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)	
OPERATOR: License #	Well Location:	
Name:	SecTwpS. R East \[\] West	
Address 1:	County:	
Address 2:	Lease Name: Well #:	
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of the lease below:	
Contact Person:		
Phone: () Fax: () Email Address:		
Surface Owner Information:		
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional	
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the	
Address 2:	county, and in the real estate property tax records of the county treasurer.	
City: State: Zip:+		
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat	
owner(s) of the land upon which the subject well is or will be loc	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.	
KCC will be required to send this information to the surface own	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.	
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1		
Submitted Electronically		
Ι	_	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairman Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.