KOLAR Document ID: 1564341

For KCC Use:
Effective Date:
District #
SGA? Yes No

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

	Spot Description:
Expected Spud Date:	
	Sec Twp S. R E W feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1: Address 2:	
City:	
Contact Person:	County.
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment: Mud Rotary Cable	Water Information
☐ Air Rotary ☐ Other  Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
•	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
	Depth of TOP of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:  Borehole will be Pre-Plugged?  \( \text{Yes} \) No
he undersigned hereby affirms that the drilling, completion and eventual pluggin	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual pluggin f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual pluggin f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No  we well. An agreement between the operator and the District Office on plugs
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the	Borehole will be Pre-Plugged? Yes No  we well. An agreement between the operator and the District Office on plugs
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	Borehole will be Pre-Plugged? Yes No  e well. An agreement between the operator and the District Office on plugs or to any grouting.  er grouting to the top when the cathodic surface casing is set.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  regrouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  regrouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  grouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  regrouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  regrouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.   If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pluggin of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by its File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Borehole will be Pre-Plugged? Yes No  well. An agreement between the operator and the District Office on plugs or to any grouting.  regrouting to the top when the cathodic surface casing is set.  (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.   If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

C	ida	Tu	

For KCC Use ONLY	
API # 15	

### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

Operator:							Location of We	ell: County:
Facility Name:							feet from N / S Line of Section	
Borehole	e Number:							feet from L E / W Line of Section
							Sec	Twp S. R E W
							Is Section:	Regular or Irregular
							If Section is Ir Section corner	rregular, locate well from nearest corner boundary. r used: NE NW SE SW
					d electrical line	es, as requ	arest lease or uni	it boundary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). red.
		:	:	:	:	:	:	
			:					LEGEND
		:		:	:	: :	:	
		:	:	:	:	:	:	O Well Location
		:	: :	:	:	:	:	Tank Battery Location
	•••••							<ul><li>Pipeline Location</li><li>Electric Line Location</li></ul>
		:	: :	:	:	:	:	Lease Road Location
		:	:	:	:		:	Lease Noau Location
		:	:	:	:	:	:	
			:					EXAMPLE : :
		:	:	3		:	:	
			•			•		:
		:		:	:		:	
	•••••					:		
		:						
		 :		·	·	····· :	:	1980' FSL
		: : 						
		:	:	:	:	:	:	: <del>- '     </del>
		:	:	: 1	:	:	:	· Li⊪· · ·

NOTE: In all cases locate the spot of the proposed drilling locaton.

## 138 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1564341

# KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CDP-1 July 2014 Form must be Typed

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:	
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West	
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section	
Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes I	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?		How is the pit lined if a plastic liner is not used?	
Yes No	Yes N	lo		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet)N/A: Steel Pits	
Depth fro	m ground level to dee	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the lin material, thickness and installation procedure.	ner		dures for periodic maintenance and determining cluding any special monitoring.	
, , , , , , , , , , , , , , , , , , , ,		3 3,	3 4 7 4 4 4 4 4 4	
Distance to nearest water well within one-mile of	of nit:	Denth to shallo	west fresh water feet.	
Distance to hearest water well within one time of	л ри.	Source of inform		
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
Cabilitios Electromodify				
	KCC	OFFICE USE O	NLY Liner Steel Pit RFAC RFAS	

KOLAR Document ID: 1564341

## Kansas Corporation Commission Oil & Gas Conservation Division


Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R 🗌 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: ( ) Fax: ( )				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				
I				
	_			



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairman Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.