For KCC Use:	
Effective Date:	
District #	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

SGA? Yes No CATHODIC PROTECTION BOREHOLE INTENT All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1 Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form

Expected Spud Date:	Spot Description:
month day year	Sec Twp S. R E \[\] \
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1:	(Check directions from nearest outside corner boundries)
Address 2: State: Zip: +	(Check directions from hearest outside corner boundies)
Contact Person:	County:
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS Cathodic Borehole Total Depth: fee
Name: Type Drilling Equipment:	Depth to Bedrock:
,,	Water Information
☐ Air Rotary ☐ Other Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;;;;;	Annular space between borehole and casing will be grouted with:
	Concrete Neat Cement Bentonite Cement Bentonite Cla Anode vent pipe will be set at: feet above surfa
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
A FFID AVIT	Depth of TOP of Backfill installation material:
AFFIDAVIT	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual plugging	
this well will comply with K.S.A. 55-101 et. seq.	
	, , , ,
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.	, , , ,
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	r to any grouting.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	r to any grouting. grouting to the top when the cathodic surface casing is set.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Complete.	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
 is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Complid. Submit plugging report (CP-4) within 60 days after final plugging is completed. 	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compl d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed	r to any grouting. grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	grouting to the top when the cathodic surface casing is set. form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.

wo

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

		In all cas	es, please	fully comp	olete this s	ide of the	form. Inclu	ude items 1	through 3 at the bottom of this page.
Operator: Facility Name									ell: County:feet from N / S Line of Section
Borehole Nu									feet from N / S Line of Section feet from E / W Line of Section
Doronoic iva									
							Is S	Section:	Regular or Irregular
								ection is l	rregular, locate well from nearest corner boundary. r used: NE NW SE SW
							PLAT		
					d electrica	al lines, as	required b		it boundary line. Show the predicted locations of as Surface Owner Notice Act (House Bill 2032). ired.
Γ		•	•	:		:	•	:	
									LEGEND
			:	· · · · · · · · · · · · · · · · · · ·		:		······································	O Well Location Tank Battery Location
	•••••		:	·		·	·		Pipeline Location Electric Line Location Lease Road Location
	••••		: :	:	•••••	:	:	:	Edase Noad Eddarion
			<u>:</u> :	<u></u> 1	7	<u>:</u> :	<u>:</u> :	<u>:</u> :	EXAMPLE
50 ft(•				: : :		: :			
				:		:			1980' FSL
			• • • • •	:		:	:		
	••••			:		:	:	······································	SEWARD CO. 3390' FEL

1850 ft.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.

NOTE: In all cases locate the spot of the proposed drilling locaton.

3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:		Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:	Pit is:			
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R	
Settling Pit Drilling Pit	If Existing, date con-	structed:	Feet from North / South Line of Section	
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section	
(I W Cappy All TWO. of Total Difficult		(bbls)	County	
Is the pit located in a Sensitive Ground Water A	rea? Yes N	Ю	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level? Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (feet	t)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to deep	pest point:	(feet) No Pit	
If the pit is lined give a brief description of the li material, thickness and installation procedure.			dures for periodic maintenance and determining cluding any special monitoring.	
Distance to nearest water well within one-mile of	of pit:	Depth to shallow Source of inform	west fresh water feet.	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	l utilized in drilling/workover:	
Number of producing wells on lease:		Number of work	ring pits to be utilized:	
Barrels of fluid produced daily:		Abandonment p	procedure:	
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.	
Submitted Electronically				
	KCC C	OFFICE USE OF	NLY Liner Steel Pit RFAC RFAS	
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No	

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 ((Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)			
OPERATOR: License #	Well Location:			
Name:	SecTwpS. R 🗌 East 🗌 West			
Address 1:	County:			
Address 2:	Lease Name: Well #:			
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of			
Contact Person:	the lease below:			
Phone: () Fax: ()				
Email Address:				
Surface Owner Information:				
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional			
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the			
Address 2:	county, and in the real estate property tax records of the county treasurer.			
City:				
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.			
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.			
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.			
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.			
Submitted Electronically				
I				
	_			

Form	CB1CDP1 - Cathodic Protection Borehole Intent		
Operator	Tallgrass Interstate Gas Transmission, LLC		
Well Name	PXP #50A Well #1		
Doc ID	1565292		


Anode Installation Depths

Arioue installation Deptilis	
Depth	
290	
280	
270	
260	
250	
240	
230	
220	
210	
200	
190	
180	
170	
160	
150	
140	
130	
120	
110	
100	
90	
80	
70	
60	

Form	CB1CDP1 - Cathodic Protection Borehole Intent		
Operator	Tallgrass Interstate Gas Transmission, LLC		
Well Name	PXP #50A Well #1		
Doc ID	1565292		

Anode Installation Depths

Depth	
50	



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairman Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.