

Confidentiality Requested:

Yes  No

KANSAS CORPORATION COMMISSION  
OIL & GAS CONSERVATION DIVISION

Form ACO-1

January 2018

Form must be Typed

Form must be Signed

All blanks must be Filled

WELL COMPLETION FORM  
WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Address 1: \_\_\_\_\_

Address 2: \_\_\_\_\_

City: \_\_\_\_\_ State: \_\_\_\_\_ Zip: \_\_\_\_\_ + \_\_\_\_\_

Contact Person: \_\_\_\_\_

Phone: ( \_\_\_\_\_ ) \_\_\_\_\_

CONTRACTOR: License # \_\_\_\_\_

Name: \_\_\_\_\_

Wellsite Geologist: \_\_\_\_\_

Purchaser: \_\_\_\_\_

Designate Type of Completion:

New Well  Re-Entry  Workover

Oil  WSW  SWD

Gas  DH  EOR

OG  GSW

CM (Coal Bed Methane)

Cathodic  Other (Core, Expl., etc.): \_\_\_\_\_

If Workover/Re-entry: Old Well Info as follows:

Operator: \_\_\_\_\_

Well Name: \_\_\_\_\_

Original Comp. Date: \_\_\_\_\_ Original Total Depth: \_\_\_\_\_

Deepening  Re-perf.  Conv. to EOR  Conv. to SWD

Plug Back  Liner  Conv. to GSW  Conv. to Producer

Commingled Permit #: \_\_\_\_\_

Dual Completion Permit #: \_\_\_\_\_

SWD Permit #: \_\_\_\_\_

EOR Permit #: \_\_\_\_\_

GSW Permit #: \_\_\_\_\_

Spud Date or Date Reached TD Completion Date or Recompletion Date

API No.: \_\_\_\_\_

Spot Description: \_\_\_\_\_

\_\_\_\_\_ - \_\_\_\_\_ - \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

\_\_\_\_\_ Feet from  North /  South Line of Section

\_\_\_\_\_ Feet from  East /  West Line of Section

Footages Calculated from Nearest Outside Section Corner:

NE  NW  SE  SW

GPS Location: Lat: \_\_\_\_\_, Long: \_\_\_\_\_  
(e.g. xx.xxxxx) (e.g. -xxx.xxxxx)

Datum:  NAD27  NAD83  WGS84

County: \_\_\_\_\_

Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Field Name: \_\_\_\_\_

Producing Formation: \_\_\_\_\_

Elevation: Ground: \_\_\_\_\_ Kelly Bushing: \_\_\_\_\_

Total Vertical Depth: \_\_\_\_\_ Plug Back Total Depth: \_\_\_\_\_

Amount of Surface Pipe Set and Cemented at: \_\_\_\_\_ Feet

Multiple Stage Cementing Collar Used?  Yes  No

If yes, show depth set: \_\_\_\_\_ Feet

If Alternate II completion, cement circulated from: \_\_\_\_\_

feet depth to: \_\_\_\_\_ w/ \_\_\_\_\_ sx cmt.

Drilling Fluid Management Plan

(Data must be collected from the Reserve Pit)

Chloride content: \_\_\_\_\_ ppm Fluid volume: \_\_\_\_\_ bbls

Dewatering method used: \_\_\_\_\_

Location of fluid disposal if hauled offsite:

Operator Name: \_\_\_\_\_

Lease Name: \_\_\_\_\_ License #: \_\_\_\_\_

Quarter \_\_\_\_\_ Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West

County: \_\_\_\_\_ Permit #: \_\_\_\_\_

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY

Confidentiality Requested

Date: \_\_\_\_\_

Confidential Release Date: \_\_\_\_\_

Wireline Log Received  Drill Stem Tests Received

Geologist Report / Mud Logs Received

UIC Distribution

ALT  I  II  III Approved by: \_\_\_\_\_ Date: \_\_\_\_\_

Operator Name: \_\_\_\_\_ Lease Name: \_\_\_\_\_ Well #: \_\_\_\_\_

Sec. \_\_\_\_\_ Twp. \_\_\_\_\_ S. R. \_\_\_\_\_  East  West County: \_\_\_\_\_

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to [kcc-well-logs@kcc.ks.gov](mailto:kcc-well-logs@kcc.ks.gov). Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken <input type="checkbox"/> Yes <input type="checkbox"/> No <i>(Attach Additional Sheets)</i>  Samples Sent to Geological Survey <input type="checkbox"/> Yes <input type="checkbox"/> No  Cores Taken <input type="checkbox"/> Yes <input type="checkbox"/> No Electric Log Run <input type="checkbox"/> Yes <input type="checkbox"/> No Geologist Report / Mud Logs <input type="checkbox"/> Yes <input type="checkbox"/> No  List All E. Logs Run:	<input type="checkbox"/> Log Formation (Top), Depth and Datum <input type="checkbox"/> Sample  Name Top Datum
--	---

CASING RECORD <input type="checkbox"/> New <input type="checkbox"/> Used							
Report all strings set-conductor, surface, intermediate, production, etc.							
Purpose of String	Size Hole Drilled	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives

ADDITIONAL CEMENTING / SQUEEZE RECORD				
Purpose:	Depth Top Bottom	Type of Cement	# Sacks Used	Type and Percent Additives
<input type="checkbox"/> Perforate <input type="checkbox"/> Protect Casing <input type="checkbox"/> Plug Back TD <input type="checkbox"/> Plug Off Zone				

1. Did you perform a hydraulic fracturing treatment on this well?  Yes  No *(If No, skip questions 2 and 3)*
2. Does the volume of the total base fluid of the hydraulic fracturing treatment exceed 350,000 gallons?  Yes  No *(If No, skip question 3)*
3. Was the hydraulic fracturing treatment information submitted to the chemical disclosure registry?  Yes  No *(If No, fill out Page Three of the ACO-1)*

Date of first Production/Injection or Resumed Production/Injection:	Producing Method: <input type="checkbox"/> Flowing <input type="checkbox"/> Pumping <input type="checkbox"/> Gas Lift <input type="checkbox"/> Other <i>(Explain)</i> _____				
Estimated Production Per 24 Hours	Oil Bbls.	Gas Mcf	Water Bbls.	Gas-Oil Ratio	Gravity

DISPOSITION OF GAS: <input type="checkbox"/> Vented <input type="checkbox"/> Sold <input type="checkbox"/> Used on Lease <i>(If vented, Submit ACO-18.)</i>	METHOD OF COMPLETION: <input type="checkbox"/> Open Hole <input type="checkbox"/> Perf. <input type="checkbox"/> Dually Comp. <input type="checkbox"/> Commingled <i>(Submit ACO-5)</i> <i>(Submit ACO-4)</i>	PRODUCTION INTERVAL: Top Bottom
---	---	------------------------------------

Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid, Fracture, Shot, Cementing Squeeze Record <i>(Amount and Kind of Material Used)</i>

TUBING RECORD:	Size:	Set At:	Packer At:	
----------------	-------	---------	------------	--



# McGOWN DRILLING, INC.

1/10

13777 W. 750 Rd.  
Mound City, KS  
620.224.7406

Date: **12/20/2020**

Invoice #: **20-018**

Colt Energy, Inc.  
Iola, KS  
Via EMAIL

Hill #C2  
API: **15-107-25339**  
Linn Co., KS  
Spud: **12/15/2020**

#	Description	Unit	Quantity	Price	Total
	Footage Drilling - 6 3/4" Hole	ft	622	\$7.50	\$4,665.00
	Steel Drill Pit	ea	1	\$0.00	\$0.00
	Coring - per run	ea	3	\$750.00	\$2,250.00
	Daywork Rig Time	hr	4	\$225.00	\$900.00
	Portland Cement	sx	8	\$20.00	\$160.00
	Skidsteer / Mini Ex	hr	1	\$75.00	\$75.00
				<b>Total</b>	<b>\$8,050.00</b>

100310  
D20004 109

SCANNED  
1/16/23

Invoice is payable according to the terms of the Parties' Contract, absent a written contract, the invoice is due in full upon receipt. Past due invoices shall accrue interest at 1.5% per month from the date of the invoice. McGown Drilling, Inc. shall be afforded all remedies available at law to collect past due invoices.

Please Remit Payment to:  
McGown Drilling, Inc.  
13777 W. 750 Rd  
Mound City, KS 66056

Bank wiring instructions available upon request.

# McGOWN DRILLING, INC.

Mound City, KS  
620.224.7406

Well #				Casing			
<b>Colt Energy, Inc.</b>				Surface		Longstring	
<b>Hill #C2</b>				<b>Size:</b>	8 5/8 "	<b>Size:</b>	4 1/2 "
				<b>Tally:</b>	22.5 '	<b>Tally:</b>	603.95 '
<b>API #:</b>	15-107-25339	<b>S-T-R:</b>	10-215-22E	<b>Cement:</b>	8 sx	<b>Bit:</b>	6.75 "
<b>County:</b>	Linn Co., KS	<b>Date:</b>	12/15/2020	<b>Bit:</b>	11 "	<b>Date:</b>	12/18/2020

Top	Base	Formation	Top	Base	Formation
0	2	Soil			
2	15	Clay			
15	26	Shale			
26	34	Lime			
34	41	Shale			
41	80	Lime			
80	90	Shale			
90	108	Lime			
108	114	Shale			
114	126	Lime			
126	289	Shale			
289	300	Lime			
300	309	Shale			
309	321	Lime			
321	324	Shale			
324	387	Lime			
387	390	Shale			
390	393	Lime			
393	400	Shale			
400	407	Lime			
407	431	Shale			
431	448	Lime			
448	457	Shale			
457	462	Lime			
462	488	Shale			

		Sand / Core Detail	
488	545	Sand	Shaley, fair oil show in core
		<b>Core #1: 482-502 Rec 20'</b>	<b>Core #2: 502-522' Rec 19'</b>
545	622	Shale	
		<b>Core #3: 522-537 Rec 15'</b>	<b>Core #4:</b>
** Did not review core(s) in detail **			
Pipe tally includes shoe jt (3.70') assembled by Colt with flapper in the top			
		<b>Total Depth: 622</b>	

## Amanda Phillips

---

**From:** Chris McGown <chris.mcgown@gmail.com>  
**Sent:** Monday, December 28, 2020 10:05 AM  
**To:** Deb Ballard; Amanda Phillips; Rhonda McGown  
**Subject:** Hill Logs & Invoices  
**Attachments:** Hill #C1 Log & Invoice.pdf; Hill #C2 Log & Invoice.pdf; Hill #C3 Log & Invoice.pdf

Deb & Amanda -

Please see attached for logs & invoices for the first three Hill wells. Deb - I will forward you the cement treatment reports next. Thanks!

-Chris M. McGown  
McGown Drilling, Inc.  
Mound City, KS  
620.224.7406 cell  
[chris.mcgown@gmail.com](mailto:chris.mcgown@gmail.com)



Customer	Colt Energy Inc	Lease & Well #	Hill C-2	Date	12/18/2020
Service District	Garnett	County & State	LN, KS	Legals S/T/R	10-21-22
Job Type	longstring	<input checked="" type="checkbox"/> PROD	<input type="checkbox"/> INJ	<input type="checkbox"/> SWD	Job #
		<input checked="" type="checkbox"/> YES	<input type="checkbox"/> No		Ticket #
		EP1159			

Equipment #	Driver	Job Safety Analysis - A Discussion of Hazards & Safety Procedures			
89	Casey Kennedy	<input checked="" type="checkbox"/> Hard hat	<input checked="" type="checkbox"/> Gloves	<input type="checkbox"/> Lockout/Tagout	<input type="checkbox"/> Warning Signs & Flagging
238	Garrett Scott	<input checked="" type="checkbox"/> H2S Monitor	<input checked="" type="checkbox"/> Eye Protection	<input type="checkbox"/> Required Permits	<input type="checkbox"/> Fall Protection
247	Alan Mader	<input checked="" type="checkbox"/> Safety Footwear	<input type="checkbox"/> Respiratory Protection	<input checked="" type="checkbox"/> Slip/Trip/Fall Hazards	<input checked="" type="checkbox"/> Specific Job Sequence/Expectations
110	Pat Sanborn	<input checked="" type="checkbox"/> FRC/Protective Clothing	<input type="checkbox"/> Additional Chemical/Acid PPE	<input checked="" type="checkbox"/> Overhead Hazards	<input checked="" type="checkbox"/> Muster Point/Medical Locations
		<input checked="" type="checkbox"/> Hearing Protection	<input checked="" type="checkbox"/> Fire Extinguisher	<input type="checkbox"/> Additional concerns or issues noted below	

<b>Comments</b>

Product/ Service Code	Description	Unit of Measure	Quantity	Net Amount
C010	Cement Pump Service	ea	1.00	\$600.00
M010	Heavy Equipment Mileage	mi	20.00	\$64.00
M025	Ton Mileage - Minimum	each	1.00	\$240.00
T010	Vacuum Truck - 80 bbl	hr	2.00	\$144.00
CP060	H854 Thixo	sack	61.00	\$1,171.20
CP125	Pheno Seal	lb	31.00	\$43.40
CP095	Bentonite Gel	lb	200.00	\$48.00
FE115	4 1/2" Rubber Plug	ea	1.00	\$60.00

Customer Section: On the following scale how would you rate Hurricane Services Inc.?		Net:	\$2,370.60
Based on this job, how likely is it you would recommend HSI to a colleague?		Total Taxable	\$ -
<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> Unlikely 1 2 3 4 5 6 7 8 9 10 Extremely Likely		Tax Rate:	<del>          </del>
		State tax laws deem certain products and services used on new wells to be sales tax exempt. Hurricane Services relies on the customer provided well information above to make a determination if services and/or products are tax exempt.	Sale Tax:
		Total:	\$ 2,370.60
HSI Representative:		<i>Casey Kennedy</i>	

**TERMS:** Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 1/2% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. **DISCLAIMER NOTICE:** Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results from the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

X \_\_\_\_\_ **CUSTOMER AUTHORIZATION SIGNATURE**



**CEMENT TREATMENT REPORT**

Customer:	Colt Energy Inc	Well:	Hill C-2	Ticket:	EP1159
City, State:	Iola, KS	County:	LN, KS	Date:	12/18/2020
Field Rep:	Deb Ballard	S-T-R:	10-21-22	Service:	longstring

Downhole Information	
Hole Size:	6 3/4 in
Hole Depth:	622 ft
Casing Size:	4 1/2 in
Casing Depth:	604 ft
Tubing / Liner:	in
Depth:	ft
Tool / Packer:	
Tool Depth:	ft
Displacement:	9.63 bbls

Calculated Slurry - Lead	
Blend:	H854 Thixo 1/2# PS
Weight:	13.50 ppg
Water / Sx:	9.63 gal / sk
Yield:	1.91 ft <sup>3</sup> / sk
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0.00 bbls
Excess:	
Total Slurry:	20.75 bbls
Total Sacks:	61 sks

Calculated Slurry - Tail	
Blend:	
Weight:	ppg
Water / Sx:	gal / sk
Yield:	ft <sup>3</sup> / sk
Annular Bbls / Ft.:	bbs / ft.
Depth:	ft
Annular Volume:	0 bbls
Excess:	
Total Slurry:	0.0 bbls
Total Sacks:	#DIV/0! sks

TIME	RATE	PSI	BBLs	STAGE	TOTAL BBLs	REMARKS
2:00 PM			-		-	on location, held safety meeting
	4.0				-	established circulation
	4.0				-	mixed and pumped 200# Bentonite followed by 5 bbls fresh water
	4.0				-	mixed and pumped 4 bbls dye marker
	4.0				-	mixed and pumped 61 sks H854 Thixo cement with 1/2# Phenoseal per sk
	4.0				-	dye marker to surface
	4.0				-	flushed pump clean
	4.0				-	pumped 4 1/2" rubber plug to casing TD with 9.63 bbls fresh water
					-	pressured to 800 PSI
					-	well held pressure
					-	released pressure to set float valve
	4.0				-	washed up equipment
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	
					-	

CREW		UNIT		SUMMARY		
Cementer:	Casey Kennedy		89	Average Rate	Average Pressure	Total Fluid
Pump Operator:	Garrett Scott		238	4.0 bpm	#DIV/0! psi	- bbls
Bulk:	Alan Mader		247			
H2O:	Pat Sanborn		110			



Conservation Division  
266 N. Main St., Ste. 220  
Wichita, KS 67202-1513



Phone: 316-337-6200  
Fax: 316-337-6211  
<http://kcc.ks.gov/>

Andrew J. French, Chairperson  
Dwight D. Keen, Commissioner  
Susan K. Duffy, Commissioner

Laura Kelly, Governor

May 10, 2021

DEB BALLARD  
Colt Energy Inc  
PO BOX 388  
IOLA, KS 66749-0388

Re: ACO-1  
API 15-107-25339-00-00  
HILL C2  
SW/4 Sec.10-21S-22E  
Linn County, Kansas

Dear DEB BALLARD:

K.A.R. 82-3-107 provides for all completion information to be filed within 120 days of the spud date. Subsection(e)(2) of that regulation states "All rights to confidentiality shall be lost if the filings are not timely."

The above referenced well was spudded on 12/15/2020 and the ACO-1 was received on May 10, 2021 (not within the 120 days timely requirement).

Therefore, your request for confidential treatment of data contained within the ACO-1 filing cannot be granted at this time.

If you should have any questions, please do not hesitate to contact me at (316)337-6200.

Sincerely,

Production Department