| For KCC Use:    |
|-----------------|
| Effective Date: |
| District #      |
| CA2 Vos No      |

# Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

# NOTICE OF INTENT TO DRILL

|   | Ocat Decembries  |
|---|--|
| Expected Spud Date: month day year  | Spot Description:         Sec.         Twp.         S. R E  W  |
|   | Sec Twp S. R E W   |
| DPERATOR: License#  | feet from E / W Line of Section  |
| ddraes 1:   | Is SECTION: Regular Irregular?   |
| ddress 1:ddress 2:  |  |
| State: Zip: +   | (Note: Locate well on the Section Plat on reverse side)  |
| Contact Person:   | County:  |
| hone:   | Field Name:  |
| CONTRACTOR: License#  | Is this a Prorated / Spaced Field?   |
| lame:   | Target Formation(s):   |
| Well Drilled For: Well Class: Type Equipment:   | Nearest Lease or unit boundary line (in footage):  |
|   | Ground Surface Elevation:feet MSL  |
| Oil Enh Rec Infield Mud Rotary  | Water well within one-quarter mile:  |
| Gas Storage Pool Ext. Air Rotary  | Public water supply well within one mile:  |
| Disposal Wildcat Cable  Seismic ;# of Holes Other   | Depth to bottom of fresh water:  |
| Other:  | Depth to bottom of usable water:   |
| Outer.  | Surface Pipe by Alternate:   |
| If OWWO: old well information as follows:   | Length of Surface Pipe Planned to be set:  |
| Operator:   | Length of Conductor Pipe (if any):   |
| Well Name:  | Projected Total Depth:   |
| Original Completion Date: Original Total Depth:   | Formation at Total Depth:  |
| - 1-19····· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19···· - 1-19····  | Water Source for Drilling Operations:  |
| irectional, Deviated or Horizontal wellbore?  | Well Farm Pond Other:  |
| Yes, true vertical depth:   | DWR Permit #:  |
| ottom Hole Location:  | (Note: Apply for Permit with DWR )   |
| CC DKT #:   | Will Cores be taken?   |
|   | If Yes, proposed zone:   |
| AFI   | FIDAVIT  |
| he undersigned hereby affirms that the drilling, completion and eventual plu  |  |
| is agreed that the following minimum requirements will be met:  | 99···9 - · · · · · · · · · · · · · · · ·   |
|   |  |
| 1. Notify the appropriate district office wrights equiding of well-   |  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> </ol>   | drilling rig:  |
| <ol> <li>Notify the appropriate district office <i>prior</i> to spudding of well;</li> <li>A copy of the approved notice of intent to drill <i>shall be</i> posted on each</li> <li>The minimum amount of surface pipe as specified below <i>shall be set</i></li> </ol>  | <b>0 0</b> .   |
| 2. A copy of the approved notice of intent to drill shall be posted on each   | by circulating cement to the top; in all cases surface pipe shall be set   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ;  |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation. rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in;   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1</li> </ol>   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> a underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol>  | by circulating cement to the top; in all cases surface pipe <i>shall be set</i> e underlying formation.  rict office on plug length and placement is necessary <i>prior to plugging;</i> led or production casing is cemented in; d from below any usable water to surface within <i>120 DAYS</i> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <i>In all cases, NOTIFY district office</i> prior to any cementing.   |
| <ol> <li>A copy of the approved notice of intent to drill shall be posted on each</li> <li>The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the</li> <li>If the well is dry hole, an agreement between the operator and the dist</li> <li>The appropriate district office will be notified before well is either plugg</li> <li>If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be</li> </ol> Ibmitted Electronically For KCC Use ONLY   | by circulating cement to the top; in all cases surface pipe <b>shall be set</b> e underlying formation.  rict office on plug length and placement is necessary <b>prior to plugging</b> ; led or production casing is cemented in; d from below any usable water to surface within <b>120 DAYS</b> of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. <b>In all cases, NOTIFY district office</b> prior to any cementing.  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall b | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall b | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | by circulating cement to the top; in all cases surface pipe shall be set a underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;   |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be shall be shall be shall be conductor pipe required  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date; - File acreage attribution plat according to field proration orders; - Notify appropriate district office 48 hours prior to workover or re-entry; - Submit plugging report (CP-4) after plugging is completed (within 60 days); - Obtain written approval before disposing or injecting salt water. |
| 2. A copy of the approved notice of intent to drill shall be posted on each 3. The minimum amount of surface pipe as specified below shall be set through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dist 5. The appropriate district office will be notified before well is either plugg 6. If an ALTERNATE II COMPLETION, production pipe shall be cemente Or pursuant to Appendix "B" - Eastern Kansas surface casing order #1 must be completed within 30 days of the spud date or the well shall be submitted Electronically  For KCC Use ONLY  API # 15  | by circulating cement to the top; in all cases surface pipe shall be set e underlying formation.  rict office on plug length and placement is necessary prior to plugging; led or production casing is cemented in; d from below any usable water to surface within 120 DAYS of spud date.  33,891-C, which applies to the KCC District 3 area, alternate II cementing plugged. In all cases, NOTIFY district office prior to any cementing.  Remember to:  - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;  - File Drill Pit Application (form CDP-1) with Intent to Drill;  - File Completion Form ACO-1 within 120 days of spud date;  - File acreage attribution plat according to field proration orders;  - Notify appropriate district office 48 hours prior to workover or re-entry;  - Submit plugging report (CP-4) after plugging is completed (within 60 days);  |

Signature of Operator or Agent:

Side Two

| For KCC Use ONLY |  |
|------------------|--|
| API # 15         |  |

#### IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW


In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

| Operator:                             | Location of Well: County:  |
|---------------------------------------|--|
| Lease:                                | feet from N / S Line of Section  |
| Well Number:                          | feet from E / W Line of Section  |
| Field:                                | Sec Twp S. R 🗌 E 🔲 W   |
| Number of Acres attributable to well: | Is Section: Regular or Irregular   |
|                                       | If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW |

#### **PLAT**

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

#### 3955 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

| Operator Name:  |                        |                                      | License Number:  |  |  |  |  |
|---|------------------------|--------------------------------------|--|--|--|--|--|
| Operator Address:   |                        |                                      |  |  |  |  |  |
| Contact Person:   |                        | Phone Number:                        |  |  |  |  |  |
| Lease Name & Well No.:  |                        |                                      | Pit Location (QQQQ):   |  |  |  |  |
| Type of Pit:  | Pit is:                |                                      | <sup>1</sup>   |  |  |  |  |
| Emergency Pit Burn Pit  | Proposed               | Existing                             | SecTwp R   |  |  |  |  |
| Settling Pit Drilling Pit   | If Existing, date cor  | nstructed:                           | Feet from North / South Line of Section  |  |  |  |  |
| Workover Pit Haul-Off Pit  (If WP Supply API No. or Year Drilled)   | Pit capacity:          | (111)                                | Feet from East / West Line of Section  |  |  |  |  |
|   |                        | (bbls)                               | County   |  |  |  |  |
| Is the pit located in a Sensitive Ground Water A  | rea? Yes I             | No                                   | Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)      |  |  |  |  |
| Is the bottom below ground level?  Yes No   | Artificial Liner?      |                                      | How is the pit lined if a plastic liner is not used?                           |  |  |  |  |
| Pit dimensions (all but working pits):  | Length (fee            | et)                                  | Width (feet) N/A: Steel Pits   |  |  |  |  |
| Depth fro   | om ground level to dee | pest point:                          | (feet) No Pit  |  |  |  |  |
| If the pit is lined give a brief description of the li<br>material, thickness and installation procedure. | ilei                   |                                      | dures for periodic maintenance and determining cluding any special monitoring. |  |  |  |  |
| · · · · · · · · · · · · · · · · · · ·   |                        | Depth to shallor<br>Source of inforr | west fresh water feet.   |  |  |  |  |
| feet Depth of water well  | feet                   | measured                             | well owner electric log KDWR   |  |  |  |  |
| Emergency, Settling and Burn Pits ONLY:   |                        | Drilling, Worko                      | ver and Haul-Off Pits ONLY:  |  |  |  |  |
| Producing Formation:  |                        | Type of materia                      | l utilized in drilling/workover:   |  |  |  |  |
| Number of producing wells on lease:   |                        | Number of work                       | king pits to be utilized:  |  |  |  |  |
| Barrels of fluid produced daily:  |                        | Abandonment p                        | procedure:   |  |  |  |  |
| Does the slope from the tank battery allow all spilled fluids to flow into the pit?                       |                        | Drill pits must b                    | e closed within 365 days of spud date.   |  |  |  |  |
|   | -                      |                                      |  |  |  |  |  |
| Submitted Electronically  |                        |                                      |  |  |  |  |  |
| KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS  |                        |                                      |  |  |  |  |  |
| Date Received: Permit Numl  | ber:                   | Permi                                |  |  |  |  |  |

### Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

| Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca  | athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)  |
|---|---|
| OPERATOR: License #   | Well Location:  |
| Name:   | SecTwpS. R  |
| Address 1:  | County:   |
| Address 2:  | Lease Name: Well #:   |
| City:   | If filing a Form T-1 for multiple wells on a lease, enter the legal description of  |
| Contact Person:   | the lease below:  |
| Phone: ( ) Fax: ( )   |   |
| Email Address:  |   |
| Surface Owner Information:  |   |
| Name:   | When filing a Form T-1 involving multiple surface owners, attach an additional  |
| Address 1:  | sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the   |
| Address 2:  | county, and in the real estate property tax records of the county treasurer.  |
| City: State: Zip:+  |   |
| If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathod the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following: | batteries, pipelines, and electrical lines. The locations shown on the plat   |
| owner(s) of the land upon which the subject well is or will be loc  | ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this id email address.                         |
| KCC will be required to send this information to the surface owr  | knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form. |
| If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1   |   |
| Submitted Electronically  |   |

| 6,0 (12A 10,27 | 1  | omio sin oxi |       | 99                                      | 90 Jan 950 III |     | 3000 |     | 03A .37 (05A |      |
|----------------|----|--------------|-------|---|----------------|-----|------|-----|--------------|------|
| A PA           | 14 | * 14A        | · 137 | 01317                                   | 170            | 2   | Z Z  | < < |              | 1067 |
| 5              |    | TS10         | 615A  | * + + + + + + + + + + + + + + + + + + + | · 74           | 450 | · EA | 2   | a P          | 19   |

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

# NOTICE TO OPERATORS FILING INTENT TO DRILL FOR DISPOSAL OR ENHANCED RECOVERY INJECTION WELLS, (CLASS II INJECTION WELL)

The attached approved Notice of Intent to Drill indicates the proposed well is to be used for injection. An approved "Intent to Drill" does not approve injection authority as a Class II Injection Well in Kansas.

Before any well is used for injection purposes, the operator must file an application for injection authority in accordance with K.A.R. 82-3-401 and provide notice in accordance with K.A.R. 82-3-402. The Conservation Division must issue a written permit granting the application before commencement of injection.

The Conservation Division requirements and restrictions associated with Class II Injection are identified in K.A.R. 82-3-400 et seq of our regulations. Associated regulations governing drilling, completion and injection applications may be found in K.A.R. 82-3-135, Table I, Table II, in the Cedar Hills Sandstone Moratorium, (Docket #156,397-C), and the Eastern Kansas Surface Casing Order, (Docket #133,891-C).

If you have questions regarding the approval of injection authority, an injection application may be filed as a "Design Approval" before actual drilling and completion of the well occurs. If you have any questions or concerns regarding Class II injection wells or regulations, call the Underground Injection Control Department at 316-337-6200.

Failure to obtain commission approval before beginning injection is punishable by a penalty, shut-in of the well or both.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

May 21, 2021

Roger Kent RJ Energy, LLC 22082 NE NEOSHO RD GARNETT, KS 66032-2425

Re: Drilling Pit Application Ewing 4I NE/4 Sec.13-21S-20E Anderson County, Kansas

#### Dear Roger Kent:

According to the drilling pit application referenced above, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1 (April 2004), Application for Surface Pit, through KOLAR. This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (620) 902-6450.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

# HAUL-OFF PIT APPLICATION FILING REQUIREMENTS

| 82-3-607. | DISPOSAL OF DIKE AND PIT CONTENTS.  |
|-----------|---|
| (a)       | Each operator shall perform one of the following when disposing of dike or  |
| pit       | contents:   |
| (1)       | Remove the liquid contents to a disposal well or other oil and gas operation approved by the commission or to road maintenance or construction locations approved by the department;  |
| (2)       | dispose of reserve pit waste down the annular space of a well completed according to the alternate I requirements of K.A.R. 82-3-106, if the waste to be disposed of was generated during the drilling and completion of the well;  |
| or        |   |
| (3)       | dispose of the remaining solid contents in any manner required by the commission. The requirements may include any of the following:  (A) Burial in place, in accordance with the grading and restoration requirements in K.A.R. 82-3-602 (f);  (B) removal and placement of the contents in an on-site disposal area approved by the commission;  (C) removal and placement of the contents in an off-site disposal area |
| on        |   |
| lease     | acreage owned by the same landowner or to another producing   |
| from      | or unit operated by the same operator, if prior written permission  |
| пош       | the landowner has been obtained; or   |
|           |   |

|          | (D) removal of the contents to a permitted off-site disposal area        |    |
|----------|--|----|
| approved |  |    |
|          | by the department.   |    |
| (b)      | Each violation of this regulation shall be punishable by the following:  |    |
| (1)      | A \$1,000 penalty for the first violation;                               |    |
| (2)      | a \$2,500 penalty for the second violation; and                          |    |
| (3)      | a \$5,000 penalty and an operator license review for the third violation | ١. |

File Haul-Off Pit Application in KOLAR. Review the information below and attach all required documents to the pit application when submitting through KOLAR. This form will automatically generate and fill in from questions asked in KOLAR.

| Haul-off pit will be located in an on-site disposal area:YesNo   |   |
|--|---|
| Haul-off pit is located in an off-site disposal area on acreage owned by the same landowner:YesNo If yes, written permission from the land owner must be obtained. Attach written permission to haul-off pit application.  |   |
| Haul-off pit is located in an off-site disposal area on another <b>producing</b> lease or unit operated by the same operator:YesNo If yes, written permission from the land owner must be obtained. Attach permission and a copy of the lease assignment that covers the acreage whe the haul-off pit is to be located, to the haul-off pit application. | , |