KOLAR Document ID: 1574779

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW ☐ CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	<u>'</u>
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
☐ Dual Completion Permit #: ☐ SWD Permit #:	
SWD Permit #: EOR Permit #:	Location of fluid disposal if hauled offsite:
GSW Permit #:	Operator Name:
	Lease Name: License #:
Caud Data on Data Dasahad TD Overslation Data	Quarter Sec TwpS. R
Spud Date or Date Reached TD Completion Date or Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1574779

Page Two

Operator Name: _				Lease Name:	Well #:				
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used	d Type and Percent Additives				
Protect Casi									
Plug Off Zon									
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5213 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	Owens Petroleum LLC
Well Name	GARBERSON WSW3
Doc ID	1574779

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set		Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11	8.6	18	42	Portland	8	na
Production	7.875	5.5	15	504	Pozmix	91	na

Invoice #	Page					
113992	001					
Invoice Date						
03-29-2021 09:10:31						

True Enterprise 1326 North Main Street LeRoy, KS 66857

(620) 964-2514

620-625-3607

SOLD TO: Scott Owens Scott Owens 1274 202 Road Yates Center, KS 66783

Please Remit To: True Enterprise, 1326 North Main, LeRoy, KS 66857

Tlease her	erms	1146		O.#	Order #	Туре	Sld.By	Cu	st.# Slm.
Last Day		Month	Garberson V	VSW3	113992	House	SLT	O36070	Store
Quantity	UM		Item #		Description			Price	Extended Price
10.000	EA	CL203		PORTLAND CE	MENT			17.25	172.50
							T	axable: ax: lon-Tax:	172.50 12.94 0.00
Received	by:						Т	otal:	185.44



City, State: Yates Center, KS			County:		WO, KS		Date:	4/1/2021				
Field Rep: Scott Owens					S-T-R:	27-23-16			Service:	longstring		
	Size:	nformatio 7 7/8			Calculated Slurry - Lead Blend: 70/30/2 1/2# PS				Calculated Slurry - Tail			
Hole E		508			Blend:				Blend: ppg			
Casing		5 1/2			Water / Sx:	Weight: 14.56 ppg Water / Sx: 5.91 gal / sx			Weight: ppg Water / Sx: gal / sx			
Casing E		504			Yield:	1.28 ft ³ / sx			Yield:	ft ³ /sx		
Cubing /			in		Annular Bbis / Ft.:		bbs / ft.		Annular Bbls / Ft.:	bbs / ft.		
	epth:		ft		Depth:	··	ft t		Depth:	ft		
Tool / Pa					Annular Volume:	0.0			Annular Volume:	0 bbls		
Tool E			ft		Excess:	V.U			Excess:	V 1010		
Displace		12.00			Total Slurry:	20.75	bbls		Total Slurry:	0.0 bbls		
	war ee Comba		STAGE	TOTAL	Total Sacks:	91			Total Sacks:	0 sx		
TIME	RATE	PSI	BBLs	BBLs	REMARKS							
1:30 AM				•	on location, held safety	meeting						
	4.0				established circulation							
	4.0				mixed and pumped 200	# Bentonite	Gel followed by 5	bbis fresi	water			
	4.0			-	mixed and pumped 6 bl	bis dye mark	er					
	4.0				mixed and pumped 91	sks 70/30/2 P	ozmix cement wit	h 1/2# Ph	enoseal per sk			
	4.0			<u> </u>	dye marker to surface					***************************************		
	4.0		[-	flushed pump clean							
	4.0				pumped 5 1/2" rubber p	olug to casing	TD with 12 bbls	fresh wat	er			
					cement to surface							
				-	pressured to 800 PSI							
				-	well held pressure			······································				
	ļl				released pressure to se	et float valve						
	4.0				washed up equipment					the state of the s		
					<u> </u>							
	-											
										<u> </u>		
										<u> </u>		
						······································						
	 											
	\vdash				<u> </u>							
	\vdash											
	$\vdash \vdash \vdash$											
	┝─┤		 									
	\vdash											
	لـــــا	CDEW			UNIT				SUMMAR	٧		
CREW					89		Ayerana	10				
	Comenter: Casey Kennedy		, 65 (- 1	Average Ra	ite	Average Pressure	Total Fluid				

ftv: 15-2021/01/25 mplv: 124-2021/03/31