For KCC Use:

Effective D	Date:
-------------	-------

IECI	uve	Da

District # SGA?

Yes No

CORRECTION #1

KANSAS CORPORATION COMMISSION **OIL & GAS CONSERVATION DIVISION**

KOLAR Document ID: 1581457

Form C-1 March 2010 Form must be Typed Form must be Signed All blanks must be Filled

NOTICE OF INTENT TO DRILL

Must be approved by KCC five (5) days prior to commencing well

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from L E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Note: Locate well on the Section Plat on reverse side)
City: State: Zip: +	County:
Contact Person:	Lease Name: Well #:
Phone:	Field Name: Vien #
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
Name:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment: Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary Disposal Wildcat Cable Seismic ; # of Holes Other Other:	Nearest Lease or unit boundary line (in footage): Ground Surface Elevation:
Directional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
If Yes, true vertical depth:	DWR Permit #:
Bottom Hole Location:	(Note: Apply for Permit with DWR)
KCC DKT #:	Will Cores be taken?
	If Yes, proposed zone:

AFFIDAVIT

The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55 et. seq.

It is agreed that the following minimum requirements will be met:

- 1. Notify the appropriate district office *prior* to spudding of well;
- 2. A copy of the approved notice of intent to drill shall be posted on each drilling rig;
- 3. The minimum amount of surface pipe as specified below shall be set by circulating cement to the top; in all cases surface pipe shall be set through all unconsolidated materials plus a minimum of 20 feet into the underlying formation.
- 4. If the well is dry hole, an agreement between the operator and the district office on plug length and placement is necessary prior to plugging;
- 5. The appropriate district office will be notified before well is either plugged or production casing is cemented in;
- 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented from below any usable water to surface within 120 DAYS of spud date. Or pursuant to Appendix "B" - Eastern Kansas surface casing order #133,891-C, which applies to the KCC District 3 area, alternate II cementing must be completed within 30 days of the spud date or the well shall be plugged. In all cases, NOTIFY district office prior to any cementing.

Submitted Electronically

For KCC Use ONLY	
API # 15	
Conductor pipe required	feet
Minimum surface pipe required	_ feet per ALT. I II
Approved by:	
This authorization expires:	
Spud date: Agent:	

Remember to:

- File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
- File Drill Pit Application (form CDP-1) with Intent to Drill;
- File Completion Form ACO-1 within 120 days of spud date;
- File acreage attribution plat according to field proration orders;
- Notify appropriate district office 48 hours prior to workover or re-entry;
- Submit plugging report (CP-4) after plugging is completed (within 60 days);
- Obtain written approval before disposing or injecting salt water.
- If well will not be drilled or permit has expired (See: authorized expiration date) please check the box below and return to the address below.

ш

Well will not be drilled or Permit Expired Date: _ Signature of Operator or Agent:

CORRECTION	#1
Side Two	

For KCC Use ONLY

API # 15 - ____


IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator:	Location of Well: County:
Lease:	feet from N / S Line of Section
Well Number:	feet from E / W Line of Section
Field:	Sec Twp S. R E 📃 W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage:	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW

PLAT

Show location of the well. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. 2470 ft.



NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION KOLAR Document ID: 1581457

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Operator Name: License Number: Operator Address: Phone Number: Contact Person: Phone Number: Lease Name & Well No: Pit Location (QQQQ); Type of Pit: Pit Location (QQQQ); Type of Pit: Pit Location (QQQQ); Settling Pit Delling Pit Bunchoff Pit Pit Location (QQQQ); Pit Location (QQQQ); Settling Pit Location (NQQQQ); Workower Pit Hauhoff Pit Pit capacity:	Submit in Duplicate				
Contact Person: Phone Number: Lease Name & Well No: Pit Location (QOQQ): Type of Pi: Pit is: Genergency Pf Burn Pit Benergency Pf Drilling Pit Workower Pit Hauk-Off Pit Pit clocation Feet from Norkower Pit Hauk-Off Pit Pit clocated in a Sensitive Ground Water Area? Yes (Nbbi) County Is the pit located in a Sensitive Ground Water Area? Yes (bib) County (bib) County Is the bottom below ground level? Artificial Liner? Hew is the pit lined if a plastic liner is not used? Othoride concentration: Pit dimensions (all but working pits): Length (feet) Width (feet) N/A: Steel Pits Depth from ground level to deepest point: Celcribe procedures for periodic maintenance and determining NiA: Steel Pits Depth of water well the et illner/remaintenance and determining NiA: Steel Pits Depth of water well well owner feet. Number of procedurgs of fuel procedures: Depth fo shallowest fresh water feet. Submitted Electronically During Worko	Operator Name:			License Number:	
Lease Name & Well No: Pri Location (QQQQ): Type of Pit: Pit is: Comparison Setting Pit Disting Pit Drilling Pit Workover Pit Hau-Off Pit (If WP Joppy API No or New Dinker) Pit Existing, date constructed: Pit capacity: Feet from (If WP Joppy API No or New Dinker) Pit capacity: Is the pit located in a Sensitive Ground Water Area? Yes (If WP Joppy API No or New Dinker) Artificial Liner? Is the pit located in a Sensitive Ground Water Area? Yes Yes No Pit dimensions (all but working pits): Length (feet) Width (feet) Pit dimensions (all but working pits): Length (feet) Width (feet) No Pit Distance to nearest water well within one-mile of pit: Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Proteored producing Permation: Type of Integrity, including pits bot but Uilling. Workover and Haul-Off Pits DNLY: Producing Permation: Type of material utilized in diffing Workover: Abandonment procedure: Number of working pits to be utilized: Abandonment procedure: Derilling. Workover and Haul-Off Pits DNLY:	Operator Address:				
Pite of Pite Pit is:	Contact Person:			Phone Number:	
Distance to nearest water well within one-mile of pit: Distance to nearest water well within one-mile of pit: Distance to nearest water well within one-mile of pit: Distance to nearest water well within one-mile of pit: Distance to nearest water well within one-mile of pit: Distance to nearest water well within one-mile of pi	Lease Name & Well No.:			Pit Location (QQQQ):	
Setting Pit Drilling Pit If Existing, date constructed: Feet from North / South Line of Section County Workover Pit Haul-Off Pit Pit capacity:	Type of Pit:	Pit is:		·	
Vorkover Pit Haul-Off Pit Pit capacity:	Emergency Pit Burn Pit	Proposed	Existing	SecTwp R East West	
If WP Supply API No. or Year/Diffect] Pit capacity:	Settling Pit Drilling Pit	If Existing, date co	nstructed:	Feet from North / South Line of Section	
		Pit capacity:		Feet from East / West Line of Section	
Image: control level? Artificial Liner? How is the pit lined if a plastic liner is not used? Image: control level line line remains and line remains	((bbls)	County	
Yes No Pit dimensions (all but working pits): Length (feet) Depth from ground level to deepest point: (feet) If the pit is lined give a brief description of the liner material, thickness and installation procedure. Describe procedures for periodic maintenance and determining liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information: feet Depth of water well feet Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Abandonment procedure: Destribe to closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY	Is the pit located in a Sensitive Ground Water A	rea? Yes	No		
Depth from ground level to deepest point:			٩o	How is the pit lined if a plastic liner is not used?	
If the pit is lined give a brief description of the liner material, thickness and installation procedure. Distance to nearest water well within one-mile of pit: feet Depth to shallowest fresh waterfeet. feet Depth of water wellfeet	Pit dimensions (all but working pits):	Length (fe	et)	Width (feet)N/A: Steel Pits	
material, thickness and installation procedure. liner integrity, including any special monitoring. Distance to nearest water well within one-mile of pit: Depth to shallowest fresh water feet. Source of information:	Depth fro	m ground level to dee	epest point:	(feet) No Pit	
Source of information: feet Depth of water well feet measured well owner electric log KDWR Drilling, Workover and Haul-Off Pits ONLY: Type of material utilized in drilling/workover: Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No KCC OFFICE USE ONLY Liner Steel Pit					
Emergency, Settling and Burn Pits ONLY: Drilling, Workover and Haul-Off Pits ONLY: Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS					
Producing Formation: Type of material utilized in drilling/workover: Number of producing wells on lease: Number of working pits to be utilized: Barrels of fluid produced daily: Abandonment procedure: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date.	feet Depth of water well	feet	measured	well owner electric log KDWR	
Number of producing wells on lease: Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner RFAC	Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:	
Barrels of fluid produced daily: Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Dirill pits must be closed within 365 days of spud date. KCC OFFICE USE ONLY Liner RFAS	Producing Formation:		Type of materia	al utilized in drilling/workover:	
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Number of producing wells on lease:		Number of worl	rking pits to be utilized:	
flow into the pit? Yes Drill pits must be closed within 365 days of spud date. Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAS	Barrels of fluid produced daily: Abandonment		procedure:		
Submitted Electronically KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			t be closed within 365 days of spud date.		
Liner Steel Pit RFAC RFAS					
	Date Received: Permit Numl	oer:	Permi		

CORRECTION #1

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

Form KSONA-1
January 2014
Form Must Be Typed

KOLAR Document ID: 1581457

Form must be Signed All blanks must be Filled

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application). Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)

OPERATOR: License #	Well Location:
Name:	
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	

If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic Protection Borehole Intent), you must supply the surface owners and the KCC with a plat showing the predicted locations of lease roads, tank batteries, pipelines, and electrical lines. The locations shown on the plat are preliminary non-binding estimates. The locations may be entered on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.

Select one of the following:


- I certify that, pursuant to the Kansas Surface Owner Notice Act (House Bill 2032), I have provided the following to the surface owner(s) of the land upon which the subject well is or will be located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form CP-1 that I am filing in connection with this form; 2) if the form being filed is a Form C-1 or Form CB-1, the plat(s) required by this form; and 3) my operator name, address, phone number, fax, and email address.
- I have not provided this information to the surface owner(s). I acknowledge that, because I have not provided this information, the KCC will be required to send this information to the surface owner(s). To mitigate the additional cost of the KCC performing this task, I acknowledge that I must provide the name and address of the surface owner by filling out the top section of this form and that I am being charged a \$30.00 handling fee, payable to the KCC, which is enclosed with this form.

If choosing the second option, submit payment of the \$30.00 handling fee with this form. If the fee is not received with this form, the KSONA-1 form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1 will be returned.

Submitted Electronically

Surface Owner: Fred L. Pratt

Mailing Address: PO Box 583 Hoxie, KS 67740



Summary of Changes

Lease Name and Number: Sutor-Ziegler 10

API/Permit #: 15-179-21474-00-00

Doc ID: 1581457

Correction Number: 1

Approved By: CeLena Peterson 07/07/2021

Field Name	Previous Value	New Value
Number of Feet East or West From Section Line	2640	2710
Number of Feet North or South From Section	2400	2470
Line Number of Feet East or West From Section Line	2640	2710
Number of Feet North or South From Section	2400	2470
Line Quarter Call 1 - Largest	N2	NW
Quarter Call 2	S2	SE
Quarter Call 3	S2	SE
Quarter Call 4 - Smallest	S2	SE
Ground Surface Elevation	2565	2570
ElevationPDF	2565 Estimated	2570 Estimated

Summary of changes for correction 1 continued

Field Name	Previous Value	New Value
Feet to Nearest Water Well Within One-Mile of Pit	1802	1900
KCC Only - Approved By	Rick Hestermann 07/02/2021	CeLena Peterson 07/07/2021
KCC Only - Approved Date	07/02/2021	07/07/2021
KCC Only - Date Received	07/01/2021	07/07/2021
KCC Only - Regular Section Quarter Calls	S2 S2 S2 N2	SE SE SE NW
Quarter Call 1 - Largest	N2	NW
Quarter Call 2	S2	SE
Quarter Call 3	S2	SE
Quarter Call 4 - Smallest	S2	SE

Summary of Attachments

Lease Name and Number: Sutor-Ziegler 10 API: 15-179-21474-00-00 Doc ID: 1581457 Correction Number: 1 Approved By: CeLena Peterson 07/07/2021

Attachment Name