#### **CORRECTION #1**

KOLAR Document ID: 1584531

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	OLE & ONE CONCERNATION DIVIDION

SGA? Yes No

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

#### CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act, MUST be submitted with this form.

Expected Spud Date:	Spot Description:
month day year	
OPERATOR: License#	feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:         State:         +           Contact Person:	County:
Phone:	Facility Name:
T 110116	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MSI
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment:	Depth to Bedrock: feet
Air Rotary Other	Water Information         Aquifer Penetration:       ☐ None       ☐ Single       ☐ Multiple
Construction Features	Depth to bottom of fresh water:
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of resh water:
Planned to be set:	Water well within one-quarter mile: Yes No
Length of Conductor pipe (if any): feet Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing size inches	Well Farm Pond Stream Other
;;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
☐ Above surface ☐ Surface Vault ☐ Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
Anode installation deptils are,,,,,,	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
he undersigned hereby affirms that the drilling, completion and eventual plugging fithis well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
t is agreed that the following minimum requirements will be met:	
. Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior	
2. Notify appropriate District Office 48 hours prior to workover or re-entry.	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.	
The minimum amount of cathodic surface casing as specified below shall be set by	grouting to the top when the cathodic surface casing is set.
<ol> <li>File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp d. Submit plugging report (CP-4) within 60 days after final plugging is completed.</li> </ol>	(form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
en en la companya de	
Submitted Electronically	
	7
For KCC Use ONLY	
API # 15	If this permit has expired or will not be drilled, check a box below, sign, date and return
Conductor pipe requiredfeet	to the address below.
Minimum Cathodic Surface Casing Required: feet	Pormit Evnirod   Moll Not Drilled
Approved by:	Permit Expired Well Not Drilled
This authorization expires:	
(11113 authorization) void it drilling not started within 12 months of approval date.)	
Spud date: Agent:	Date Signature of Operator or Agent
	_



For KCC Use ONLY	
API # 15	

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

I					_ Loc	ation of We	ell: County: _					
Name:								feet	from	_ N / _	S Line	of Section
e Number:								feet	from	E /	W Line	of Section
					Sed	÷	Twp	S.	R		_ E _	W
					ls S	Section:	Regular o	r	Irregular			
							regular, loca					dary.
Section corr			ction corner	corner used: NE NW SE SW								
Show location of lease roads, tal		ipelines and	electrica You m	al lines, as ay attach a	required b		as Surface Ov					
			800 ft	•								
:	:	:		:	:	:						
:	:	:		:	:	:						
						:			LEGE	END		
							2600 ft	0				
			<u>.</u>				- 2600 ft.	. 0	Well L	ocation	ocation	
			)				- 2600 ft.	. <u> </u>	Well L	ocation Battery L		
			<u>.</u>				- 2600 ft.	. <u>°</u>	Well L Tank E Pipelir	ocation	ion	
			<u>.</u>				- 2600 ft.	. <u> </u>	Well L Tank E Pipelii Electr	ocation Battery L	ion ocation	
		(	) 				- 2600 ft.	. <u> </u>	Well L Tank E Pipelii Electr	ocation Battery L ne Locati ic Line L	ion ocation	
							- 2600 ft.	0	Well L Tank E Pipelii Electr	ocation Battery L ne Locati ic Line L	ion ocation	
								O O	Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	]
		29							Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	
									Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	
									Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	
									Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	
									Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	
									Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	1980' F
		29	)						Well L Tank E Pipelii Electr Lease	ocation Battery L ne Locati ic Line L	ion ocation	1980' F

NOTE: In all cases locate the spot of the proposed drilling locaton.

#### In plotting the proposed location of the well, you must show:

1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;

SEWARD CO. 3390' FEL

- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

#### **CORRECTION #1**

KOLAR Document ID: 1584531

Kansas Corporation Commission Oil & Gas Conservation Division Form CDP-1 July 2014 Form must be Typed

#### **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:			License Number:		
Operator Address:					
Contact Person:			Phone Number:		
Lease Name & Well No.:			Pit Location (QQQQ):		
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date cor  Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty		
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)		
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?		
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits		
Depth fro	om ground level to dee	epest point:	(feet) No Pit		
material, thickness and installation procedure.			acluding any special monitoring.		
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. mation:		
feet Depth of water well	feet	measured	well owner electric log KDWR		
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:		
Producing Formation:		Type of material utilized in drilling/workover:			
Number of producing wells on lease:		Number of working pits to be utilized:			
Barrels of fluid produced daily:		Abandonment procedure:			
Does the slope from the tank battery allow all s flow into the pit? Yes No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.		
Submitted Electronically					
	KCC (	OFFICE USE O	NLY Steel Pit RFAC RFAS		
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection: Yes No		

#### CORRECTION #1

KOLAR Document ID: 1584531

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (Ca	athodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East West
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
If this form is being submitted with a Form C-1 (Intent) or CB-1 (Cathodic the KCC with a plat showing the predicted locations of lease roads, tank are preliminary non-binding estimates. The locations may be entered on Select one of the following:	batteries, pipelines, and electrical lines. The locations shown on the plat
I certify that, pursuant to the Kansas Surface Owner Notice Acowner(s) of the land upon which the subject well is or will be loc CP-1 that I am filing in connection with this form; 2) if the form beform; and 3) my operator name, address, phone number, fax, an	
KCC will be required to send this information to the surface owr	knowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	
Submitted Electronically	
[	-

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	PXP #74A Well #1
Doc ID	1584531

## Anode Installation Depths

Arioue installation Deptilis	
Depth	
290	
280	
270	
260	
250	
240	
230	
220	
210	
200	
190	
180	
170	
160	
150	
140	
130	
120	
110	
100	
90	
80	
70	
60	

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	PXP #74A Well #1
Doc ID	1584531

# Anode Installation Depths

Depth	
50	

## **Summary of Changes**

API/Permit #: 15-153-21260-00-00

Doc ID: 1584531

Correction Number: 1

Approved By: Rick Hestermann 07/30/2021

Field Name	Previous Value	New Value
Anode Conductor Type	Lorseco SC-2	Lorseco SC-3
KCC Only - Approved By	Rick Hestermann 04/16/2021	Rick Hestermann 07/30/2021
KCC Only - Approved	04/16/2021	07/30/2021