KOLAR Document ID: 1573663

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:					
Address 2:	Feet from North / South Line of Section				
City:	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing: Total Vertical Depth: Plug Back Total Depth:				
☐ Gas ☐ DH ☐ EOR					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
☐ CM (Coal Bed Methane)☐ Cathodic☐ Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No				
	If yes, show depth set: Feet				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
EOR	·				
GSW	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	QuarterSecTwpS. R East West				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II Approved by: Date:					

KOLAR Document ID: 1573663

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	pS. F	R [East	West	County:					
open and closed and flow rates if	, flowing and sh gas to surface t ty Log, Final Lo	nut-in pressurest, along wit	es, whe h final c ain Geo	ther shut-in pre hart(s). Attach physical Data a	essure reached extra sheet if r and Final Electr	station more : ric Loc	level, hydrosta space is needed	tic pressures, d.	bottom hole tempe	val tested, time tool rature, fluid recovery, Digital electronic log
Drill Stem Tests (Attach Addit			Ye	es No		Lo	og Formatio	n (Top), Deptl	n and Datum	Sample
Samples Sent to Geological Survey								Datum		
Cores Taken Electric Log Run Geologist Repor List All E. Logs F	t / Mud Logs		Y€ Y€	es No						
			Repo		RECORD [Nev	w Used rmediate, producti	on. etc.		
Purpose of St		ze Hole Orilled	Siz	e Casing (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	OF MENTING /					
Purpose:	[Depth	Typo	of Cement	# Sacks Use		EEZE RECORD	Typo a	nd Percent Additives	
Perforate Protect Ca Plug Back	Top	Bottom	туре	or cement	# Sacks Use	,u		туре а	ia reicent Additives	
Plug Off Z										
Did you perform Does the volum Was the hydraul	e of the total base	fluid of the hyd	draulic fra	cturing treatmen		•	Yes ns? Yes	No (If No	, skip questions 2 an , skip question 3) , fill out Page Three o	,
Date of first Produ	ction/Injection or	Resumed Produ	uction/	Producing Meth			Coolift 0	thor (Fundain)		
Estimated Produc	otion	Oil Bb	le.	Flowing Gas	Pumping Mcf	Wate		ther <i>(Explain)</i> bls.	Gas-Oil Ratio	Gravity
Per 24 Hours		Oli Bb	15.	Gas	IVICI	vvale	ı Di	JIS.	Gas-Oil Hallo	Gravity
DISPO	OSITION OF GAS	S:		N	METHOD OF CO	MPLE.	TION:		PRODUCTIO	N INTERVAL:
Vented	Sold Use	d on Lease		Open Hole				nmingled	Тор	Bottom
(If vente	ed, Submit ACO-18	.)			(5	SUDITIIL I	ACO-5) (Subi	mit ACO-4)		
Shots Per Foot	Perforation Top	Perforation Bottom	on	Bridge Plug Type	Bridge Plug Set At Acid, Fracture, Shot, Cementing Squeeze Record (Amount and Kind of Material Used)			Record		
TUBING RECOR	D: Size:		Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	HB Energy LLC
Well Name	BARTHOL HB I-3
Doc ID	1573663

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9.875	7	8	21	Portland	6	50/50 POZ
Production	5.625	2.875	14	736	Portland	96	50/50 POZ



24 S. Gold Paola, KS 66071

WELL LOG
HB Energy LLC
Barthol #HB I-3
API # 15-121-31633-00-00

	API # 15-121-31633-00-00		
	April 1 - A	pril 5, 2021	
Thickness of Strata	<u>Formation</u>	Total	
10	soil & clay	10	
11	lime	21	
6	shale	27	
8	lime	35	
7	shale	42	
13	lime	55	
5	shale	60	
6	lime	66	
9	shale	75	
2	lime	77	
31	shale	108	
17	lime	125	
88	shale	213	
20	lime	233	
12	shale	245	
5	lime	250	
10	shale	260	
6	lime	266	
38	shale	304	
4	lime	308	
21	shal e	329	
6	lime	335	
5	shale	340	
13	lime	353	
7	shale	360	
18	lime	378	
1	shale	379	
8	lime	387	
1	shale	388 black	

lime

shale

lime

shale

shale

lime

limy sand

392

395

428

429

552 554

401 BKC

4

3

6

1

2

27

123

Allen's Holdings & Investments Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

Barthol #HB I-3

13	shale	567
7	lime	574
24	shale	598
1	coal	599
6	shale	605
8	lime	613
13	shale	626
3	lime	629
3	shale	632
1	coal	633
3	shale	636
1	lime	637
8	shale	645
3	lime	648
5	shale	653
1	lime	654
11	shale	665
1	lime	666
3	shale	669
5	lim e	674
4	shale	678
3	silty shale	681 lime streaks
1	broken sand	682 10% brown sand 90% shale minimal bleed
7	broken sand	689 70% brown sand 30% shale light bleed
1	broken sand	690 15% brown sand 85% shale minimal bleed
3	oil sand	693 soft brown sand good bleed
4	broken sand	697 75% brown sand 25% shale ok bleed
1	broken sand	698 25% brown sand 75% shale ok bleed
2	broken sand	700 dark sand & shale light bleed
1	sitty shale	701
45	shale	746 TD

Drilled a 9 7/8" hole to 21.6' Drilled a 5 5/8" hole to 746'

Set 21.6' of 7" surface casing, threaded and coupled cemented with 6 sacks of cement.

Set 736' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp & a baffle set at 728'.

Dug 1 pit



MENT TRE	ATMENT REP	ORT	ESTROY OF STREET				
Customer	H8 Energy		Well:	Barthol HS I-3	Ticket:	EP1605	
	Wellsville, KS		County:				
	Isaac Burbank			MI, KS	Date:	4/5/2021	
гіаш нер:	Isaac Burbank		S-T-R:	12-16-21	Service:	longstring	
Downhole	Information		Calculated Si	urry - Lead	Calc	ulated Slurry - Tail	
Hele Size:	5 5/8 in		Blenda	50/50/2 1/2# PS	Blend:		
Hole Dopth:	746 ft	1	Weight:	14.25 ppg	W eight:	PP9	
Casing Size:	2 7/8 in		Water / Sec	5.63 gat / sx	Water / 5x:	gal / ex	
asing Dopth:	736 ft		Yield:	1.24 ft ³ / sx	Yield:	tt ² / sac	
bling Liner:	ìn		Annular Bbls / Ft.:	bbs / ft.	Armular Blds / Ft.:	bbn / ft.	
Depth	ft		Depth:	ft	Depth:	ft	
oof Packer:	baffle		Annular Volume:	0.0 bbls	Annular Volume:	O bbls	
Tool Depth:	728 ft		Excess		Excess		
splacement:	4.21 bbia		Total Slurry:	21,20 bbis	Total Sturry:	C.O bbis	
	STAGE		Total Sacks:	96 ax	Total Sacks:	0 sx	
ME RATE	PSI BBLs	BBLs	REMARKS			是 中华人工 电影 经营业的	
:30 PM			on location, held safety	meeting			
4.0			established circulation				
4.0				Bentonite Gel followed by 5 bbls			
4.0			mixed and pumped 36 si	ks 50/50/2 Pozmix cement w/ 1/28	Phenoseal per sit, coment to :	surface	
4.0			flushed pump clean				
1.0		-	pumped 2 7/8" rubber pl	ug to baffle w/ 4.21 bbls fresh wa	ler		
			pressured to 800 PSI				
		- 2	well held pressure for 3	O minute MIT			
			released pressure to set	I float valve			
4.0			washed up equipment				
_							
		-					
_							
_	_						
Tin Pa	CREW	S/es the law	TINU	Esperal days	SUMMAR		
Continues	Casey Kenne	tv	R9	Augran Gat-			
оннико. Вир Сринции:	Mark Foltz	-/	238	Average Rate 3.5 bpm	Average Pressure	Total Fluid	
Eas	Alan Mader		248	2.5 MHz	- pai	- bbls	
ноо	Alan Mader		111				

ftv: 15-2021/01/25 mplv: 132-2021/04/06

). 	