For KCC Use:
Effective Date:
District #
SGA? Ves No

Kansas Corporation Commission Oil & Gas Conservation Division

Form C-1

March 2010

Form must be Typed

Form must be Signed

All blanks must be Filled

NOTICE OF INTENT TO DRILL

Expected Spud Date:	Spot Description:
OPERATOR: License#	Sec Twp S. R E feet from N / S Line of Section
Name:	feet from E / W Line of Section
Address 1:	Is SECTION: Regular Irregular?
olddress 2: State: Zip: +	(Note: Locate well on the Section Plat on reverse side)
Contact Person:	County:
hone:	Lease Name: Well #: Field Name:
CONTRACTOR: License#	Is this a Prorated / Spaced Field?
lame:	Target Formation(s):
Well Drilled For: Well Class: Type Equipment:	Nearest Lease or unit boundary line (in footage):
	Ground Surface Elevation:feet MS
Oil Enh Rec Infield Mud Rotary Gas Storage Pool Ext. Air Rotary	Water well within one-quarter mile:
Disposal Wildcat Cable	Public water supply well within one mile:
Seismic ; # of Holes Other	Depth to bottom of fresh water:
Other:	Depth to bottom of usable water:
If OWWO: old well information as follows:	Surface Pipe by Alternate: III
II OVVVVO. Old well information as follows.	Length of Surface Pipe Planned to be set:
Operator:	Length of Conductor Pipe (if any):
Well Name:	
Original Completion Date: Original Total Depth:	Formation at Total Depth:
irectional, Deviated or Horizontal wellbore?	Well Farm Pond Other:
Yes, true vertical depth:	DWR Permit #:
ottom Hole Location:	(Note: Apply for Permit with DWR)
(CC DKT #:	Will Cores be taken?
	If Yes, proposed zone:
AF	FIDAVIT
he undersigned hereby affirms that the drilling, completion and eventual place.	
AF The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well;	
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig;
the undersigned hereby affirms that the drilling, completion and eventual plus is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each 3. The minimum amount of surface pipe as specified below <i>shall be set</i>	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the sum o	ugging of this well will comply with K.S.A. 55 et. seq. h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the state of the well is dry hole, an agreement between the operator and the district office will be notified before well is either plugging.	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the summan amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the summan and the district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented.	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the summan amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the summan and the district office will be notified before well is either plug. The appropriate district office will be notified before well is either plug. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order #	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
The undersigned hereby affirms that the drilling, completion and eventual plat is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the sum of the posted on each through all unconsolidated materials plus a minimum of 20 feet into the sum of	h drilling rig; by circulating cement to the top; in all cases surface pipe <i>shall be set</i> be underlying formation. trict office on plug length and placement is necessary <i>prior to plugging</i> ; ged or production casing is cemented in; but from below any usable water to surface within 120 DAYS of spud date.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on e	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on each and the second of the posted on the second of the posted on the second of the sec	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
he undersigned hereby affirms that the drilling, completion and eventual plicates agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be as the specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the specified below the operator and the district office will be notified before well is either pluguments. The appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be comented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriated before the propriated before the well shall be appropriated before the propriated before the propriated before t	ugging of this well will comply with K.S.A. 55 et. seq. th drilling rig; thy circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing
the undersigned hereby affirms that the drilling, completion and eventual plus agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the sum of the posted on each and the posted on the posted of th	th drilling rig; the by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. trict office on plug length and placement is necessary prior to plugging ; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing.
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the second of the posted on each and the second of the posted on the second of the posted on the second of the s	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill;
he undersigned hereby affirms that the drilling, completion and eventual plick agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and the approved notice of intent to drill <i>shall be</i> posted on each and the district office will be a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the standard materials plus a minimum of 20 feet into the stand	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
the undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and a specified below <i>shall be</i> set through all unconsolidated materials plus a minimum of 20 feet into the specified like of the well is dry hole, an agreement between the operator and the disesting of the appropriate district office will be notified before well is either pluguments. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be about the complete of the well shall be appropriated in the specified before well is either pluguments. Ibmitted Electronically For KCC Use ONLY API # 15	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill; - File Completion Form ACO-1 within 120 days of spud date;
the undersigned hereby affirms that the drilling, completion and eventual plick agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dise 5. The appropriate district office will be notified before well is either pluge 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **Por KCC Use ONLY** API # 15	h drilling rig; by circulating cement to the top; in all cases surface pipe shall be set le underlying formation. trict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; led from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing le plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: - File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; - File Drill Pit Application (form CDP-1) with Intent to Drill;
The undersigned hereby affirms that the drilling, completion and eventual places agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the dis 5. The appropriate district office will be notified before well is either plug 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be a submitted Electronically **For KCC Use ONLY** API # 15	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set to underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is ged or production casing is cemented in; It is defined below any usable water to surface within 120 DAYS of spud date. In all cases, NOTIFY district 3 area, alternate II cementing in plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disest of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the spud date or the spud date or the well shall be appropriated to the spud date or	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; ged or production casing is cemented in; and from below any usable water to surface within 120 DAYS of spud date. 133,891-C, which applies to the KCC District 3 area, alternate II cementing a plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days); Obtain written approval before disposing or injecting salt water.
The undersigned hereby affirms that the drilling, completion and eventual places is agreed that the following minimum requirements will be met: 1. Notify the appropriate district office <i>prior</i> to spudding of well; 2. A copy of the approved notice of intent to drill <i>shall be</i> posted on each and 3. The minimum amount of surface pipe as specified below <i>shall be set</i> through all unconsolidated materials plus a minimum of 20 feet into the 4. If the well is dry hole, an agreement between the operator and the disest of the appropriate district office will be notified before well is either plug. 6. If an ALTERNATE II COMPLETION, production pipe shall be cemented or pursuant to Appendix "B" - Eastern Kansas surface casing order # must be completed within 30 days of the spud date or the well shall be appropriate to the spud date or the well shall be appropriate to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or the well shall be appropriated to the spud date or t	In drilling rig; It by circulating cement to the top; in all cases surface pipe shall be set the underlying formation. It ict office on plug length and placement is necessary prior to plugging; It ged or production casing is cemented in; It ict office on plug length and placement is necessary prior to plugging; It is ged or production casing is cemented in; It is ged from below any usable water to surface within 120 DAYS of spud date. In 33,891-C, which applies to the KCC District 3 area, alternate II cementing is plugged. In all cases, NOTIFY district office prior to any cementing. Remember to: File Certification of Compliance with the Kansas Surface Owner Notification Act (KSONA-1) with Intent to Drill; File Drill Pit Application (form CDP-1) with Intent to Drill; File Completion Form ACO-1 within 120 days of spud date; File acreage attribution plat according to field proration orders; Notify appropriate district office 48 hours prior to workover or re-entry; Submit plugging report (CP-4) after plugging is completed (within 60 days);

Signature of Operator or Agent:

Side Two

For KCC Use ONLY	
API # 15	

Operator:

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Location of Well: County:

SEWARD CO. 3390' FEL

operator	Lecation of Well. County.
.ease:	feet from N / S Line of Section
/ell Number:	feet from E / W Line of Section
ield:	Sec Twp S. R
umber of Acres attributable to well:	Is Section: Regular or Irregular
The most of dolodge.	If Section is Irregular, locate well from nearest corner boundary.
	Section corner used: NE NW SE SW
Р	LAT
Show location of the well. Show footage to the nearest	lease or unit boundary line. Show the predicted locations of
	quired by the Kansas Surface Owner Notice Act (House Bill 2032).
You may attach a s 1830 ft.	separate plat if desired.
	,
	LEGEND
	: O Well Location
	Tank Battery Location
	Pipeline Location
	Electric Line Location
	2240 ft. Lease Road Location
	:
	EXAMPLE : :
	<u> </u>
22	
	1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).
- 5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 May 2010 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:			License Number:
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:		Pit Location (QQQQ):	
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwpR East West
Settling Pit Drilling Pit	If Existing, date constructed:		Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:	(bbls)	Feet from East / West Line of Section County
Is the pit located in a Sensitive Ground Water Area? Yes No		Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	pest point:	(feet) No Pit
		• /	cluding any special monitoring.
Distance to nearest water well within one-mile of	of pit:	Depth to shallo Source of infor	west fresh water feet. nation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	ver and Haul-Off Pits ONLY:
Producing Formation: Typ		Type of materia	l utilized in drilling/workover:
Number of producing wells on lease: Number of w		Number of worl	king pits to be utilized:
Barrels of fluid produced daily: Abandonmen		Abandonment p	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	e closed within 365 days of spud date.
	-		
Submitted Electronically			
KCC OFFICE USE ONLY Liner Steel Pit RFAC RFAS			
Date Received: Permit Numl	ber:	Permi	t Date: Lease Inspection:

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
January 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (C	Eathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R East
Address 1:	County:
Address 2:	Lease Name: Well #:
City: State: Zip:+	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: () Fax: ()	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City: State: Zip:+	
the KCC with a plat showing the predicted locations of lease roads, tank	lic Protection Borehole Intent), you must supply the surface owners and batteries, pipelines, and electrical lines. The locations shown on the plat the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be lo	ct (House Bill 2032), I have provided the following to the surface cated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form eing filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface own	eknowledge that, because I have not provided this information, the ner(s). To mitigate the additional cost of the KCC performing this of the surface owner by filling out the top section of this form and CC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling to form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-1	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	

For KCC Use ONLY	
API # 15	

IN ALL CASES PLOT THE INTENDED WELL ON THE PLAT BELOW

In all cases, please fully complete this side of the form. Include items 1 through 5 at the bottom of this page.

Operator: Downing Nelson Oil Co., Inc.	Location of Well: County: Graham
Coperator: Downing Nesson Cli Co., Inc. Lease: Geist-Tillet Unit C	1,830 feet.from N / S Line of Section
Well Number: 1-22	2,240 feet from X E / W Line of Section
Field: Connie Lou	Sec.22 Twp. 10 S. R.23 E X W
Number of Acres attributable to well: QTR/QTR/QTR/QTR of acreage: SE - NW - SW - NE	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW
Show location of the well. Show footage to the nearest lease roads, tank batteries, pipelines and electrical lines, as required you may attach a sep	ase or unit boundary line. Show the predicted locations of ired by the Kansas Surface Owner Notice Act (House Bill 2032).
	LEGEND
9	O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location
22/	EXAMPLE

1980' FSL

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.
- 2. The distance of the proposed drilling location from the south / north and east / west outside section lines.
- 3. The distance to the nearest lease or unit boundary line (in footage).
- 4. If proposed location is located within a prorated or spaced field a certificate of acreage attribution plat must be attached: (C0-7 for oil wells; CG-8 for gas wells).

SEWARD CO.

3390' FEL

5. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

August 04, 2021

Alan Downing Downing-Nelson Oil Co Inc PO BOX 1019 Hays, KS 67601-1019

Re: Drilling Pit Application Geist-Tillet Unit C 1-22 NE/4 Sec.22-10S-23W Graham County, Kansas

Dear Alan Downing:

District staff has inspected the above referenced location and has determined that the reserve pit shall be constructed <u>without slots</u>, the bottom shall be flat and reasonably level and the free fluids must be removed. The fluids are to be removed from the reserve pit as soon as the Hutchinson Salt section has been drilled through and displacement of the fluids into the reserve pit has occurred. The fluids should be removed again within 72 hours after drilling operations have ceased.

If production casing is set all completion fluids shall be removed from the working pits daily. NO completion fluids or non-exempt wastes shall be placed in the reserve pit.

The fluids should be taken to an authorized disposal well. Please call the District Office at (785) 261-6250 when the fluids have been removed. Please file form CDP-5 (August 2008), Exploration and Production Waste Transfer, through KOLAR within 30 days of fluid removal.

A copy of this letter should be posted in the doghouse along with the approved Intent to **Drill**. If you have any questions or concerns please feel free to contact the District Office at (785) 261-6250.