KOLAR Document ID: 1586274

For KCC Use:	
Effective Date:	
District #	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

# SGA? Yes No CATHODIC PROTECTION BOREHOLE INTENT Form must be Signed All blanks must be Filled

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1. Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this for

Expected Spud Date:	Spot Description:
month day year	
	(0/0/0/0)
OPERATOR: License#	
Name:	
Address 1:	Is SECTION: Regular Irregular?
Address 2:	(Check directions from nearest outside corner boundries)
City:	County:
Contact Person:	Facility Name:
Phone:	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth: fee
Type Drilling Equipment:	Depth to Bedrock: fee
Air Rotary Other	Water Information
Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set:feet	Depth to bottom of usable water:
Length of Conductor pipe (if any): feet	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	Public water supply well within one mile: Yes No
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anada installation depths are:	Annular space between borehole and casing will be grouted with:
Anode installation depths are:;; ;; ;;	Concrete Neat Cement Bentonite Cement Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surfac
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material:
The undersigned hereby affirms that the drilling, completion and eventual plugging	Borehole will be Pre-Plugged? Yes No
f this well will comply with K.S.A. 55-101 et. seq.	
is agreed that the following minimum requirements will be met:	
agreed that the following himman requirements will be met.	
and placement is necessary prior to plugging. In all cases, notify District Office prior	
and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry.	
and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	to any grouting.
and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by g	rto any grouting.  grouting to the top when the cathodic surface casing is set.
and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by g	grouting to the top when the cathodic surface casing is set.  orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by a file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (file Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple	grouting to the top when the cathodic surface casing is set.  orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
2. Notify appropriate District Office 48 hours prior to workover or re-entry. 3. A copy of the approved notice of intent to drill shall be posted on each drilling rig. 4. The minimum amount of cathodic surface casing as specified below shall be set by a specified below shall be	grouting to the top when the cathodic surface casing is set.  orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by a file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by a file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.	grouting to the top when the cathodic surface casing is set.  orm CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by good in the prior of the state of the set of the s	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by a file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification stion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by g.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (f. Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by good in the strength of the set of the	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by g.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (f. Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by a first office all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by g.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (f. Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completed.  Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum Cathodic Surface Casing Required: feet  Approved by: feet	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
and placement is necessary prior to plugging. In all cases, notify District Office prior  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by g.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (f. Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Compled.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required feet  Minimum Cathodic Surface Casing Required: feet  Approved by:  This authorization expires:	grouting to the top when the cathodic surface casing is set.  form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification etion Form (ACO-1) within 60 days from spud date.  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

C	ida	Tu	

For KCC Use ONLY
API # 15

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section E / W Line of Section
Borehole Number:	feet from L E / W Line of Section
	Sec Twp S. R E W
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



NOTE: In all cases locate the spot of the proposed drilling locaton.

### 5273 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1586274

## Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

## **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		-	License Number:
Operator Address:			
Contact Person:			Phone Number:
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit:	Pit is:		
Emergency Pit Burn Pit	Proposed	Existing	SecTwp R
Settling Pit Drilling Pit	If Existing, date con	structed:	Feet from North / South Line of Section
Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit capacity:		Feet from East / West Line of Section
		(bbls)	County
Is the pit located in a Sensitive Ground Water A	rea? Yes N	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level?  Yes No	Artificial Liner?	0	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	t)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to deep	pest point:	(feet) No Pit
If the pit is lined give a brief description of the li material, thickness and installation procedure.	ilei		dures for periodic maintenance and determining cluding any special monitoring.
· · · · · · · · · · · · · · · · · · ·		Depth to shallow Source of inforr	west fresh water feet. nation:
feet Depth of water wellfeet		measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Worko	ver and Haul-Off Pits ONLY:
Producing Formation:		Type of material utilized in drilling/workover:	
Number of producing wells on lease: Numb		Number of working pits to be utilized:	
Barrels of fluid produced daily: Abar		Abandonment p	procedure:
Does the slope from the tank battery allow all s flow into the pit?  Yes  No	pilled fluids to	Drill pits must b	e closed within 365 days of spud date.
Submitted Electronically			
	KCC C	OFFICE USE OI	NLY  Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Permi	t Date: Lease Inspection: Yes No

KOLAR Document ID: 1586274

## Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1 (	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #	Well Location:
Name:	SecTwpS. R 🗌 East 🗌 West
Address 1:	County:
Address 2:	Lease Name: Well #:
City:	If filing a Form T-1 for multiple wells on a lease, enter the legal description of
Contact Person:	the lease below:
Phone: ( ) Fax: ( )	
Email Address:	
Surface Owner Information:	
Name:	When filing a Form T-1 involving multiple surface owners, attach an additional
Address 1:	sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the
Address 2:	county, and in the real estate property tax records of the county treasurer.
City:	
the KCC with a plat showing the predicted locations of lease roads, tan	odic Protection Borehole Intent), you must supply the surface owners and k batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.
owner(s) of the land upon which the subject well is or will be I	Act (House Bill 2032), I have provided the following to the surface ocated: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this and email address.
KCC will be required to send this information to the surface or	acknowledge that, because I have not provided this information, the wner(s). To mitigate the additional cost of the KCC performing this is of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CP-	fee with this form. If the fee is not received with this form, the KSONA-1 will be returned.
Submitted Electronically	
I	
	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	La Grange Acquisition, LP dba Energy Transfer Company
Well Name	ULY 7.0 1
Doc ID	1586274


## Anode Installation Depths

Pepth
45
35
25
15
05
95
85
75
65
55
45
35
25
15
05
95
85
75
65
55

## 2529' FEL



5273' FSL



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.