KOLAR Document ID: 1566233

For KCC Use:
Effective Date:
District #
SGA? Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form CB-1
Oct 2016
Form must be Typed
Form must be Signed
All blanks must be Filled

CATHODIC PROTECTION BOREHOLE INTENT

Must be approved by the KCC sixty (60) days prior to commencing well.

Form KSONA-1, Certification of Compliance with the Kansas Surface Owner Notification Act. MUST be submitted with this form.

	Spot Description:
Expected Spud Date:	
	Sec Twp S. R E W feet from N / S Line of Section
OPERATOR: License#	feet from E / W Line of Section
Name:	Is SECTION: Regular Irregular?
Address 1: Address 2:	
City:	
Contact Person:	County.
Phone:	Facility Name:
	Borehole Number:
CONTRACTOR: License#	Ground Surface Elevation: MS
Name:	Cathodic Borehole Total Depth:
Type Drilling Equipment: Mud Rotary Cable	Water Information
☐ Air Rotary ☐ Other Construction Features	Aquifer Penetration: None Single Multiple
Length of Cathodic Surface (Non-Metallic) Casing	Depth to bottom of fresh water:
Planned to be set: feet	Depth to bottom of usable water:
Length of Conductor pipe (if any):	Water well within one-quarter mile: Yes No
Surface casing borehole size: inches	
Cathodic surface casing size: inches	Water Source for Drilling Operations:
Cathodic surface casing centralizers set at depths of:;;	☐ Well ☐ Farm Pond ☐ Stream ☐ Other
;;;;;	Water Well Location:
Cathodic surface casing will terminate at:	DWR Permit #
Above surface Surface Vault Below Surface Vault	Standard Dimension Ratio (SDR) is =
Pitless casing adaptor will be used: Yes No Depth feet	(Cathodic surface csg. O.D. in inches / MWT in inches = SDR)
Anode installation depths are:;; ;; ;;	Annular space between borehole and casing will be grouted with:
•	☐ Concrete ☐ Neat Cement ☐ Bentonite Cement ☐ Bentonite Clay
;;;;;;	Anode vent pipe will be set at: feet above surface
	Anode conductor (backfill) material TYPE:
	Depth of BASE of Backfill installation material:
	Depth of TOP of Backfill installation material:
AFFIDAVIT	Depth of TOP of Backfill installation material: Borehole will be Pre-Plugged?
he undersigned hereby affirms that the drilling, completion and eventual pluggin	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual pluggin f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No
he undersigned hereby affirms that the drilling, completion and eventual pluggin f this well will comply with K.S.A. 55-101 et. seq.	Borehole will be Pre-Plugged? Yes No we well. An agreement between the operator and the District Office on plugs
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the	Borehole will be Pre-Plugged? Yes No we well. An agreement between the operator and the District Office on plugs
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig.	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	Borehole will be Pre-Plugged? Yes No e well. An agreement between the operator and the District Office on plugs or to any grouting. er grouting to the top when the cathodic surface casing is set.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by file all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp.	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed.	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 -	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. regrouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
the undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 -	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. regrouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. grouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
he undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. regrouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date.
The undersigned hereby affirms that the drilling, completion and eventual plugging this well will comply with K.S.A. 55-101 et. seq. is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. regrouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.
The undersigned hereby affirms that the drilling, completion and eventual pluggin of this well will comply with K.S.A. 55-101 et. seq. It is agreed that the following minimum requirements will be met: Notify the appropriate District office prior to spudding and again before plugging the and placement is necessary prior to plugging. In all cases, notify District Office prior. Notify appropriate District Office 48 hours prior to workover or re-entry. A copy of the approved notice of intent to drill shall be posted on each drilling rig. The minimum amount of cathodic surface casing as specified below shall be set by its File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comp. d. Submit plugging report (CP-4) within 60 days after final plugging is completed. Submitted Electronically For KCC Use ONLY API # 15 - Conductor pipe required	Borehole will be Pre-Plugged? Yes No well. An agreement between the operator and the District Office on plugs or to any grouting. regrouting to the top when the cathodic surface casing is set. (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification letion Form (ACO-1) within 60 days from spud date. If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.

For KCC Use ONLY
API # 15

IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.

Facility Name: Get from N / S Line of Section Se	•			Location of W	Vell: County:
SecTwpS. R E W Is Section: Regular or Irregular If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location Tank Battery Location Pipeline Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE					
If Section is Irregular, locate well from nearest corner boundary. Section corner used: NE NW SE SW PLAT Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Pipeline Location Lease Road Location EXAMPLE	3orehole l	Number:			feet from E / W Line of Section
PLAT Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location Lease Road Location EXAMPLE				Sec	Twp S. R
PLAT Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location Tank Battery Location Pipeline Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE EXAMPLE				Is Section:	Regular or Irregular
PLAT Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location				If Section is	Irregular, locate well from nearest corner boundary.
Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location —— Lease Road Location				Section corne	er used: NE NW SE SW
Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location —— Lease Road Location					
Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location —— Lease Road Location					
lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032). You may attach a separate plat if desired. LEGEND O Well Location Tank Battery Location — Pipeline Location —— Electric Line Location —— Lease Road Location EXAMPLE				PLAT	
Vou may attach a separate plat if desired. LEGEND Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location EXAMPLE		Show location of th	e Cathodic Borehole. Show t	otage to the nearest lease or ur	nit boundary line. Show the predicted locations of
LEGEND O Well Location Tank Battery Location — Pipeline Location — Electric Line Location — Lease Road Location EXAMPLE		lease roads, tank b	patteries, pipelines and electri	al lines, as required by the Kans	sas Surface Owner Notice Act (House Bill 2032).
O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location			You	nay attach a separate plat if des	sired.
O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location					
O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location		:	: :	· · · ·	
O Well Location Tank Battery Location Pipeline Location Electric Line Location Lease Road Location					LEGEND
O Well Location Tank Battery Location — Pipeline Location — Electric Line Location Lease Road Location EXAMPLE		:	: :		
Pipeline Location Electric Line Location Lease Road Location EXAMPLE					O Well Location
Description Lease Road Location EXAMPLE EXAMPLE		:			Tank Battery Location
Lease Road Location		•	• • • • • • • • • • • • • • • • • • • •		. Pipeline Location
D2 EXAMPLE		:	: :	: : :	Electric Line Location
D2 EXAMPLE		:			Lease Road Location
		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	·	
		:	: :	: : :	
					EXAMPLE : :
		:	: : : 02 <u> </u>	· · · · ·	-
1980' FSL					
1980' FSL					
1980' FSI		:			
					1980' FSL
		:			
		:		: : :	
					`

50 ft.

NOTE: In all cases locate the spot of the proposed drilling locaton.

In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.;
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

KOLAR Document ID: 1566233

Kansas Corporation Commission Oil & Gas Conservation Division

Form CDP-1 July 2014 Form must be Typed

APPLICATION FOR SURFACE PIT

Submit in Duplicate

Operator Name:		License Number:	
Operator Address:			
Contact Person:		Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):
Type of Pit: Emergency Pit Burn Pit Settling Pit Drilling Pit Workover Pit Haul-Off Pit (If WP Supply API No. or Year Drilled)	Pit is: Proposed If Existing, date cor Pit capacity:	Existing nstructed: (bbls)	SecTwpR East WestFeet from Rast / West Line of SectionFeet from East / West Line of SectionCounty
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l (For Emergency Pits and Settling Pits only)
Is the bottom below ground level? Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits
Depth fro	om ground level to dee	epest point:	(feet) No Pit
material, thickness and installation procedure.		inioi integrity, ii	ncluding any special monitoring.
Distance to nearest water well within one-mile of pit:		Depth to shallo Source of infor	west fresh water feet. mation:
feet Depth of water well	feet	measured	well owner electric log KDWR
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:
Producing Formation:		Type of materia	al utilized in drilling/workover:
Number of producing wells on lease:		Number of world	king pits to be utilized:
Barrels of fluid produced daily:		Abandonment	procedure:
Does the slope from the tank battery allow all spilled fluids to flow into the pit?		Drill pits must b	pe closed within 365 days of spud date.
Submitted Electronically			
	KCC (OFFICE USE O	NLY Liner Steel Pit RFAC RFAS
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection:

KOLAR Document ID: 1566233

Kansas Corporation Commission Oil & Gas Conservation Division

Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License # Name: Address 1: Address 2: City: State: Zip: + Contact Person: Phone: () Fax: () Email Address:	Well Location:
Surface Owner Information: Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered a Select one of the following:	odic Protection Borehole Intent), you must supply the surface owners and ask batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted. Act (House Bill 2032), I have provided the following to the surface
owner(s) of the land upon which the subject well is or will be	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the twner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	_

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	Herndon Lateral #2 Well #1
Doc ID	1566233

Anode Installation Depths

Arioue installation Deptilis	
Depth	
290	
280	
270	
260	
250	
240	
230	
220	
210	
200	
190	
180	
170	
160	
150	
140	
130	
120	
110	
100	
90	
80	
70	
60	

Form	CB1CDP1 - Cathodic Protection Borehole Intent
Operator	Tallgrass Interstate Gas Transmission, LLC
Well Name	Herndon Lateral #2 Well #1
Doc ID	1566233

Anode Installation Depths

Depth	
50	

Tallgrass Energy Interstate Gas Transmission Herndon Lateral #2 Deephole Groundbed Installation AFE #10234

SW/4 02-T02S-R31W - Rawlins Co., KS


DRAWN BY: MARK BREDEMEIER | NOT TO SCALE

DATE:4/28/2021



CATHODIC PROTECTION DEEPHOLE GROUNDBED

Groundbed To Consist Of 25 - 4"x80" Graphite Anodes – Installed In A 10" Hole – Drilled 300' Deep. Metallurgical Coke Breeze Pumped Into Deephole Around The 4"x80" Graphite Anodes As The Backfill Media. Leads From The Graphite Anodes To Be Trenched To A Junction Box Installed At The Field Edge. A New Positive Header Cable To Be Installed From The New Junction Box Location And Run Approx. 615' West To The New Rectifier Location And Terminate. New Negative Header Cable To Attach To The Existing Herndon Location And Run Approx. 615' To Attach To The Existing Herndon Lateral And Run Approx. 85' East To The New Rectifier Location And Terminate. New Deephole Groundbed To Be Installed Approx. 20' North Of Property Line And Approx. 700' East Of Existing Herndon Lateral Pipeline With All Wires Buried A Minimum Of 42" Deep.



Conservation Division 266 N. Main St., Ste. 220 Wichita, KS 67202-1513



Phone: 316-337-6200 Fax: 316-337-6211 http://kcc.ks.gov/

Laura Kelly, Governor

Andrew J. French, Chairperson Dwight D. Keen, Commissioner Susan K. Duffy, Commissioner

According to the drilling pit application, no earthen pits will be used at this location. Steel pits will be used. Please inform the Commission in writing as to which disposal well you utilized to dispose of the contents in the steel pits and the amount of fluid that was disposed. Please file form CDP-5, Exploration and Production Waste Transfer, within 30 days of fluid removal.

Should a haul-off pit be necessary please file form CDP-1, Application for Surface Pit, This location will have to be inspected prior to approval of the haul-off pit application.

A copy of this letter should be posted in the doghouse along with the approved Intent to Drill.