## **CORRECTION #1**

KOLAR Document ID: 1592030

For KCC Use:	Kansas Corporation Commission
Effective Date:	OIL & GAS CONSERVATION DIVISION
District #	

SGA? Yes No

Form CB-1 Oct 2016 Form must be Typed Form must be Signed All blanks must be Filled

## **CATHODIC PROTECTION BOREHOLE INTENT**

OPERATOR: Leonage Name:  OPERATOR: Leonage Name:  Address 1:  Address 2:  City:  City:  Contract Person:  Phone  Construction Features  Length of Control Contract Person:  Person to be set.  Person to trace price in details water.  Depth to Bedfonce:  Surface casing sets and depths of:  Surface surface casing sets at depths of:  Surface surface casing sets and to depths of:  Surface surface casing sets and to depths of:  Cathodic surface casing sets and to depths of:  Cathodic surface casing sets and to depths of:  Active surface casing sets and to depths of:  Cathodic surface casing sets and to depths of:  Surface Vall    Person to surface sealing sets and to depths of:  Cathodic surface casing sets and to depths are:  Active in surface sealing sets and to depths are:  Active in surface sealing sets and to depths are:  Cathodic surface casing sets and sets and to pendent sets and to pendent sets and to pendent sets		ty (60) days prior to commencing well.  Surface Owner Notification Act, MUST be submitted with this form.
OPERATOR: Licenses	Expected Spud Date:	Spot Description:
Concept	month day year	Sec Two S.R. F.W.
Marrier   Marr	ODED ATOD: License II	(0/0/0/0)
Address 1:  Address 2:  City: Slate: Zip: +  Contact Person: Slate: Zip:  Ance: Slate: Zip: Slate: Zip: +  Contact Person: Slate: Zip: Slate: Zip: Slate: Zip: Slate: Slate		
Address 2:		
Country		
Country   Country   Cable		(Check directions from nearest outside corner boundries)
Planer:	·	County:
DONTRACTOR: License#		Facility Name:
Cathodic Borehole Total Depth:	Phone:	Borehole Number:
Cathodic Borehole Total Depth:	CONTRACTOR: License#	Ground Surface Elevation: MSL
Depth to Bedrock:		Cathodic Borehole Total Depth: feet
Water Information   Wate		Depth to Bedrock: feet
Aquifer Penetration:		Water Information
Depth to bottom of fresh water:   Depth to bottom of susble water:   Depth to bottom of usable water:   Depth to bottom		Aquifer Penetration: None Single Multiple
Planned to be set:		
Mater well within one quarter mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Public water supply well within one mile:   Yes   No   Water well cashing water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Water water supply well within one mile:   Yes   No   Not   Yes   No   Not   Yes   Not   Yes   Not   Yes   Not   Yes   Not   Yes	, , ,	•
Surface casing borehole size:   inches Cathodic surface casing will terminate at:     Water Source for Drilling Operations:     Water Source for Drilling Operations:       Water Source casing will terminate at:		
Water Source for Drilling Operations:   Cathodic surface casing size:   inches		· — — —
Cathodic surface casing centralizers set at depths of:		
Water Well Location:   DWR Permit #   Standard Dimension Ratio (SDR) is =   (Cathodic surface casing will be used:   Yes   No Depth   feet   Standard Dimension Ratio (SDR) is =   (Cathodic surface casing adaptor will be used:   Yes   No Depth   feet   Standard Dimension Ratio (SDR) is =   (Cathodic surface casing adaptor will be used:   Yes   No Depth   feet   Standard Dimension Ratio (SDR) is =   (Cathodic surface Casing will be grouted with:   Annular space between broble and casing will be grouted with:   Concrete   Neat Cement   Bentonite Clay Annular space between broble and casing will be grouted with:   Concrete   Neat Cement   Bentonite Clay Annular space between broble and casing will be grouted with:   Concrete   Neat Cement   Bentonite Clay Annular space between broble and casing will be grouted with:   Concrete   Neat Cement   Bentonite Clay Annular space between the place of the seat at:   Annular space between the place of the seat at:   Annular space between the gentonite Cement   Bentonite Clay Annular space between the sp		
DWR Permit #  Standard Dimension Ratio (SDR) is =  [Cathodic surface Casing will terminate at:    Above surface   Surface Vault   Selow Surface Vault     Plless casing adaptor will be used:   Yes   No Depth   feet     Anode installation depths are:		
Standard Dimension Ratio (SDR) is = (Cathodic surface Squ D. In inches / MWT in inches = SDR)		
Pritiess casing adaptor will be used:    Yes   No Depth		
Anode installation depths are:		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to tworkover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below whall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pil Application (form CDP-1) with Intent to Drill (form CB-1). b. File Completion Form (ACC-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required	Filless casing adaptor will be usedlesnoleet	
AFFIDAVIT The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workower or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  If ile all required forms: a. File Drill Pri Application (form CDP-1) with Intent to Drill (form CB-1). b. File Cartification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15	Anode installation depths are:;; ;; ;	
AFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placements is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACC-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
AFFIDAVIT  The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  It is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Completion Form (ACO-1) within 60 days from spud date.  A Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15 -  Conductor pipe required		
Depth of TOP of Backfill installation material: Borehole will be Pre-Plugged?		
The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.  Is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 49 hours prior to workover or en-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pri Application (from CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -	A ==== AV //=	· ·
the undersigned hereby affirms that the drilling, completion and eventual plugging if this well will comply with K.S.A. 55-101 et seq.  is agreed that the following minimum requirements will be met:  Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  If this permit has expired or will not be drilled, check a box below, sign, date and return to the address below.    Permit Expired   Well Not Drilled   Permit Expired   Well Not Drilled   Permit Expired   Signature of Operator or Agent   Permit Expired   Signature of Operator or Agent   Permit Expired   Date   Date   Date   Signature of Operator or Agent   Permit Expired   Date   Dat	AFFIDAVII	· ·
Notify the appropriate District office prior to spudding and again before plugging the well. An agreement between the operator and the District Office on plugs and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15	The undersigned hereby affirms that the drilling, completion and eventual plugging of this well will comply with K.S.A. 55-101 et. seq.	
and placement is necessary prior to plugging. In all cases, notify District Office prior to any grouting.  Notify appropriate District Office 48 hours prior to workover or re-entry.  A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  Submitted Electronically  For KCC Use ONLY  API # 15 -	t is agreed that the following minimum requirements will be met:	
A copy of the approved notice of intent to drill shall be posted on each drilling rig.  The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submitted Electronically  For KCC Use ONLY  API # 15	and placement is necessary prior to plugging. In all cases, notify District Office prior	
The minimum amount of cathodic surface casing as specified below shall be set by grouting to the top when the cathodic surface casing is set.  File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
File all required forms: a. File Drill Pit Application (form CDP-1) with Intent to Drill (form CB-1). b. File Certification of Compliance with Kansas Surface Owner Notification Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15		
Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Completion Form (ACO-1) within 60 days from spud date.  d. Submit plugging report (CP-4) within 60 days after final plugging is completed.  Submitted Electronically  For KCC Use ONLY  API # 15	• ,	
For KCC Use ONLY  API # 15	Act (form KSONA-1) with Cathodic Protection Borehole Intent (CB-1) c. File Comple	·
For KCC Use ONLY  API # 15		
API # 15	Submitted Electronically	
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet  Approved by:	For KCC Use ONLY	
Conductor pipe requiredfeet  Minimum Cathodic Surface Casing Required:feet  Approved by:	ADI # 45	If this assemble as a mineral assemble shall be
Minimum Cathodic Surface Casing Required: feet  Approved by:		· · · · · · · · · · · · · · · · · · ·
Approved by:	Conductor pipe requiredfeet	to the address below.
Approved by:	Minimum Cathodic Surface Casing Required:feet	Permit Evnired   Well Not Orillad
This authorization expires:  (This authorization void if drilling not started within 12 months of approval date.)  Date Signature of Operator or Agent	ū .	
(This authorization void if drilling not started within 12 months of approval date.)  Date Signature of Operator or Agent	,	
Date Signature of Operator or Agent	·	
	(This authorization void it drilling not started within 12 months of approval date.)	
Spud date: Agent:		Date Signature of Operator or Agent п
	Spud date: Agent:	



For KCC Use ONLY	
API # 15	_

#### IN ALL CASES, PLEASE FULLY COMPLETE THIS SIDE OF THE FORM.


In all cases, please fully complete this side of the form. Include items 1 through 3 at the bottom of this page.

Operator:	Location of Well: County:
Facility Name:	feet from N / S Line of Section E / W Line of Section
Borehole Number:	feet from L E / W Line of Section
	Sec Twp S. R
	Is Section: Regular or Irregular
	If Section is Irregular, locate well from nearest corner boundary.  Section corner used: NE NW SE SW

#### **PLAT**

Show location of the Cathodic Borehole. Show footage to the nearest lease or unit boundary line. Show the predicted locations of lease roads, tank batteries, pipelines and electrical lines, as required by the Kansas Surface Owner Notice Act (House Bill 2032).

You may attach a separate plat if desired.



1940 ft.

#### In plotting the proposed location of the well, you must show:

- 1. The manner in which you are using the depicted plat by identifying section lines, i.e. 1 section, 1 section with 8 surrounding sections, 4 sections, etc.:
- 2. The distance of the proposed drilling location from the section's south / north and east / west; line.
- 3. The predicted locations of lease roads, tank batteries, pipelines, and electrical lines.

### **CORRECTION #1**

KOLAR Document ID: 1592030

Form CDP-1 July 2014 Form must be Typed

# Kansas Corporation Commission Oil & Gas Conservation Division

# **APPLICATION FOR SURFACE PIT**

Submit in Duplicate

Operator Name:		License Number:		
Operator Address:				
Contact Person:			Phone Number:	
Lease Name & Well No.:			Pit Location (QQQQ):	
Type of Pit:  Emergency Pit  Burn Pit  Settling Pit  Drilling Pit  Haul-Off Pit  (If WP Supply API No. or Year Drilled)	Pit is:  Proposed  If Existing, date cor  Pit capacity:	Existing nstructed: (bbls)	SecTwp R East WestFeet from North / South Line of SectionFeet from East / West Line of SectionCounty	
Is the pit located in a Sensitive Ground Water A	rea? Yes	No	Chloride concentration: mg/l  (For Emergency Pits and Settling Pits only)	
Is the bottom below ground level?  Yes No	Artificial Liner?	lo	How is the pit lined if a plastic liner is not used?	
Pit dimensions (all but working pits):	Length (fee	et)	Width (feet) N/A: Steel Pits	
Depth fro	om ground level to dee	epest point:	(feet) No Pit	
material, thickness and installation procedure.			ncluding any special monitoring.	
		Depth to shallo Source of infor	west fresh water feet. mation:	
feet Depth of water well	feet	measured	well owner electric log KDWR	
Emergency, Settling and Burn Pits ONLY:		Drilling, Work	over and Haul-Off Pits ONLY:	
Producing Formation:		Type of materia	Type of material utilized in drilling/workover:	
Number of producing wells on lease:		Number of working pits to be utilized:		
Barrels of fluid produced daily:		Abandonment procedure:		
Does the slope from the tank battery allow all spilled fluids to flow into the pit? Yes No		Drill pits must be closed within 365 days of spud date.		
Submitted Electronically				
KCC OFFICE USE ONLY  Liner Steel Pit RFAC RFAS				
Date Received: Permit Num	ber:	Perm	it Date: Lease Inspection: Yes No	

## CORRECTION #1

KOLAR Document ID: 1592030

Kansas Corporation Commission Oil & Gas Conservation Division Form KSONA-1
July 2014
Form Must Be Typed
Form must be Signed
All blanks must be Filled

# CERTIFICATION OF COMPLIANCE WITH THE KANSAS SURFACE OWNER NOTIFICATION ACT

This form must be submitted with all Forms C-1 (Notice of Intent to Drill); CB-1 (Cathodic Protection Borehole Intent); T-1 (Request for Change of Operator Transfer of Injection or Surface Pit Permit); and CP-1 (Well Plugging Application).

Any such form submitted without an accompanying Form KSONA-1 will be returned.

Select the corresponding form being filed: C-1 (Intent) CB-1	(Cathodic Protection Borehole Intent) T-1 (Transfer) CP-1 (Plugging Application)
OPERATOR: License #         Name:         Address 1:         Address 2:         City:       State:         Zip:       +         Contact Person:       Phone: ( )         Fax: ( )          Email Address:	Well Location:
Surface Owner Information:         Name:	When filing a Form T-1 involving multiple surface owners, attach an additional sheet listing all of the information to the left for each surface owner. Surface owner information can be found in the records of the register of deeds for the county, and in the real estate property tax records of the county treasurer.
the KCC with a plat showing the predicted locations of lease roads, tar are preliminary non-binding estimates. The locations may be entered of Select one of the following:	odic Protection Borehole Intent), you must supply the surface owners and ask batteries, pipelines, and electrical lines. The locations shown on the plat on the Form C-1 plat, Form CB-1 plat, or a separate plat may be submitted.  Act (House Bill 2032), I have provided the following to the surface
owner(s) of the land upon which the subject well is or will be	located: 1) a copy of the Form C-1, Form CB-1, Form T-1, or Form being filed is a Form C-1 or Form CB-1, the plat(s) required by this
KCC will be required to send this information to the surface o	acknowledge that, because I have not provided this information, the twner(s). To mitigate the additional cost of the KCC performing this as of the surface owner by filling out the top section of this form and KCC, which is enclosed with this form.
If choosing the second option, submit payment of the \$30.00 handling form and the associated Form C-1, Form CB-1, Form T-1, or Form CF	g fee with this form. If the fee is not received with this form, the KSONA-1 P-1 will be returned.
Submitted Electronically	
I	_

# **Summary of Changes**

API/Permit #: 15-065-24207-00-00

Doc ID: 1592030

Correction Number: 1

Approved By: Rick Hestermann 09/24/2021

Field Name	Previous Value	New Value
CathodeDepth_3	40	
CathodeDepth_4	60	
KCC Only - Approved By	CeLena Peterson 09/21/2021	Rick Hestermann 09/24/2021
KCC Only - Approved Date	09/21/2021	09/24/2021
Length Cathodic Surface Casing	65	20