KOLAR Document ID: 1592241

Confidentiality Requested:

Yes No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:					
Name:	Spot Description:					
Address 1:						
Address 2:	Feet from North / South Line of Section					
City: State: Zip:+	Feet from East / West Line of Section					
Contact Person:	Footages Calculated from Nearest Outside Section Corner:					
Phone: ()	□NE □NW □SE □SW					
CONTRACTOR: License #	GPS Location: Lat:, Long:					
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)					
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84					
Purchaser:	County:					
Designate Type of Completion:	Lease Name: Well #:					
New Well Re-Entry Workover	Field Name:					
	Producing Formation:					
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:					
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:					
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet					
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No					
Cathodic Other (Core, Expl., etc.):						
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet					
Operator:	If Alternate II completion, cement circulated from:					
Well Name:	feet depth to: w/ sx cmt.					
Original Comp. Date: Original Total Depth:						
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan					
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)					
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls					
Dual Completion Permit #:	Dewatering method used:					
SWD Permit #:	Location of fluid disposal if hauled offsite:					
☐ EOR Permit #:	Location of haid disposal if hadica offsite.					
GSW Permit #:	Operator Name:					
	Lease Name: License #:					
Spud Date or Date Reached TD Completion Date or	QuarterSec TwpS. R East West					
Recompletion Date Recompletion Date	County: Permit #:					

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
☐ Wireline Log Received ☐ Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I III Approved by: Date:							

KOLAR Document ID: 1592241

Page Two

Operator Name:					_ Lease Nam	ne:	e:Well #:				
Sec Tw	pS	S. R	Eas	st West	County:						
	, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,	
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log	
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample	
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum	
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No							
			Rej	CASING	RECORD [Nev		on, etc.			
Purpose of St	ring	Size Hole Drilled	Size Casing Set (In O.D.)		Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'		
lop Bottom			pe of Cement	Type and Percent Additives							
Perforate Protect Ca Plug Back											
Plug Off Z											
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three		
Date of first Produ Injection:	ction/Injectio	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>			
Estimated Product Per 24 Hours		Oil	Bbls.		Mcf	Water			Gas-Oil Ratio	Gravity	
DISPO	OSITION OF	GAS:		N	ETHOD OF CO	MPLET	ΓΙΟΝ:			DN INTERVAL: Bottom	
Vented	Sold	Used on Lease		Open Hole	_	Dually (Submit A		nmingled nit ACO-4)	Тор	BOLLOTTI	
,	· I										
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)		
TUBING RECORI	D: S	size:	Set A	: -	Packer At:						

Form	ACO1 - Well Completion
Operator	Thomas M. Brown LLC
Well Name	PEARL 5
Doc ID	1592241

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	8.875	23	1319	80/20 poz	490	2%gel&3 %CC
Production	7.875	5.5	15.5	3546	QMDC- common	580	10%SALT- 5%GILSO ONSITE

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Cell 785-324-1041	Н	ome Office	P.O. B	ox 32 Rus	ssell, KS 6/66	ino.	2307			
Sec.	Twp.	Range		County	State	On Location	Finish			
Date 6-29-21 24	8	18	Ro	OK	K		1:00 Am			
A S			Location	on Pulle	NTO	Q 13 TO 19	すせん			
Lease FECKI TEAR!	1	Well No. 5		Owner						
Contractor Discovery			PER HIRE		ilwell Cementing,	lnc. ent cementing equipme	nt and furnish			
Type Job PRod CSG				cementer an		owner or contractor to				
Hole Size 78	T.D.	3550	OLAS MA	Charge	nomas m	BROWN LLC	6			
Csg. S. 15. 5	Depth (3546.	42	Street						
Tbg. Size	Depth			City State						
Tool	Depth			The above wa	as done to satisfaction	n and supervision of owne	er agent or contractor.			
Cement Left in Csg. 21.03	Shoe Jo		03	Cement Amo	ount Ordered 2	20 × 1090 So	elts Gil.			
Meas Line	Displac	83,8		500 901	Flush 3.	60N 9/20 Q	moc			
EQUIPM	MENT	24		Common 2	20					
Pumptrk No. Cementer Helper		Biy		Poz Mix	360 800	Quisc				
Bulktrk No. Driver Driver		Dooc		Gel.	1.34					
Bulktrk No. Driver Driver		Tony		Calcium	A STATE OF THE STA					
JOB SERVICES	& REMA	RKS		Hulls						
Remarks:				Salt 18						
Rat Hole 30				Flowseal / OOH						
Mouse Hole 15		*		Kol-Seal	100H					
Centralizers				Mud CLR 48	500 9	al				
Baskets				CFL-117 or	CD110 CAF 38	esal is present to the	1.25c34.75*			
D/V or Port Collar pipe set	103	546	2	Sand		45				
Shop 5+	21	6)		Handling	7)9	1				
Insert e 352	5,5	9 - gum	1500 F	/Miléage						
Cantot 20 /10	- 100	2 SHE	# 7		FLOAT EQUI	PMENT				
Bent w 3/5 x	Q mp	_		Guide Shoe						
Follow w/ 2204 109	Selt	SHBEL		Centralizer	The state of the s					
oums plug 83,8	bbls	water		Baskets	4					
Land Muce 16	250 At			AFU Inserts			et in the second			
Float did hold				Float Shoe						
San Xanna and and and an area				Latch Down						
A.K						4 7 2				
Man				Pumptrk Charge Drow String						
				Mileage 3	3 /					
Mary Company of the		11.00		1	11.1	Ta	X			
				1	anks	Discoun	nt			
X Signature				Juli		Total Charge	е			

QUALITY OILWELL CEMENTING, INC. Federal Tax I.D.# 20-2886107

Phone 785-483-1071 Cell 785-324-1041

Home Office P.O. Box 32 Russell, KS 67665

No. 2305

Cell 765-324-1041										
Date 6-25-21 24	Twp.	Range		County	State	On Location	Finish			
Date 6-03-4 24	0	18		SOR	15	2	1.191			
Lease Pearl	[v	Well No. 5	Locati	Owner	le GNIW	34 N				
Contractor DTSCOVERY		277 27		To Quality O	ilwell Cementing, Inc		and furnish			
Type Job SURFACE						t cementing equipment oner or contractor to do				
Hole Size 124	T.D.	132	0	Charge Thomas m Brown LLC						
Csg. 8-8	Depth			Street						
Tbg. Size	Depth		NET TO	City State						
Tool	Depth			The above wa	as done to satisfaction a	and supervision of owner	agent or contractor.			
Cement Left in Csg. 82.	Shoe Jo	oint 27.	11	Cement Amo	ount Ordered 49	Op 80/20 3	-3			
Meas Line	Displace	е								
EQUIP	MENT		i kana ay	Common 3	92					
Pumptrk 7 No. Cementer Helper		Bill .		Poz. Mix	18	4. 21. 2. 50. 2. 240.	CAS ASSESSMENT			
Bulktrk No. Driver Driver		Chaile		Gel.	7					
Bulktrk / 9 No. Driver Driver		Ton4		Calcium /	7					
JOB SERVICES	& REMA	RKS		Hulls		the sales				
Remarks:				Salt			1960, 470,			
Rat Hole				Flowseal						
Mouse Hole				Kol-Seal						
Centralizers				Mud CLR 48	144					
Baskets				CFL-117 or (
D/V or Port Collar				Sand						
SURFACE DUT C	1319	7 Sho	e 27.	Handling 3	16					
Central 49004				Mileage						
Pump plug w &	2,28				FLOAT EQUIP	MENT				
				Guide Shoe		4.	The state of the s			
Cent did CiRe	ı		1	Centralizer						
				Baskets		M MA Ja				
				AFU Inserts						
		A U		Float Shoe		(A) (757) (A) (A)				
Andrew in the second service P		Single II		Latch Down			225			
Shor	of s	Lar		BASTLE	Plate					
				PIUG						
STATES THE SHARE OF THE STATE OF THE STATES				Pumptrk Ch	arge Lowa	Surface				
				Mileage 3	3					
					1.	Tax				
P					1 1/25	Discount	300			
X Signature MMM					Thanks	Total Charge	The same of the sa			
