KOLAR Document ID: 1470224

Confiden	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	 DESCRIPTION 	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxx) (e.gxxx.xxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #: GSW Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R East _ West
Recompletion Date Reached TD Recompletion Date	Countv: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

KOLAR Document ID: 1470224

Operator Name:	Lease Name: Well #:
Sec TwpS. R East 🗌 West	County:

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c		Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:			DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole	Perf. Dually Comp. Commingled (Submit ACO-5) (Submit ACO-4)					
	foration Perform Top Botto		Bridge Plug Bridge Plug Type Set At			Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Kansas Energy Company, L.L.C.
Well Name	COUNTY FARM A 10-36
Doc ID	1470224

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	11.75	8.625	20	40	oil well	21	none
Production	6.75	4.5	9.5	986	Class A		phenoseal /kol seal

250 N. Water St., Suite #200 Wichita, KS 67202



HIC. L Logoty FARM Customer KANSAS ENERCY Lease & Well # Date BARTLESVILLE, OK Chautauqua Kanss 510/34/12E Service District County & State Legals S/T/R CT2312 Job # New Well? Longstring PROD Job Type SWD YES O No Ticket # Job Safety Analysis - A Discussion of Hazards & Safety Procedures Equipment # 93 DONNIE Gloves Lockout/Tagout 🗌 Warning Signs & Flagging Hard hat 217 KENIO F H2S Monitor Eye Protection Required Permits Fall Protection 2/1 Respiratory Protection Slip/Trip/Fall Hazards BEN T Specific Job Sequence/Expectations Safety Footwear 140 1130 Russell 5. FRC/Protective Clothing Additional Chemical/Acid PPE Overhead Hazards Muster Point/Medical Locations Hearing Protection Fire Extinguisher Additional concerns or issues noted below Comments Product/ Service List Item Unit of Measure Code Quantity Price/Unit Gross Amount Discount Net Amount C010 Cement Pump 1.00 \$750.00 \$750.00 ea 28% \$540.00 M010 55.00 Heavy Equipment Mileage mi \$4.00 \$220.00 28% \$158.40 M015 Light Equipment Mileage mi 55.00 \$79.20 \$2.00 \$110.00 28% M020 Ton Mileage 285.00 tm \$1.50 \$427.50 28% \$307.80 C050 Cement Plug Container job 1.00 \$375.00 \$375.00 28% \$270.00 CP010 Class A Cement 110.00 28% \$1,346.40 sack \$17.00 \$1.870.00 CP095 600.00 Bentonite Gel lh \$0.30 \$180.00 28% \$129.60 CP140 Salt sack 15.00 \$10.00 \$150.00 \$108.00 28% CP110 Kol Seal 550.00 Ib \$0.75 \$412.50 28% \$297.00 CP125 Pheno Seal lb 40.00 \$1.75 \$70.00 \$50.40 28% AF080 Fresh Water 5,460.00 \$58.97 gal \$0.02 \$81.90 28% FE115 4 1/2" Rubber Plug 1.00 \$75.00 \$75.00 28% \$54.00 ea FE040 4 1/2" Centralizers ea 3.00 \$60.00 \$180.00 28% \$129.60 FE065 4 1/2" Float Shoe - Flapper type 1.00 \$275.00 \$275.00 ea 28% \$198.00 Customer Section: On the following scale how would you rate Hurricane Services Inc \$3,727.37 Gross: Net Tax Rate Total Taxable \$ Based on this job, how likely is it you would recommend HSI to a colleague? State tax laws deem certain products and services Sale Tax: used on new wells to be sales tax exempt. Hurrica Services relies on the customer provided wel nformation above to make a determination if 7 9 10 Unlikely 1 2 3 4 6 8 services and/or products are tax exempt. 5 Extremety Likely Total: 3,727.37 18 HSI Representative: 0 A

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of issue. Pricing does not include federal, state, or local taxes, or royalties and stated price adjustments. Actual charges may vary depending upon time, equipment, and material ultimately required to perform these services. Any discount is based on 30 days net payment terms or cash. <u>DISCLAIMERNOTICE</u>: Technical data is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results form the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper oparational cher goal customer owned equipment and property while HSI is no location performing services. The authorization below acknowledges the receipt and acceptance of al terms/conditions stated above.

CUSTOMER AUTHORIZATION SIGNATURE

16.



12

CEMENT TRE	ATMENT REP	ORT					
Customer:	KANSAS	ENergy	Well:	County Frem A	10.36 Ticl	tet: ICT	2312
City, State:		51	County:			ate: 8-5	
Field Rep:			S-T-R:				// //
				105-57-10	Xe		
Downhole I	nformation		Calculate	d Slurry	Product	% / #	#
Hole Size:	634 in	_	Weight:		Class A		10340#
Hole Depth:	ica		Water / Sx:	6J ,	Poz		
Casing Size:	-1.2	-	Yield:	1.00	Gel	4%	413**
Casing Depth: Tubing / Liner:	100		Bbls / Ft.:		CaCl		
Depth:	in ft	-	Depth:		Gypsum		
Tool / Packer:		-	Annular Volume:	0.001	Kol Seal	- it	r'n. #
Depth:	ft		Excess: Total Slurry:		Hased Phene	5#	550*
Displacement:	15,7 bbls		Total Sacks:		Salt (bww)	10%	743+
1			Total Gacksi		[,	Total	193
TIME RATE	PSI BBLs			REMA	RKS		
							•
	- 2	EST	Cinc ion	IGal And H-	20 - Run 11	BSK CLA	A 72-
		Cmt	mix ma			Jash Arm	0
		Lores,	release ,	plug - disp	15.7º to	Landple	40 @ Bact
							,
			(UNIT TB	SUF		
		Mix O	ext_				
		Dig 388	34-				
		1					

				and a second	A CONTRACT OF		
				an a			
				and the second			
<u>}</u> }							
							an and and a state of the state
					_		
			a calante armitico deire (1975)				
	CREW		UNIT		SUMM	IARY	
Cementer:				Average Ra	ate Average Pressur	re Total I	Fluid
Pump Operator:			and the second	bpn	n psi	- 1	bbls
Bulk #1: Bulk #2:	and the second sec						

	EMENT ELMORE'S INC. Box 87 - 776 HWY 99 Sedan, KS 67361 Cell: (620) 249-2519 Eve: (620) 725-5538	Da	14076 Date 815-19					
City		tate _	Zip		1			
Qty.	Description		Price	Amou	int			
	SKS Cement hr Waten Truck hr Cement Pump County # 10-36 Poor Farm A Computed 10' 85/8 To Surface		12,50 85,00 120,00	262, 127, 180, 570	50 50 00 00			

Thank You – We appreciate your business!

Rec'd. by _

TERMS: Account due upon receipt of services. A 11/2% Service Charge, which is an annual percentage rate of 18% will be charged to accounts after 30 days.