KOLAR Document ID: 1594171

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:				
Name:	Spot Description:				
Address 1:	SecTwpS. R				
Address 2:	Feet from North / South Line of Section				
City: State: Zip:+	Feet from East / West Line of Section				
Contact Person:	Footages Calculated from Nearest Outside Section Corner:				
Phone: ()	□NE □NW □SE □SW				
CONTRACTOR: License #	GPS Location: Lat:, Long:				
Name:	(e.g. xx.xxxxxx) (e.gxxx.xxxxxx)				
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84				
Purchaser:	County:				
Designate Type of Completion:	Lease Name: Well #:				
New Well Re-Entry Workover	Field Name:				
	Producing Formation:				
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:				
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:				
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet				
CM (Coal Bed Methane)	Multiple Stage Cementing Collar Used? Yes No				
Cathodic Other (Core, Expl., etc.):	If yes, show depth set: Feet				
If Workover/Re-entry: Old Well Info as follows:					
Operator:	If Alternate II completion, cement circulated from:				
Well Name:	feet depth to: w/ sx cmt.				
Original Comp. Date: Original Total Depth:					
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan				
☐ Plug Back ☐ Liner ☐ Conv. to GSW ☐ Conv. to Producer	(Data must be collected from the Reserve Pit)				
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls				
Dual Completion Permit #:	Dewatering method used:				
SWD Permit #:	Location of fluid disposal if hauled offsite:				
☐ EOR Permit #:	Location of haid disposal if hadica offsite.				
GSW Permit #:	Operator Name:				
	Lease Name: License #:				
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R				
Recompletion Date Recompletion Date	County: Permit #:				

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
☐ Wireline Log Received ☐ Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1594171

Page Two

Operator Name:					Lease Nam	ne:			Well #:	
Sec Tw	rpS	S. R	Eas	st West	County:					
	l, flowing an	d shut-in pres	sures, wh	ether shut-in pre	ssure reached	static	level, hydrostat	ic pressures, bo		val tested, time tool erature, fluid recovery,
Final Radioactivi files must be sub							gs must be emai	led to kcc-well-l	ogs@kcc.ks.go	v. Digital electronic log
Drill Stem Tests (Attach Addit		1		Yes No		Lo		n (Top), Depth a		Sample
Samples Sent to	Geological	Survey		Yes No		Name			Тор	Datum
Cores Taken Electric Log Run Geologist Report List All E. Logs F	t / Mud Log	s		Yes No Yes No Yes No						
			Rej	CASING	RECORD [Nev		on, etc.		
Purpose of St	tring	g Size Hole Drilled		Size Casing Set (In O.D.)			Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
				ADDITIONAL	CEMENTING /	SQUE	EEZE RECORD		'	
Purpose: Perforate		Depth Top Bottom	Тур	pe of Cement # Sacks Used			Type and Percent Additives			
Protect Ca										
Plug Off Z										
Did you perform Does the volume Was the hydraul	e of the total	base fluid of the	hydraulic	fracturing treatment		-	Yes S? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) Il out Page Three	
Date of first Produ Injection:	ction/Injection	n or Resumed Pi	roduction/	Producing Meth	od:		Gas Lift O	ther <i>(Explain)</i>		
Estimated Production Oil Bbls. Per 24 Hours										
DISPO	OSITION OF	GAS:		N	METHOD OF CO	MPLET	ΓΙΟΝ:			ON INTERVAL:
Vented (//		Used on Lease		Open Hole		Dually (Submit A		nmingled	Тор	Bottom
,	ed, Submit AC							·		
Shots Per Foot	Perforation Top	on Perfor Bott		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze and of Material Used)	
TUBING RECORI	D: S	size:	Set A	: -	Packer At:					

Form	ACO1 - Well Completion
Operator	Taylor, Michael dba M. J. T. Enterprises
Well Name	HUNT 29
Doc ID	1594171

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	13	22	Portland	5	50/50POZ



Allen's Holdings & Investments Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone: 913-557-9083 Fax: 913-557-9084

WELL LOG

M.J.T. Enterprises Hunt #29 API #15-121-31644-00-00 August 2, 2021- August 9, 2021

Thickness of Strata	<u>Formation</u>	<u>Total</u>
15	soil & clay	15
16	lime	31
20	shale	51
4	lime	55
42	shale	97
15	lime	112
8	shale	120
31	lime	151
6	shale	157
24	lime	181
6	shale	187
11	lime	198
137	shale	335
2	sand	337
6	shale	343
3	broken sand	346
3	lime	349
12	shale	361
12	lime	373
47	shale	420
6	lime	426
12	shale	438
5	lime	443
17	shale	460
6	lime	466
20	shale	486
5	lime	491
5	shale	496
6	lime	502
10	shale	512
3	broken sand	515
2	sandy shale	517
49	shale	566
1	lime	567
15	shale	582
4	sand	586
9	shale	595
1	coal	596

14	shale	610
2	lime	612
3	shale	615
1	coal	616
5	shale	621
1	limy sand	622
4	broken sand	626
2	broken sand	628
6	shale	634
1	black coal	635
53	shale	688
1	coal	689
82	shale	771
4	sand	775
2	broken sand	777
2	shale	779
0.5	coal	779.5
19.5	shale	799
4	sand	803
52	shale	855
2	mississippi	857 TD

Set 21.6' of 7" surface casing threaded and coupled, cemented with 5 sacks cement.

This well was plugged with 10 sacks of cement at 857'. Then filled with cement from 600' to surface.



CEMENT	TRE	ATMEN	T REP	ORT					经过,经过 有效等。在1000000000000000000000000000000000000	
Cus	stomer: MJT Enterprises			5	Well:	Hunt 29 Ticket:			EP2441	
City,	State:	Osawatomie, KS			County:		MI, KS	Dates		
Fiel	d Rep:	Mike Ta	vlor		S-T-R:		7-18-22	Service:		
ON THE REAL PROPERTY.		minto ra	y101				7-10-22	Jelvice.	piug	
Dow	nhole	Informati	on		Calculated	Slurry - Lea	id Silver	Cal	culated Slurry - Tail	
Holo	Size:	5 5/8	in		Blend:					
Hole I	Depth:	855	ft		Weight:	13.50	Weight:	ppg		
Casing	Casing Size: [n			Water / Sx:	7.50	gal / sx	Water / Sx:	gal / sx		
Casing I	ising Depth: ft				Yield:	1.50	ft ³ / sx	Yield: ft ³ / sx		
Tubing (Liner:		ln		Annular Bbls / Ft.:		bbs / ft.	Annular Bbls / Ft.:	bbs / ft.	
	Depth:		ft		Depth:		ft	Depth:	R	
Tool / P	acker:				Annular Volume:	0.0	bbis	Annular Volume:	0 bbis	
Tool	Depth:		ft		Excess:			Excess:		
Displace	ment:		bbis		Total Slurry:		bbis	Total Slurry:	0.0 bbls	
			STAGE	TOTAL	Total Sacks:	0	5x	Total Sacks:	0 вж	
TIME	RATE	PSI	BBLs	BBLs	REMARKS					
1:00 PM			7.0		on location, held safe	ty meeting				
	4.0	_	-		established circulation					
	4.0		-		mixed and pumped 10	sks H-Plug	cement and displaced cem	nent to TD with fresh water		
					rig pulled drill steel to					
	4.0						l pumped 60 sks cement, o	cement to surface		
					pulled drill steel from					
	1.0	-			topped well off with 1					
	4.0		- washed up equipment and drill steel							
				•						
				-						
2:45 PM	_				left location					
	_									
										
						-				
								·		
	- 1111									
	_									
	E C	CREW	HARVE		UNIT			SUMMAR	VIEW DESCRIPTION	
Cententer: Casey Kennedy			89		Average Rate	Average Pressure				
Pump Ope	-		ett Scott	-	238		3.4 bpm	- psi	Total Fluid - bbis	
	Bulk:		anborn		246		OLY UPIN	l pai	- Duis	
	H2O									

ftv: 15-2021/01/25 mplv: 196-2021/08/03