KOLAR Document ID: 1593778

Confiden	tiality Requeste	d:
Yes	No	

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY	 DESCRIPTION 	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	S. R East West
Address 2:	Feet from Direction North / Direction
City: State: Zip:	+ Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
	Norkover
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	
Well Name:	
Original Comp. Date: Original Total D	
	Conv. to SWD Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Plug Back Liner Conv. to GSW	
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
	Location of fluid disposal if hauled offsite:
EOR Permit #:	Oneveter Name
GSW Permit #:	
•	Quarter Sec TwpS. R East West
Recompletion Date Rec	completion Date County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY					
Confidentiality Requested					
Date:					
Confidential Release Date:					
Wireline Log Received Drill Stem Tests Received					
Geologist Report / Mud Logs Received					
UIC Distribution					
ALT I II III Approved by: Date:					

KOLAR Document ID: 1593778

Operator Nam	ie:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	acate)	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Туре	e of Cement	# Sacks Use	d		Type and	Percent Additives	
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	mingled	юр	
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Taylor, Michael dba M. J. T. Enterprises
Well Name	HUNT 22-I
Doc ID	1593778

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	0	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	21	Portland	5	50/50 POZ
Production	5.625	2.875	13	571	Portland	61	50/50 POZ



Allen's Holdings & Investments Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone:913-557-9083Fax:913-557-9084

•

WELL LOG M.J.T. Enterprises Hunt #22-I API #15-121-31641-00-00 August 19, 2021- August 23, 2021

Thickness of Strata 8	Formation soil & clay	<u>Totai</u> 8
20	shale	28
7	lime	35
5	lime and shale	40
11	lime	51
17	shale	68
6	lime	74
40	shale	114
16	lime	130
12	shale	142
9	lime	151
9	lime and shale	160
9	lime	169
6	shale	175
26	lime	201
5	shale	206
14	lime	220
22	shale	242
8	broken sand	250
104	shale	354
1	oil sand	355
8	lime	363
17	shale	380
8	lime	388
3	shale	391
3	lime	394
49	shale	443
10	lime	453
26	shale	479
14	lime	493
11	shale	504
5	lime	509
4	coal	513
7	shale	520
4	lime	524
4	shale	528
0.5	oil sand	528.5
3	shale	531.5

Hunt #22-I

Page 2

0.5 1	broken sand shale	532 533
1	oil sand, broken sand	534
0.5	shale	534.5
2.5	broken sand	537
2.5	shale	539.5
0.5	oil sand	540
43	shale	583 TD

Set 21' of 7" surface casing threaded and coupled, cemented with 5 sacks cement.

Set 571' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp.



EMENT Cust	01	Contraction in the	and the second second		Well:	Hunt 22-I	Part -	EP2561		
	au an -	MJT Enterprises					Ticket:			
City, State: Osawatomie, KS					County:	MI, KS	Date:	8/23/2021 longstring		
Field	Rep:	Mike Tay	lor		S-T-R:	S-T-R: 7-18-22 Service:				
Dowr	nhole Ir	formatio	n		Calculated Slu	rry - Lead	Calc	ulated Slurry - Tail		
Hole	Size:	5 5/8	in		Blend:	Thixo 1# PS	Blend:			
Hole C		583			Weight:	13.70 ppg	Weight:	ppg		
Casing	O.O.STA	2 7/8			Water / Sx:	9.19 gal / sx	Water∤ Sx:	gal / sx		
Casing D Fubing /		571			Yield:	1.85 ft ³ / sx	Yield:	ft ³ / sx		
	epth:		ft lin		Annular Bbls / Ft.:	bbs / ft.	Annular Bbls / Ft.:	bbs / ft.		
- Tool / Pa					Depth: Annular Volume:	ft 0.0 bbls	Depth: Annular Volume:	0 bbls		
Toal C			ft		Excess:		Excess:			
Displace	- 11	3.31			Total Slurry:	20.10 bbis	Total Slurry:	0.0 bbia		
			STAGE	TOTAL	Total Sacks:	61 sx	Total Sacks:	0 sx		
TIME	RATE	PSI	BBLs	BBLs	REMARKS					
2:00 PM			- 74	-	on location, held safety r	neeting				
				•						
	4.0			•	established circulation					
	4.0 4.0			· · ·		Bentonite Gel followed by 4 bbis				
	4.0				flushed pump clean	s Thixo cement with 1# Phenose	al per sk, cement to surface			
	1.0					ig to casing TD with 3.31 bbls fre	sh water			
	1.0				pressured to 800 PSI					
		_		2	well held pressure for 30	minute MIT				
					released pressure to set	float valve				
	4.0			•	washed up equipment					
3:00 PM					left location					
	-			_						
2.52		CREW	4.1.5	A PARA WILL	UNIT	11-18-19-19-19-19-19-19-19-19-19-19-19-19-19-	SUMMAR	¥		
Cem	enter		y Kennedy	and a state of the	89	Average Rate	Average Pressure	Total Fluid		
սութ Օթւ	South Street		tt Scott		238	3.1 bpm	- psi	- bbis		
	and the second second							the second s		