KOLAR Document ID: 1596641

Confidentiality Requested:

Yes No

Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	NE NW SE SW
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxxx)
Wellsite Geologist:	
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
☐ Oil ☐ WSW ☐ SWD	Producing Formation:
Gas DH EOR	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used? Yes No
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
□ Deepening □ Re-perf. □ Conv. to EOR □ Conv. to SWD □ Plug Back □ Liner □ Conv. to GSW □ Conv. to Production	Committee in the state of the s
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
☐ Commingled Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec TwpS. R
Recompletion Date Recompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY								
Confidentiality Requested								
Date:								
Confidential Release Date:								
Wireline Log Received Drill Stem Tests Received								
Geologist Report / Mud Logs Received								
UIC Distribution								
ALT I II III Approved by: Date:								

KOLAR Document ID: 1596641

Page Two

Operator Name: _				Lease Name:			Well #:			
Sec Twp.	S. R.	Ea	ast West	County:						
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,		
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log		
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample		
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum		
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No							
		R			New Used	on, etc.				
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives		
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I				
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives					
Protect Casi										
Plug Off Zon										
 Did you perform a Does the volume o Was the hydraulic 	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (,		
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)				
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity		
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom		
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom		
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·					
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze of Material Used)	Record		
TUBING RECORD:	Size:	Set /	At:	Packer At:						
. 5213 (1200) 10.	JIEG.			. 30.0.71						

Form	ACO1 - Well Completion
Operator	Altavista Energy, Inc.
Well Name	ALEXANDER EAST A-7
Doc ID	1596641

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set			Type Of Cement		Type and Percent Additives
Surface	12.25	7	21	40	Portland	10	NA
Production	5.875	2.875	6.5	1110	HD5055	140	See Ticket

DRILLERS LOG

		_					-	p				
API NO: 15 - 207	- 29798 - 0	0 - 00		_				S. 2	T. 24	R. 16	<u>E.</u>	W.
OPERATOR: ALTAVIS	STA ENERG	Y INC		-				LC	CATION:	NW NE	NE SE	
				_					COUNTY:	WOODS	ON	1
ADDRESS: 4595 K-3	3 HWY, P.O	. BOX 128, V	VELLSVIL	LE, KS 660	92				ELEV. GR.:	1073		
WELL#: A - 7		LEASE	NAME:	ALEXAND	ER EAST		-		DF:		КВ:	5
OOTAGE LOCATION:	2360	FEET	FROM	(N)	<u>(\$)</u>	LINE	390	. FEET	FROM	<u>(E)</u>	(W)	LINE
CONTRACTOR:	FINNEY D	RILLING CO	MPANY				GEC	LOGIST:	DOUG EV	/ANS		
SPUD DATE:	8/17/	/2021					TOTA	L DEPTH:	1116	-	P.B.T.D.	
DATE COMPLETED: 8/19/2021							OIL PUR	CHASER:	COFFEYVILL	E RESOUR	ES CRUDE TI	RANSPORTATIO
			C,	ASING	RECOF	₹D						
REPORT OF ALL ST	RINGS - SU	JRFACE, INT	ERMEDIA	ATE, PROD	UCTION, E	TC.						_
PURPOSE OF STRING	SIZE HOLE DRILLED	SIZE CASING O.D.	•	WEIGHT LBS/FT	SETTING	DEPTH	TYPE CEMENT	SACKS	TYPE	AND % AD	DITIVES	
SURFACE:	12.2500	7		21	4	0	1	10]
PRODUCTION:	5.8750	2.8750	8RD	6.5	110	9.95	70-30	133	SERVICE	COMPAN'	1	
PRODUCTION.	3.0730	2.0750		WELL I		9.93	70-30	100	OCITATION	OOM AT		.

CORES: # NONE
RECOVERED:

ACTUAL CORING TIME:

RAN: 1-FLOAT SHOE

1 - CLAMP 1 - COLLAR 1 - SEATING NIPPLE

FORMATION	TOP	воттом
TOP SOIL	0	2
CLAY & SANDSTONE	2	16
SHALE	16	152
LIME	152	162
SAND	162	172
LIME	172	218
SHALE	218	240
LIME	240	283
SHALE	283	287
LIME	287	370
SHALE	370	378
LIME	378	435
SHALE	435	470
KC LIME	470	574
SHALE	574	582
KC LIME	582	625
SHALE	625	629
KC LIME	629	633
SHALE	633	635
KC LIME	635	637
BIG SHALE	637	801
LIME	801	812
SHALE	812	816
LIME	816	818
SHALE	818	825
LIME	825	835
SHALE	835	845
LIME	845	850
SHALE	850	896
LIME	896	898
SHALE	898	908
LIME	908	912
SHALE	912	925
LIME	925	930
SHALE	930	943
LIME	943	952
SHALE	952	963
LIME	963	967
SHALE	967	969
SHALE & LIME	969	979
SHALE	979	982
	1	""

FORMATION	TOP	воттог	
FORMATION	982	983	VI 1
LIME	982	987	-
SHALE SAND	987	993	-
SHALE	993	1015	1
CAP LIME	1015		NO SHOW
SHALE	1017	1017	NO SHOW
OIL CAP LIME SAND	1017	1019	GOOD SHOW
SAND OIL SHALE	1019	1013	GOOD SHOW
SAND & SHALE OIL	1013	1025	GOOD SHOW
SAND & SHALE OIL	1022	1028	GOOD SHOW
SHALE	1028	1020	NO SHOW
SHALE	1031	1070	140 3/10//
LIME	1070	1072	
SHALE	1072	1116 T.D.	
OTALL	1072	111011.0.	
	·		
			ł
	 		1
			
			•
·			
		-	
<u> </u>			
· · · · · ·			
<u> </u>			
L			



CEMENT	TRE	ATMENT	REPO	RT							
Customer: Altavista Energy Well:						Alexander	EP2528				
City, State: Wellsville, KS County: WO, KS							Date:	8/19/2021			
Fiold Rep: Bryan Miller S-T-R: 2-24-16							Sarvico:	longstring			
				·							
		sformation			Galculated 51	Galculated Slurry - Load Calculated Slurry - Tall					
	e Size:	5 7/8 1		ļ	Blond:	HD5055		Blond:			
	Depth: 4 Size:	1116 (Weight:	13.85 ppg	•	Weight:	PPB		
Casing	_	27/8 1			Water / Sx:	5.91 gal / ax		Water / Sx:	gal/ex ft³/ex		
Tubing /		······			Ylold: Annular Bbis / Ft.:	1.37 ft ³ / sx bbs / ft.	,	Yinid: Innular Bbls / Ft.:	bbs / ft.		
	Depth:		<u>:</u>	:	Depth:	tt	*	Depth:	t t		
Tool / P		baffi			Annular Volume:	O.O bbis		Angular Volunie:	O bbis		
Toal	Depth:	1079 1	10		Excoss:			Excoss:			
Displace	ement:	6.25 f	alde	!	Total Sturry:	34.16 bbls		Total Slurry:	0.0 bbls		
			STAGE	TOTAL	Total Sacks:	140 sx		Total Sacks:	O sx		
TIME	RATE	PSI	BBLs	BBLs	REMARKS						
10:30 AM	4			_	on location, held safety i	meeting			·		
	-			· · · · · · · · ·					the state of the s		
	4.0		-		established circulation	Bankasiis Califolius di	4 hhl- 4				
	4.0		\dashv		mixed and pumped 200# mixed and pumped 140 s			ier			
	4.0				flushed pump clean	na nososa cement, cem	ent to authors				
	1.0					ug to baffle with 6.25 bbl	fresh water				
	1.0			•	pressured to 800 PSI, we						
					released pressure to set	float valve					
	4.0				washed up equpment						
	<u> </u>										
	+								ā.		
	-										
	 		-			 .					
	-		-								
<u> </u>	 		-								
	+					W. V. A. V.					
	1						······································				
	1										
	1										
	4						<u> </u>				
	<u> </u>										
		CREW			UNIT			SUMMAR			
	menter					Averag		verage Pressure	Total Fluid		
Pump O			/ Kenned	у	238	3.1	opm	• psi i	- bbls		
	Balk: H2O:		Mader Vatson		24B 124						
		.,,					····				