KOLAR Document ID: 1593776

Confident	tiality Requested:
Yes	No

KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

WELL COMPLETION FORM

WELL	HISTORY -	DESCRIPT	NFII &	IFASE
VVELL		DESCRIPT		LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from Dorth / South Line of Section
City: State: Zip:+	Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
CM (Coal Bed Methane)	Amount of Surface Pipe Set and Cemented at: Feet
Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	If Alternate II completion, cement circulated from:
Well Name:	feet depth to:w/sx cmt.
Original Comp. Date: Original Total Depth:	
Deepening Re-perf. Conv. to EOR Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
	Chloride content: ppm Fluid volume: bbls
Commingled Permit #:	Dewatering method used:
Dual Completion Permit #:	
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	Operator Name:
GSW Permit #:	Lease Name: License #:
Canad Data are Data Dasabad TD Completing Data are	Quarter Sec TwpS. R East West
Spud Date orDate Reached TDCompletion Date orRecompletion DateRecompletion Date	County: Permit #:

AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

Submitted Electronically

KCC Office Use ONLY						
Confidentiality Requested						
Date:						
Confidential Release Date:						
Wireline Log Received Drill Stem Tests Received						
Geologist Report / Mud Logs Received						
UIC Distribution						
ALT I II III Approved by: Date:						

KOLAR Document ID: 1593776

Operator Name:	Lease Name:	Well #:
Sec TwpS. R East 🗌 West	County:	

Page Two

INSTRUCTIONS: Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	Y	′es 🗌 No			og Formatio	n (Top), Depth a	and Datum	Sample	
Samples Sent to Geolo			⁄es 🗌 No	1	Name	Э		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:		□ Y □ Y	Yes ☐ No Yes ☐ No Yes ☐ No						
		Rep	CASING ort all strings set-c] Ne	w Used rmediate, productio	on. etc.		
Purpose of String	Size Hole Drilled	Siz	ze Casing et (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
[ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose:	Depth Top Bottom	Type of Cement		# Sacks Used		sed Type and Percent Additives			
Protect Casing Plug Back TD Plug Off Zone									
 Did you perform a hydra Does the volume of the Was the hydraulic fracture 	total base fluid of the	hydraulic fr	acturing treatment		-	☐ Yes ns? ☐ Yes ☐ Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Date of first Production/Inj Injection:	jection or Resumed Pr	oduction/	Producing Meth	iod:		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITIO	N OF GAS:		Ν	IETHOD OF COM	MPLE	TION:		PRODUCTIC Top	DN INTERVAL: Bottom
Vented Sold (If vented, Subn	Used on Lease		Open Hole		-	·	nit ACO-4)	юр	Bollom
	foration Perform Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeezend of Material Used)	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Taylor, Michael dba M. J. T. Enterprises
Well Name	HUNT 30
Doc ID	1593776

Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	0	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	9	7	10	21	Portland	5	50/50 POZ
Production	5.625	2.875	13	596	Portland	59	50/50 POZ



Allen's Holdings & Investments Oil & Gas Well Drilling Water Wells Geo-Loop Installation

Phone:913-557-9083Fax:913-557-9084

WELL LOG M.J.T. Enterprises Hunt #30 API #15-121-31648-00-00 August 25, 2021- August 26, 2021

Thickness of Strata	Formation	<u>Total</u>
10	soil & clay	10
5	lime	15
15	shale	30
10	lime	40
2	shale	42
1	lime	43
19	shale	62
16	lime	78
6	shale	84
11	lime	95
12	shale	107
18	lime	125
18	shale	143
4	lime	147
17	shale	164
24	lime	188
26	shale	214
4	lime	218
5	shale	223
4	lime	227
6	shale	233
11	lime	244
2	shale	246
10	broken sand	256
4	shale	260
8	sand	268
4	lime	272
31	shale	303
31	lime	334
11	shale	345
20	broken oil sand	365
3	lime	368
17	shale	385
20	lime	405
5	shale	410
10	lime	420
27	shale	447
3	coal	450

Hunt #30

5	shale	455
8	lime and shale	473
26	shale	489
12	lime	501
15	shale	516
3	lime	519
6	shale	525
5	lime	530
10	shale	540
0.5	oil sand	540.5
2.5	shale	543
2	broken sand	545
12	sand	557
3	sand	560
1	broken sand	561
5	sand	566
41	shale	607
3	sand	610
1	shale	611

Set 21.6' of 7" surface casing threaded and coupled, cemented with 5 sacks cement.

Set 588.5' of 2 7/8" 8 round upset tubing including 3 centralizers, 1 float shoe, 1 clamp.

Core Times

	Minutes	Seconds
540		53
541		42
542		33
543		26
544	1	6
545		19
546		19
547		28
548		28
549		32
550		31
551		29
552		28
553		28
554		29
555		30
556		36
557		24
558		35
559		38
560		30



CEMEN	T TRE	ATMEN	T REPO	ORT	and an in the second second	Lantu large					
		MJT Ent	100000000000000000000000000000000000000		Well:		Hunt 30	Ticket:	EP2591		
		Osawate			County:						
		Mike Ta			S-T-R:		MI, KS 7-18-22	Date:			
	а кер.		y101		OFFICE.		7-10-22	Service:	longstring		
Dow	vnhole	Informatio	n		Calculated Slu	urry - Lead		Cal	culated Slurry - Tail		
Hol	e Size:	5 5/8	In		Blend:	Thixo '	1# PS	Blend:			
Hole	Hole Depth: 611 ft				Weight:	13.70	ppg	Weight:	ppg		
	g Size:				Water / Sx:		gal / sx	Water / Sx:	gal / sx		
Casing		-			Yield:		t ^a /sx	Yield:			
Tubing	Depth:		in ft		Annular Bbls / Ft.:		bbs / ft.	Annular Bbls / Ft.:			
Tool / P		<u> </u>	π		Depth:		Rt	Depth:	-		
	Depth:		ft		Annular Volume: Excess:	0.0	bbis	Annular Volume:			
Displace			bbis		Total Slurry:	19.43	hhla	Excess: Total Slurry:			
			STAGE	TOTAL	Total Sacks:	59		Total Sacks:			
TIME	RATE	PSI	BBLs	BBLs	REMARKS						
1:30 PM	1			5	on location, held safety r	meeting					
				*							
	4.0			•	established circulation						
	4.0			•	mixed and pumped 100#						
	4.0			•	mixed and pumped 59 sk	ts Thixo cer	nent with 1# Phenoseel p	per sk, cement to surface			
	4.0				flushed pump clean						
	1.0			· · · ·	pumped 2 7/8" rubber plu	ug to casing	TD with 3.45 bbls fresh	water			
	1.0				pressured to 800 PSi well held pressure						
	1				released pressure to set	float valve					
	4.0				washed up equipment						
2:30 PM					left location						
	-										
	-										
		CREW			UNIT			SUMMAR	IY		
	nenter		y Kennedy	/	89	L	Average Rate	Average Pressure	Total Fluid		
Բսուք Օր	12:0		tt Scott		239	1	3.1 bpm	- psi	- bbis		
	Bulk: H2O	Scott	McCrea		247						
ed 6 det i 2 de	in the state										