KOLAR Document ID: 1597738

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

| OPERATOR: License #: | | | 1 | API No | o. 15 | | | |
|--------------------------------|------------------------------|-------------------|-----------|---|---|---|--|--|
| Name: | | | | | Spot Description: | | | |
| Address 1: | | | | | Sec T\ | wp S. R East West | | |
| Address 2: | | | | | Feet from North / South Line of Section | | | |
| City: | State: | Zip:+ | | Feet from East / West Line of Section Footages Calculated from Nearest Outside Section Corner: NE NW SE SW County: Lease Name: Well #: Date Well Completed: | | | | |
| Contact Person: | | | | | | | | |
| Phone: () | | | | | | | | |
| Type of Well: (Check one) | Oil Well Gas Well | OG D&A Cathodi | ic | | | | | |
| Water Supply Well C | Other: | SWD Permit #: | | | | | | |
| ENHR Permit #: | Gas Sto | rage Permit #: | | | | | | |
| Is ACO-1 filed? Yes | No If not, is well | log attached? Yes | | | | oved on: (Date) | | |
| Producing Formation(s): List A | | | | | | (KCC District Agent's Name) | | |
| Depth to | Top: Botto | m: T.D | | - | | | | |
| Depth to | Top: Botto | m: T.D | | | · | | | |
| Depth to | Top: Botto | m:T.D | | Pluggi | ng Completed: | | | |
| | | | | | | | | |
| Show depth and thickness of a | all water, oil and gas forma | ations. | | | | | | |
| Oil, Gas or Water | Records | | Casing Re | ecord (S | Surface, Conductor & Produ | ction) | | |
| Formation | Content | Casing | Size | | Setting Depth | Pulled Out | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| | | | | | | | | |
| cement or other plugs were us | | - | | | | ds used in introducing it into the hole. If | | |
| | | | | | | | | |
| Address 1: | | | Address 2 | : | | | | |
| City: | | | | State: | | Zip:+ | | |
| Phone: () | | | | | | | | |
| Name of Party Responsible fo | r Plugging Fees: | | | | | | | |
| State of | County | | | . SS. | | | | |
| | | | | · — | F 1 (0 : | | | |
| | | | Ш | Employee of Operator or | Operator on above-described well, | | | |

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.



HURRICANE SERVICES INC

Remit To: Hurricane Services, Inc. 250 N. Water, Suite 200

Wichita, KS 67202 316-303-9515



Customer:

DARRAH OIL C/O JOHN JAY DARRAH JR PO BOX 2786 WICHITA, KS 67201-2786

| Invoice Date: | 7/21/2021 |
|---------------|-----------|
| Invoice #: | 0354323 |
| Lease Name: | Bishop |
| Well#: | 1-17 |
| County: | Logan, Ks |
| Job Number: | WP1630 |
| District: | Oakley |

| Date/Description | HRS/QTY | Rate | Total |
|--------------------------|---------|-----------|----------|
| PTA | 0.000 | 0.000 | 0.00 |
| Heavy Eq Mileage | 30.000 | 3.520 | 105.60 |
| Light Eq Mileage | 30.000 | 1.760 | 52.80 |
| Ton Mileage | 330.000 | 1.320 | 435.60 |
| Depth Charge 2001'-3000' | 1.000 | 1,760.000 | 1,760.00 |
| Wooden plug 8 5/8" | 1.000 | 149.600 | 149.60 |
| H-Plug | 255.000 | 11.440 | 2,917.20 |



| Net Invoice | 5,420.80 |
|-------------|----------|
| Sales Tax: | 308.54 |
| Total | 5,729.34 |

<u>TERMS</u>: Net 30 days. Interest may be charged on past due invoice at rate of 1 ½% per month or maximum allowed by applicable state or federal laws. HSI has right to revoke any discounts applied in arriving at net invoice price if invoice is past due. If revoked, full invoice price without discount plus additional sales tax, as applicable, is due immediately and subject to interest charges. Customer agrees to pay all collection costs directly or indirectly incurred by HSI in the event HSI engages a third party to pursue collection of past due invoice.

<u>SALES TAX</u>: Services performed on oil, gas and water wells in Kansas are subject to sales tax, with certain exceptions. HSI relies on the well information provided by the customer in identifying whether the services performed on wells qualify for exemption.

Hurricane Services, Inc. 250 N. Water St., Suite #200 Wichita, KS 67202



| | | | The Part of the Pa | | | | | | Management of the last of the | | |
|--------------------------|--|-------------------------|--|-------------|---------------|------------------------|---|----------------|---|--------------------|--------------------|
| Customer | Darrah Oil Co | | Lease & Well # | Bishop | # 1- 17 | | | | Date | 7/3 | 1/2021 |
| Service District | Oakley KS | | County & State | Logan K | s | Legals S/T/R | 17-125- | 36W | Job# | | |
| Job Type | PTA | ✓ PROD | ☐ INJ | ☐ swc | , | New Well? | ₹ YES | □ No | Ticket# | W | P 1630 |
| Equipment # | Driver | | | Job | Safety An | alysis • A Discuss | ion of Hazards | & Safety Pro | cedures | | |
| 73 | Josh | ☑ Hard hat | | ✓ Glov | es | | ☑ Lockout/Tag | jout | ✓ Warning Sign | s & Flagging | |
| 208 | John | H2S Monitor | | ☑ Eye I | Protection | | ☑ Required Pe | rmits | ✓ Fall Protectio | n | |
| 194/254 | Josse | Safety Footw | ear | ✓ Resp | oiratory Pro | otection | ☑ Slip/Trip/Fal | l Hazards | Specific Job S | equence/Exp | ectations |
| | | FRC/Protectiv | ve Clothing | Addi | itional Che | mical/Acid PPE | ✓ Overhead H | azards | ✓ Muster Point/Medical Locations | | |
| | | ✓ Hearing Prote | ection | ₹ Fire | Extinguish | er | Additional concerns or issues noted below | | | | |
| | | | | | | Com | ments | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Product/ Service Code | 并有多 。 | Doco | ription | | | Unit of Measure | Quantity | List | Gross Amount | ltem | Net Amount |
| M010 | Heavy Equipment M | | праоп | | | mi | 30,00 | Garage | GIOFFIAMOUN | Discount | \$105.60 |
| M015 | Light Equipment Mil | | | | | mi | 30.00 | | | | \$52.80 |
| M020 | Ton Mileage | adja | | | | tm | 330.00 | | | | \$435.60 |
| | , and a second | | | | | | | | | | 7 |
| D013 | Depth Charge: 2001 | 1,-3000, | | | | job | 1.00 | | | | \$1,760.00 |
| | | | | | | | | | | | |
| CP055 | H-Plug | | | | | snck | 255.00 | | | | \$2,917.20 |
| | | | | | | | | | | | |
| FE290 | 8 5/8" Wooden Plug | L | | | | ea | 1.00 | | | | \$149.60 |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | - | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| Custo | omer Section: On th | e following scale t | now would you rate | Hurncand | Services | Inc.? | | Gross: | | Net: | \$5,420,80 |
| | | | | | - | | Total Taxable | \$ - | Tax Rate: | | > < |
| Ba | ised on this job, ho | w likely is it you | would recommend | HSI to a | colleague | 17 | | | ducts and services | Sale Tax: | \$. |
| | | | | | | | used on new well: Hurricane Service | | exempt. customer provided | | |
| | Unikely 1 2 | 3 4 5 | 6 7 8 | 9 | | Veinely Likely | well information a services and/or pr | | | | |
| | | | | | | | | | | Total: | \$ 5,420.80 |
| | | | | | | | HSI Represe | entative: | Josh Moster | | |
| | ance unless Hurricane S | | | | | | | | | | |
| affect the collection, C | y interest on the balanc customer hereby agree: | s to pay all fees direc | ctly or indirectly incurr | ed for such | collection. | In the event that Cust | tomor's account wi | th HSI become | s delinquent, HSI ha | as the right to re | woke any discounts |
| previously applied in a | rriving at net invoice pr does not include federa | ica. Upon revocation | , the full invoice price | without di | iscount is in | mediately due and su | bject to collection. | Prices quoted | are estimates only | and are good fo | r 30 days from the |
| | | | -, -, -,-, | o price t | | | J aspending up | an mine, equip | wie meteral t | menanty tedat. | A to benoun masa |

| X | CUSTOMER AUTHORIZATION SIGNATURE |
|---|----------------------------------|
|---|----------------------------------|



| CEMEN | TTRE | ATMEN | T REP | DRT | | | | 为 12 2 5 (A) (A) | | | |
|----------------|--|--------------------|--------------|-------|---------------------|-------------------------------------|--|------------------------------------|-------------|--|--|
| | | Darrah C | | | | | Bishop # 1- 17 Ticket: WP 1630 | | | | |
| City, | State: | Oakley k | / KS County: | | | | Logan KS | 7/21/2021 | | | |
| Field | d Rep: | Josh Mo | sier | | S-T-R: | | 17-12S-36W | Service: | PTA | | |
| | | 127000HR 0014 | And Internal | - | | | NAC ALCOHOLD | MATERIAL CONTRACTOR OF STREET | | | |
| | nhole I e Size: | nformatic 7.875 | And Market | | Calculated S | | | Calculated Slurry - Tall Blend: | | | |
| Hole I | | 4792 | | | Blend: Weight: | H- P | ppg | | | | |
| Casing | | | in | | Water / Sx: | | gal / sx | Weight: Water / Sx: | gal / sx | | |
| Casing [| | - | ft | | Yield: | | ft³/sx | Yield: | ft³/sx | | |
| Tubing / | | | in | | Annular Bbls / Ft.: | 0.0406 | | Annular Bbls / Ft.: | bbs / ft. | | |
| | Depth: | | ft | | Depth: | 2550 | | Depth: | ft | | |
| Tool / Pa | acker: | | | | Annular Volume: | 103.5 | | Annular Volume: | 0 bbls | | |
| Tool I | Depth: | | ft | | Excessi | | | Excess: | | | |
| Displace | ment: | | bbls | | Total Slurry: | 64.4 | bbls | Total Slurry: | 0.0 bbls | | |
| | | | STAGE | TOTAL | Total Sacks: | 255 | sx | Total Sacks: | 0 sx | | |
| TIME | RATE | PSI | BBLs | BBLs | REMARKS | | DE CONTRACTOR OF THE PARTY OF T | | | | |
| 1200A | | | | | GOT TO LOCATION | | | | | | |
| 1205A | | | | | SAFETY MEETING | | | | | | |
| 1210A | | | | | RIGGED UP TRUCKS | | | | | | |
| 1215A | 3.0 | 200.0 | 5.0 | 5,0 | PUMPED 5 BBL OF H2 | 0 AHEAD | | | | | |
| 1217A | 4.2 | 500.0 | 12.6 | 17.6 | PUMPED 50 SKS OF H | - PLUG @ 25 | 50 FT | | | | |
| 1220A | 4.0 | 250.0 | 31.8 | 49.4 | DISPLACED WITH H20 | | | | | | |
| 1252A | 3.5 | 250.0 | 25.2 | 74.6 | PUMPED 100 SKS OF I | PUMPED 100 SKS OF H- PLUG @ 1500 FT | | | | | |
| 1259A | 4.0 | 150.0 | 12.4 | 87,0 | | DISPLACED WITH H20 | | | | | |
| 137A | | 200.0 | 12.6 | 99.6 | | PUMPED 50 SKS OF H- PLUG @ 300 FT | | | | | |
| 140A | | 150.0 | 1.0 | 100.6 | | DISPLACED WITH H20 | | | | | |
| 210A | | 50.0 | 2,5 | 103.1 | PUMPED 10 SKS OF H | | | | | | |
| 214A | | 50.0 | 7.5 | | PUMPED 30 SKS OF H | | | | | | |
| 217A | | 50.0 | 3.7 | | PUMPED 15 SKS OF H | · PLUG IN W | 1H | | | | |
| 225A | 1 | - | | | PLUG DOWN | | | | | | |
| 230A | - | | | | WASHED UP PUMP TR | | | | | | |
| 245A | | - | | | RIGGED DOWN TRUCK | N3 | | | | | |
| 300A | - | | | | OFF LOCATION | | | | | | |
| | - | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | - | | | | | | | | | |
| | _ | | | | | | | | | | |
| | | | | | | | | •••• | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | | | | | | | | | | |
| | | CREW | | | TINU | | K. S | SUMMAR | Y | | |
| Ce | menter: | Josh | 1 | | 73 | | Average Rate | Average Pressure | Total Fluid | | |
| Pump O | | | | | 208 | | 3.3 bpm | 185 psi | 114 bbls | | |
| Bulk #1: Josse | | | | | 194/254 | | | | | | |
| | Bulk #2: | | | | | | | | | | |

ftv: 15-2021/01/25 mplv: 185-2021/07/12