## KOLAR Document ID: 1596587

Confiden	tiality Requeste	ed:
Yes	No	

## KANSAS CORPORATION COMMISSION OIL & GAS CONSERVATION DIVISION

Form ACO-1 January 2018 Form must be Typed Form must be Signed All blanks must be Filled

## WELL COMPLETION FORM

WELL	HISTORY	<ul> <li>DESCRIPTION</li> </ul>	VOF WELL	& LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	S. R East West
Address 2:	Feet from Direction North / Direction
City: State: Zip:	+ Feet from East / West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	
CONTRACTOR: License #	
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
	Norkover
	Producing Formation:
	Elevation: Ground: Kelly Bushing:
	Total Vertical Depth: Plug Back Total Depth:
	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane)	
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
Operator:	
Well Name:	
Original Comp. Date: Original Total D	
	Conv. to SWD Drilling Fluid Management Plan (Data must be collected from the Reserve Pit)
Plug Back Liner Conv. to GSW	
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion     Permit #:	Dewatering method used:
	Location of fluid disposal if hauled offsite:
EOR Permit #:	Oneveter Name
GSW Permit #:	
•	Quarter Sec TwpS. R East West
Recompletion Date Rec	completion Date County: Permit #:

#### AFFIDAVIT

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

## Submitted Electronically

KCC Office Use ONLY
Confidentiality Requested
Date:
Confidential Release Date:
Wireline Log Received Drill Stem Tests Received
Geologist Report / Mud Logs Received
UIC Distribution
ALT I II III Approved by: Date:

### KOLAR Document ID: 1596587

Operator Nam	ie:			Lease Name:	Well #:
Sec	Twp	S. R	East West	County:	

Page Two

**INSTRUCTIONS:** Show important tops of formations penetrated. Detail all cores. Report all final copies of drill stems tests giving interval tested, time tool open and closed, flowing and shut-in pressures, whether shut-in pressure reached static level, hydrostatic pressures, bottom hole temperature, fluid recovery, and flow rates if gas to surface test, along with final chart(s). Attach extra sheet if more space is needed.

Final Radioactivity Log, Final Logs run to obtain Geophysical Data and Final Electric Logs must be emailed to kcc-well-logs@kcc.ks.gov. Digital electronic log files must be submitted in LAS version 2.0 or newer AND an image file (TIFF or PDF).

Drill Stem Tests Taken (Attach Additional Sh	eets)	Y	es 🗌 No			og Formatio	n (Top), Depth	and Datum	Sample
Samples Sent to Geolog	*		és 🗌 No	Ν	lame	e		Тор	Datum
Cores Taken Electric Log Run Geologist Report / Mud List All E. Logs Run:			ies No ies No ies No						
		Repo	CASING I		] Ne	w Used rmediate, productio	on, etc.		
Purpose of String	Size Hole Drilled		ze Casing tt (In O.D.)	Weight Lbs. / Ft.		Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives
			ADDITIONAL	CEMENTING /	SQU	EEZE RECORD			
Purpose: Depth Perforate Brotect Cocing		Туре	e of Cement	# Sacks Used	# Sacks Used		Type and Percent Additives		
Protect Casing Plug Back TD Plug Off Zone									
<ol> <li>Did you perform a hydra</li> <li>Does the volume of the is</li> <li>Was the hydraulic fractu</li> <li>Date of first Production/Inj</li> </ol>	total base fluid of the h ring treatment informa	nydraulic fra tion submit	acturing treatment	al disclosure regis	-	Yes ns? Yes Yes	No (If No, s	kip questions 2 ar kip question 3) ill out Page Three	
Injection:			Flowing	Pumping		Gas Lift 🗌 O	ther <i>(Explain)</i>		
Estimated Production Per 24 Hours	Oil	Bbls.	Gas	Mcf	Wate	er Bb	ls.	Gas-Oil Ratio	Gravity
DISPOSITION	I OF GAS:		M	ETHOD OF COM	<b>IPLE</b>	TION:			ON INTERVAL:
Vented Sold (If vented, Subm	Used on Lease		Open Hole		-		mingled	Тор	Bottom
	oration Perfora Top Botto		Bridge Plug Type	Bridge Plug Set At		Acid,		ementing Squeeze	
TUBING RECORD:	Size:	Set At:		Packer At:					

Form	ACO1 - Well Completion
Operator	Rockin Bar Nothin Ranch, Inc.
Well Name	MELANDER RBN 18
Doc ID	1596587

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight	Setting Depth	Type Of Cement		Type and Percent Additives
Surface	12.25	7	19	20	I	10	N/A
Production	5.875	2.875	6.5	745	70-30		SERVIICE COMPAN Y



Customer	Rocking Bar Nothi	ing Ranch	Lease & Well #	# RBN #18					Dette			
Service District	Bartlesville Ok		County & State						Date		9/24/20	121
Job Type	Long String	PROD		SWD		is S/T/R v Well?		34 14	Job#			
							VES	No No	Ticket #		EP281	14
Equipment # 86	Driver				fety Analysis -	A Discus						
231	Kevin	Hard hat		Gloves			Lockout/	<u> </u>	Warning Si		ng	
211	Bobby	Safety Footwe					Required		Fall Protect			
138/127		FRC/Protective			tory Protection	d DDF	Slip/Trip/		Specific Jol			
130/12/	Dakota	Hearing Prote					Overhead		Muster Poi		cations	5
			cuộn	Fire Exti	inguisner			concerns or	issues noted belo	w		
		·····		-		Cor	nments					
······												
Product/ Service												
Code		Descri	iption		Unit of	Measure	Quantity				Ňe	et Amount
M015	Light Equipment Mile	eage				mi	55.01	1				\$101.20
M010	Heavy Equipment M	lileage	······································			mi	56.01		1			\$202.40
										1		
C010	Cement Pump Servi	се				ea	1.00					\$690.00
C050	Cement Plug Contai	ner			j	ob	5.05					\$230.00
CP010	Class A Cement				Sa	ack	85.00		1			\$1,329.40
CP095	Bentonite Gel					lb	500.00			1		\$138.00
CP140	Granulated Salt					b	550.00			1		\$253.00
CP110	Kol Seal					b	483.00			1		\$276.00
CP125	Pheno Seal					b	40.00	1				\$64.40
										1		
AF080	Fresh Water				g	al	5,460,00					\$75.35
										1		
FE025	2 7/8" Rubber Plug				e	a	2.00					\$73.60
T030	Transport - 130 bbl				ł	r	4,60				0.0	\$520.00
				·····								
		wa										
		•••••										
			······									
Custor	mar Saction, On the	following		<u></u>								
Custor	ner Section: On the	ronowing scale hov	wwould you rate l	Humcane Serv	vices Inc.?					Net:		\$3,953.35
Bas	ed on this job, how	likely is it you wo	uld recommand	HSI to a celle	220102		Total Taxable	\$ -	Tax Rate:		$\geq$	$\leq$
240					eayue r		State tax laws de used on new well		lucts and services x exempt.	Sale Tax:	\$	
		- Antonia Antonia				1		s relies on the	customer provided			
Uni	likely 1 2 3	4 5	678	9 10	Extremely Likely		services and/or p			Total:	\$	3,953.35
						t		ntoti	A 1 0		<u>_</u>	0,000.00
						ſ	HSI Represe	antative:	youn Wade			1

TERMS: Cash in advance unless Hurricane Services Inc. (HSI) has approved credit prior to sale. Credit terms of sale for approved accounts are total invoice due on or before the 30th day from the date of invoice. Past due accounts shall pay interest on the balance past due at the rate of 1 ½% per month or the maximum allowable by applicable state or federal laws. In the event it is necessary to employ an agency and/or attorney to affect the collection, Customer hereby agrees to pay all fees directly or indirectly incurred for such collection. In the event that Customer's account with HSI becomes delinquent, HSI has the right to revoke any discounts previously applied in arriving at net invoice price. Upon revocation, the full invoice price without discount is immediately due and subject to collection. Prices quoted are estimates only and are good for 30 days from the date of any product or service. The information presented is presented in good faith, but no warranty is stated or implied. HSI assumes no liability for advice or recommendations made concerning the results form the use of any product or service. The information presented is a best estimate of the actual results that may be achieved and should be used for comparison purposes and HSI makes no guarantee of future production performance. Customer represents and warrants that well and all associated equipment in acceptable condition to receive services by HSI. Likewise, the customer guarantees proper operational care of all customer owned equipment and property while HSI is on location performing services. The authorization below acknowledges the receipt and acceptance of all terms/conditions stated above, and Hurricane has been provided accurate well information in determining taxable services.

CUSTOMER AUTHORIZATION SIGNATURE



EMEN	T TRE	ATMEN	T REP	ORT				and a second
Cus	tomer:	Rocking	Bar No	thing Rand	h Well:	RBN #18	Ticket:	EP2814
	State:				County:	MG. Kansas	·······	9/24/2021
Fiel	d Rep:			···· ,	S-T-R:	11 34 14	Service:	Long String
							Gei Mider	Long String
		Informatio	on		Calculated Slu	rry - Lead	Calc	ulated Slurry - Tail
	e Size:	and a second			Blend:	Class A	Blend:	
	Depth:				Weight:	14.1 ppg	Weight:	ppg
Casing Casing	g Size: Donthi		l		Water / Sx:	8.1 gal / sx	Water / Sx:	gal / sx
Fubing /			in		Yield:	1.68 ft <sup>3</sup> / sx	Yield:	ft <sup>3</sup> / sx
	Depth:		ft		Annular Bbls / Ft.: Depth:	bbs / ft. ft	Annular Bbls / Ft.:	bbs / ft.
Tool / P					Annular Volume:	0.0 bbis	Depth: Annular Volume:	ft 0 bbls
Tool	Depth:		ft		Excess:		Excess:	V NNIB
Displace	ement:	4.3	bbis		Total Slurry:	25.3 bbis	Total Slurry:	0.0 bbls
3 13			STAGE	TOTAL	Total Sacks:	85 sx	Total Sacks:	0 sx
TIME	RATE	PSI	BBLs	BBLs	REMARKS	an a	a a construction at a c	
							T TIME INC	
1:00pm				-	On Location	40. Q.f. (1	and the state of the	
<b>F</b>				-		·····	no de la companya de	
1:30pm				-	JSA and rig up			an a
				-				······································
1:40pm	2.0	100.0	18.0	18.0	Water and gel			
				18.0	·····			
1:51pm	2.0	200.0	25.3	43.3	Ran Cement			
2:05 PM	┠──┤			43.3 43.3	Shut down and worked a			
2.001 0				43.3	Shut down and washed p	ump and lines, Droped plug		
2:10pm		-	4.3		Displaced land plug at 11	00psi. Set plug and put 100psi	back on well. Topped off well	1444
					·····			
2:15pm					Washed up and rig down			
								. 816
								and the second
	┝──┨						₩	
						· · · · · · · · · · · · · · · · · · ·		
					· · · · · · · · · · · · · · · · · · ·			
								· · · · · · · · · · · · · · · · · · ·
								······································
		CREW						
Com	nenter:						SUMMARY	
ump Ope		John Kevin			<u>86</u> 231	Average Rate	Average Pressure	Total Fluid
	ulk #1:	Bobby	6 A.		231	2.0 bpm	150 psi	48 bbls
	ulk #2:	Dakot			138/127			

