

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

**KANSAS CORPORATION COMMISSION
OIL & GAS CONSERVATION DIVISION
WELL PLUGGING RECORD
K.A.R. 82-3-117**

Form CP-4
March 2009
**Type or Print on this Form
Form must be Signed
All blanks must be Filled**

OPERATOR: License #: _____
 Name: _____
 Address 1: _____
 Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Contact Person: _____
 Phone: (_____) _____
 Type of Well: (Check one) Oil Well Gas Well OG D&A Cathodic
 Water Supply Well Other: _____ SWD Permit #: _____
 ENHR Permit #: _____ Gas Storage Permit #: _____
 Is ACO-1 filed? Yes No If not, is well log attached? Yes No
 Producing Formation(s): List All (If needed attach another sheet)
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____
 _____ Depth to Top: _____ Bottom: _____ T.D. _____

API No. 15 - _____
 Spot Description: _____
 _____ - _____ - _____ - _____ Sec. _____ Twp. _____ S. R. _____ East West
 _____ Feet from North / South Line of Section
 _____ Feet from East / West Line of Section
 Footages Calculated from Nearest Outside Section Corner:
 NE NW SE SW
 County: _____
 Lease Name: _____ Well #: _____
 Date Well Completed: _____
 The plugging proposal was approved on: _____ (Date)
 by: _____ (KCC District Agent's Name)
 Plugging Commenced: _____
 Plugging Completed: _____

Show depth and thickness of all water, oil and gas formations.

Oil, Gas or Water Records		Casing Record (Surface, Conductor & Production)			
Formation	Content	Casing	Size	Setting Depth	Pulled Out

Describe in detail the manner in which the well is plugged, indicating where the mud fluid was placed and the method or methods used in introducing it into the hole. If cement or other plugs were used, state the character of same depth placed from (bottom), to (top) for each plug set.

Plugging Contractor License #: _____ Name: _____
 Address 1: _____ Address 2: _____
 City: _____ State: _____ Zip: _____ + _____
 Phone: (_____) _____
 Name of Party Responsible for Plugging Fees: _____
 State of _____ County, _____, ss.
 _____ Employee of Operator or Operator on above-described well,
 (Print Name)

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Submitted Electronically

GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438
 HAYSVILLE, KS 67060
 (316) 524-1225
 FAX (316) 524-1027

BURRTON, KS ♦ GREAT BEND, KS ♦ HAYS, KS ♦
 (620) 463-5161 (620) 793-3366 (785) 628-3220

**INVOICE NUMBER:
 R18304-IN**

BILL TO:
LOEWEN OPERATING INC
PO BOX 335
CANTON, KS 67428-0335

LEASE: JANTZ #2

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORDER	SPECIAL INSTRUCTIONS	
09/15/2021	18304		09/08/2021	JANTZ #2	NET 30	
QUANTITY	U/M	ITEM NO./DESCRIPTION		D/C	PRICE	EXTENSION
		SEPTEMBER 8, 2021: ARRIVE ON LOCATION, RIG UP FOR TUBING, BUILT FLOOR, MOVE TUBING, CLEAN TOOLS AND LOCATION, LEFT LOCATION SEPTEMBER 9, 2021: ARRIVE ON LOCATION, RAN NOTCHED COLLAR INTO TAG, HOOKED UP PUMP TRUCK AND CHICKEN HEAD, CIRC DOWN 5 JOINTS, RAN 10 AND CIRC ON UNTIL DOWN TO 28700', CEMENT BOTTOM PLUG, TRIP OUT, PERF AT 250', RAN 8 JOINTS AND CEMENT TO SURFACE, RIG DOWN, CLEAN TOOLS AND LOCATION, LEFT LOCATION				
1.00	EACH	WORKING HEAD RENTAL		0.00	150.00	150.00
5.00	GAL	SOLVENT		0.00	2.83	14.15
17.00	HR	SINGLE DRUM POLE UNIT		0.00	240.00	4,080.00
REMIT TO: P.O. BOX 438 HAYSVILLE, KS 67060		HVL		Net Invoice: 4,244.15 MCPCO Sales Tax: 338.40 Invoice Total: 4,582.55		
RECEIVED BY _____		NET 30 DAYS				

There will be a charge of 1.5% (18% annual rate) on all accounts over 30 days past due.

Gressel Oil Field Service reserves a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code.

WELL SERVICING UNITS
POWER SUB & MUD PUMP
WINCH TRUCK

FIELD REPORT
GRESSEL OIL FIELD SERVICE, INC. N^o 18304

BURRTON, KANSAS
(316) 463-5161

COMPANY Lower Operator, Inc

DATE 9-8

ADDRESS _____

CALLED BY _____

LEASE Tantz

WELL NO. #2

COUNTY McPherson

PULLED FROM WELL			EQUIPMENT	RERAN IN WELL		
FEET	JOINTS	DESCRIPTION		FEET	JOINTS	DESCRIPTION
			Mud Anchor			
			Perforations			
			Working Barrel			
			Hold Down			
			Tubing			
			Tubing			
			Tubing Subs			
			Pump			
			Rods			
			Rods			
			Rods			
			Rod Subs			
			Polished Rod			
			Standing Valve			
			Traveling Valve			

RECORD OF ROD BREAKS			
SIZE AND TYPE OF ROD	KIND OF BREAK	NO. OF RODS DEEP	SIZE AND TYPE REPLACEMENT

Unit 4245
 Operator Berrett
 Labor Jawa/Dobby
 Misc. Charges 3 2-in x 12-riples, 2-2-in collars, 1-2-in Bull valve
Working Head 5 1/2, 5 gal wash gas 283
150%

Big 17
TOTAL

9-8-21-Wednesday-AOL, Rg up & rdy, Bu. H 8 bar
 more on rdy, CTAL, LL (4 1/2 hr)
 9-9-21-Thursday-AOL, Ran notched collar in to rdy 1666,
 Hooked up pump truck: chicken Head, car down 5 Tantz then
 Ran 10 ! car on till down to 2870, cent Bottom plug
 trip out, pers at 250 Ran 8 Tantz: cent to surden
 Rg down CTAL LL (12 1/2 hr)

GRESSEL OIL FIELD SERVICE, INC.

Company _____

By Berrett JL

By _____

GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438
 HAYSVILLE, KS 67060
 (316) 524-1225
 FAX (316) 524-1027

BURRTON, KS ♦ GREAT BEND, KS ♦ HAYS, KS ♦
 (620) 463-5161 (620) 793-3366 (785) 628-3220

**INVOICE NUMBER:
 0214779-IN**

BILL TO:
LOEWEN OPERATING INC
PO BOX 335
CANTON, KS 67428-0335

LEASE: JANTZ #2

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORDER	SPECIAL INSTRUCTIONS	
09/15/2021	146308		09/08/2021	JANTZ #2	NET 30	
QUANTITY	U/M	ITEM NO./DESCRIPTION		D/C	PRICE	EXTENSION
3.00	EA	2" X 12" STD NIPPLE		10.00	13.97	37.72
2.00	EA	2" COLLARS		10.00	13.82	24.88
1.00	EA	2" BALL VALVE		10.00	99.96	89.96
REMIT TO: P.O. BOX 438 HAYSVILLE, KS 67060		BUR		Net Invoice: 152.56 MCPCO Sales Tax: 12.20 Invoice Total: 164.76		
RECEIVED BY _____		NET 30 DAYS				

There will be a charge of 1.5% (18% annual rate) on all accounts over 30 days past due.

Gressel Oil Field Service reserves a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code.

GRESSEL OIL FIELD SERVICE

Invoice

POST OFFICE BOX 438
 HAYSVILLE, KS 67060
 (316) 524-1225
 FAX (316) 524-1027

BURRTON, KS
 (620) 463-5161

GREAT BEND, KS
 (620) 793-3366

HAYS, KS
 (785) 628-3220

**INVOICE NUMBER:
 L1879-IN**

BILL TO:
 LOEWEN OPERATING INC
 PO BOX 335
 CANTON, KS 67428-0335

LEASE: JANTZ #2

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORDER	SPECIAL INSTRUCTIONS	
09/14/2021	1879		09/09/2021	JANTZ #2	NET 30	
QUANTITY	U/M	ITEM NO./DESCRIPTION		D/C	PRICE	EXTENSION
		PERFORATED WITH 3 1/2 STRIP JET AS FOLLOWS: FROM 250' TO 251', WITH 4 SHOTS. RIG UP, TAG CEMENT AND PUT AT 250'.				
1.00	EACH	SET UP WIRELINE		16.00	700.00	588.00
1.00	EACH	PERFORATE - 1ST 4 SHOTS		16.00	550.00	462.00
REMIT TO: P.O. BOX 438 HAYSVILLE, KS 67060		LOG		Net Invoice:		1,050.00
RECEIVED BY _____		NET 30 DAYS		MCPCO Sales Tax:		47.04
				Invoice Total:		<u>1,097.04</u>

There will be a charge of 1.5% (18% annual rate) on all accounts over 30 days past due.
 Gressel Oil Field Service reserves a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code.

FIELD WORK ORDER, INVOICE AND CONTRACT

1879



Field Service, LLC

P.O. BOX 438
Haysville, KS 67060
(316) 524-1225 • FAX (316) 524-1027

Date 9-9-21	Charge To: Loewen Operator, Inc	Lease and Well No. Jantz #2
Operator Phil Pierpoint	Address	Field
Customer's T.D.	City & State	Legal Description
T.D. 3410	Fluid Level Surface	Casing Size
Zero 6L	Type Fluid in Hole Water	Casing Wt.
	Elevation	Casing Depth
		Sec. 1 Twp. 20S Rng. 2W
		County McPherson
		State KS

- The authorized agent and representative of the owner agrees to the following general terms and conditions of services to be rendered or which have been rendered:
- (1) All accounts are due and must be paid within 30 days from the date of services of Gressel Oil Field Service, Inc., and should these terms not be observed, interest at the rate of 18% per annum will be charged from the date of the services.
 - (2) Because of the uncertain conditions and hazards existing in a well which are beyond the control of Gressel Oil Field Service, Inc., it is understood and agreed by the parties hereto that Gressel Oil Field Service, Inc. cannot guarantee the results of its efforts and its services and will not be held responsible for personal or property damage in the performance of its services.
 - (3) Should any Gressel Oil Field Service, Inc. instruments or equipment be lost or damaged in the performance of the operations requested, the customer agrees to make every reasonable effort to recover the same, and to reimburse Gressel Oil Field Service, Inc. for the value of the items which cannot be recovered, or the cost of repairing damage to items recovered.
 - (4) The customer certifies that he has the full right and authority to order such work on such well and that the well in which the work is to be performed by Gressel Oil Field Service, Inc. is in proper and suitable condition for the performance of said work and that Gressel Oil Field Service, Inc. is merely working under the directions of the customer.
 - (5) The customer agrees to pay any and all taxes, fees and charges placed on services rendered by Gressel Oil Field Service, Inc. by governmental requirements including city, county, state and federal taxes and fees or reimburse Gressel Oil Field Service, Inc. for such taxes and fees paid to said agencies.
 - (6) No employee is authorized to alter the terms or conditions of this agreement between Gressel Oil Field Service, Inc. and the customer.
 - (7) I certify that the services have been performed by Gressel Oil Field Service, Inc. under my directions and control, and that all zones perforated were designated by me and all depth measurements were checked and approved.
 - (8) It is further stipulated and agreed to between the parties hereto that this agreement shall not become effective until the same is approved by Gressel Oil Field Service, Inc., in Harvey County, Kansas, and that the venue of any action, either in law or equity to enforce the terms of the same is agreed by the parties hereto to be in Harvey County, Kansas.

Dated in Burton, Kansas, this Ninth day of September, 2021

CUSTOMER

AUTHORIZED AGENT AND REPRESENTATIVE
GRESSEL OIL FIELD SERVICE, INC.

OFFICER

WORK PERFORMED	PRICING
Perforated With 3 1/2 strip set TYPE GUN as Follows:	SET UP: \$ 700.00
From 250 ft. to 251 ft., 4 Shots	PERFORATING: 1st 4 Shots \$ 550.00
From _____ ft. to _____ ft., _____ Shots	Next _____ Shots @ \$ _____ Ea. \$ _____
From _____ ft. to _____ ft., _____ Shots	Next _____ Shots @ \$ _____ Ea. \$ _____
From _____ ft. to _____ ft., _____ Shots	LOGGING: Logging Chg. _____ ft. @ \$ _____ ft. \$ _____
From _____ ft. to _____ ft., _____ Shots	BRIDGE PLUG: Type _____ Depth _____ \$ _____
1 1/2 up - tag cement & put @ 250	CEMENT LOCATOR SURVEY: \$ _____
	Discant \$ -200.00
	SUB TOTAL \$ 1050.00
	TAX \$ _____
	TOTAL \$ _____

COPELAND

Acid & Cement

POST OFFICE BOX 438
 HAYSVILLE, KS 67060
 (316) 524-1225
 (316) 524-1027 FAX

Invoice

BURRTON, KS ♦ GREAT BEND, KS
 (620) 463-5161 (620) 793-3366
 FAX (620) 463-2104 FAX (620) 793-3536

INVOICE NUMBER:
C47792-IN

BILL TO:
LOEWEN OPERATING INC
PO BOX 335
CANTON, KS 67428-0335

LEASE: JANTZ

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORDER	SPECIAL INSTRUCTIONS	
09/13/2021	47792		09/09/2021	JANTZ	NET 30	
QUANTITY	U/M	ITEM NO./DESCRIPTION		D/C	PRICE	EXTENSION
1.00	EA	PUMP CHARGE FOR PLUG JOB		0.00	650.00	650.00
4.00	HR	PUMP TRUCK FOR PLUG JOB		0.00	100.00	400.00
50.00	SK	COMMON CEMENT		0.00	13.25	662.50
2.00	SK	CALCIUM CHLORIDE		0.00	40.00	80.00
300.00	LB	COTTONSEED HULLS		0.00	0.40	120.00
175.00	SK	60/40 POZ MIX 4% GEL		0.00	11.47	2,007.25
36.00	MI	MILEAGE CEMENT PUMP TRUCK SPLIT BETWEEN 2 WELLS		50.00	4.00	72.00
225.00	EA	BULK CHARGE		0.00	1.25	281.25
361.80	MI	BULK TRUCK - TON MILES		0.00	1.10	397.98
REMIT TO: P.O. BOX 438 HAYSVILLE, KS 67060		COB FUEL SURCHARGE IS NOT TAXABLE AND IS ADDED TO MILEAGE, PUMP AND OR DELIVERY CHARGES ONLY.		Net Invoice: 4,670.98 MCPCO Sales Tax: 373.68 Invoice Total: 5,044.66		
RECEIVED BY _____		NET 30 DAYS				

There will be a charge of 1.5% "per month" (18% annual rate) on all accounts over 30 days pas

Copeland Acid & Cement is a subsidiary of Gressel Oil Field Service

Gressel Oil Field Service reserves a security interest in the goods sold until the same are paid for in full and reserve all the rights of a secured party under the Uniform Commercial Code.

TREATMENT REPORT

Acid Stage No. 05

Date 9/9/21 District..... F. O. No.....
 Company Johnson O.P. Inc.
 Well Name & No. Santa #2
 Location..... Field.....
 County McPherson State Ks

Casing: Size..... Type & Wt..... Set at..... ft.
 Formation:..... Perf..... to.....
 Formation:..... Perf..... to.....
 Formation:..... Perf..... to.....
 Liner: Size..... Type & Wt..... Top at..... ft. Bottom at..... ft.
 Cemented: Yes/No. Perforated from..... ft. to..... ft.
 Tubing: Size & Wt..... Swung at..... ft.
 Perforated from..... ft. to..... ft.

Open Hole Size..... T.D. ft. P.D. to..... ft.

Type Treatment: Amt. Type Fluid Sand Size Pounds of Salt

Bkdown..... Bbl./Gal.
 Bbl./Gal.
 Bbl./Gal.
 Bbl./Gal.
 Flush Bbl./Gal.

Treated from..... ft. to..... ft. No. ft.
 from..... ft. to..... ft. No. ft.
 from..... ft. to..... ft. No. ft.

Actual Volume of Oil/Water to Load Hole:..... Bbl./Gz

Pump Trucks No. Used: Sld 323 Sp. Twin
 Auxiliary Equipment IT 133 Bulk 322 Wire line 40
 Packer:..... Set at.....
 Auxiliary Tools Manual Swirl
 Plugging or Sealing Materials: Type 50 com 300# Hulls 175.60#

Company Representative

Treater Ray Kelly

TIME a.m. (P.M.)	PRESSURES		Total Fluid Pumped	REMARKS
	Tubing	Casing		
12:45				On location Rig up to circulate. Send out tubing 1660' till dr start water out of tank
			0	
	500		2881	Catch pressure 2881 @ 500
			2881	Break pipe on 53 wash down 3 points
				lay swirl down Rav 2 more points & another bed
				Pick up swirl took 1000# to move being better up
			7588	Pick up another point after sand cleaned up
				Rav is with out circulation Run 8 hrs out circulate
				20881's did this 3 more times to get to 2880
			0	Mix 2 sacks Calcium up in 7881's
			3881	Ink 2880 tie on steel mixer gain down hole
			15881	Cast side slurry add 100# Hulls after US sends away
				Wash up gun down hole
			22881	Get all rest of way out
3:30				Full tubing well stands full
4:35				Try to pressure up case well not hold pressure.
				Rig up wireline run part tank @ 2630'
				Run 800' Run 800' to 2880
			0	Strip mixer 60-40 1/2 Poz Add 200# Hulls at steel
			50881	175 sacks only Good cement up 850' & 53
				lay tubing down Top out & swirl 53 in start
5:45				submer pipe in Wash up back up