KOLAR Document ID: 1598390

Notice: Fill out COMPLETELY and return to Conservation Division at the address below within 60 days from plugging date.

Kansas Corporation Commission Oil & Gas Conservation Division

WELL PLUGGING RECORD K.A.R. 82-3-117

Form CP-4
March 2009
Type or Print on this Form
Form must be Signed
All blanks must be Filled

OPERATOR: License #:			ı	API No. 15	5 -				
Name:									
Address 1:						vp S. R East West			
Address 2:					Feet from				
City:	State:	Zip:++			Feet from				
Contact Person:						st Outside Section Corner:			
Phone: ()				· ·	NE NW	SE SW			
Type of Well: (Check one) Water Supply Well ENHR Permit #: Is ACO-1 filed? Yes Producing Formation(s): List A Depth to Depth to	Other: Gas Sto No If not, is well All (If needed attach another Top: Botto	SWD Permit #: rage Permit #: log attached? Yes		Lease Nar Date Well The pluggi by: Plugging C	me:Completed:ing proposal was appro	well #: (Date) (KCC District Agent's Name)			
Show depth and thickness of a	all water, oil and gas forma	ations.							
Oil, Gas or Water	Records		Casing F	Casing Record (Surface, Conductor & Production)					
Formation	Content	Casing	Size		Setting Depth	Pulled Out			
Describe in detail the manner cement or other plugs were us	. 00					ds used in introducing it into the hole. If			
Plugging Contractor License #	t:		Name: _						
Address 1: Ac				2:					
City:				State:		Zip:+			
Phone: ()				-					
Name of Party Responsible fo	r Plugging Fees:								
State of	County, _			, SS.					
					nlovee of Operator or	Operator on above-described well,			
	(Print Name)			=[[[]	pioyee of Operator of	Operator on above-described well,			

being first duly sworn on oath, says: That I have knowledge of the facts statements, and matters herein contained, and the log of the above-described well is as filed, and the same are true and correct, so help me God.

Invoice

Page: 1

GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 FAX (316) 524-1027

BURRTON, KS (620) 463-5161 **♦** GREAT BEND, KS (620) 793-3366

HAYS, KS (785) 628-3220 **INVOICE NUMBER:** L1880-IN

BILL TO:

LOEWEN OPERATING INC PO BOX 335 CANTON, KS 67428-0335

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE (ORDER	SPECIAL IN	SPECIAL INSTRUCTIONS	
09/14/2021	1880		09/10/2021	RATZLAFF #2	2	NE	T 30	
QUANTITY	U/M	ITEM NO./DI	ESCRIPTION		D/C	PRICE	EXTENSION	
		PERFORATED WIT	TH 3 1/2 STRIP JET, AS	FOLLOWS:	·			
		FROM 250' TO 251'	FROM 250' TO 251', WITH 4 SHOTS.					
			RIG UP 1' X 4SPF GUN, RUN IN, TAG CEMENT AT 2475', COME UP TO 250' AND PERF. TEAR DOWN.					
1.00	EACH	SET UP WIRELI	NE		16.00	700.00	588.00	
1.00	EACH	PERFORATE - 1	ST 4 SHOTS		16.00	550.00	462.00	
	i			:				
	·							
	·							
				ļ				
REMIT TO:			· · · · · · · · · · · · · · · · · · ·			Net Invoice:	1,050.00	
P.O. BOX 4 HAYSVILLE	38 , KS 67060		LOG		MCP	CO Sales Tax:	47.04	
.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,					Invoice Total:	1,097.04	
RECEIVED BY		N	IET 30 DAYS					

FIELD WORK ORDER, INVOICE AND CONTRACT

1880



P.O. BOX 438 Haysville, KS 67060 (316) 524-1225 • FAX (316) 524-1027

225 1210 20101		\sim	\		Lease and	Well No.
Date Sept 10 Hall	Charge To: Charge	360 C)60	seathy 10	<u>~c</u>	- Ra	+T/4/ #2
Operator Cale in And	Address	•	7			4.
					Field	
	City & State				Legai Desc	ription
Customer's T.D.	Fluid Level		Casing	Size		\ <u></u>
	Sulvae			57	Sec. 3	Twp. 195 Rng. 2
T.D.	Type Fluid in Hole		Casing \	Mt. N.		. 0.0
		Ter		<u>IVIT</u>	County \	D'Thurson
Zero C	Elevation		Casing (Depth		\/
The authorized agent and represent	117			UTT	State	<u> </u>
every reasonable errort to rec repairing damage to items rec repairing damage to items rec (4) The customer certifies that he Field Service, Inc. is in proper of the customer. (5) The customer agrees to pay a including city, county, state ar (6) No employee is authorized to a (7) I certify that the services have I and all depth measurements w (8) It is futher stipulated and agree inc., in Harvey County, Kansas, County, Kansas.	iervice, inc. instruments or equip cover the same, and to reimburs covered. I has the full right and authority is and suitable condition for the pe any and all taxes, fees and chain and federal taxes and fees or relater the terms or conditions of this been performed by Gressel Oil F	to order such woo erformance of sale rges placed on s imburse Gressel s agreement betw field Service, Inc.	rk on such well a d work and that (ervices rendere Oli Field Service een Gressel Oli I under my direction	for the value of the its and that the well in which are also of Field Service, Inc. for such taxes Field Service, Inc. and the and control, and the area effective until the service of the sand control, and the sand effective until the sand effective until the sand effective until the sand control.	ms which cannot be the work is to be ce, inc. is merely we service, inc. by grand fees paid to so the customer. at all zones perfora	ne recovered, or the cost of e performed by Gressel Oil rorking under the directions overnmental requirements aid agencies. Ited were designated by me
Dated in Burrton, Kansas, this _	day o	" BOT			-9091	_
CUSTOMER			AGENT AND REPR		(OFFICER
		GRESSE	L OIL FIELD SERVI	ICE, ING.		
WORK P	PERFORMED				PRICING	
Perforated With 32 Stars	Vot	as Follows:	SET UP:			- DWay
	TYPE GUN		PERFORATING:			5 700
From 3.50 n. to 0.5	<u></u>	Shots	151 14	Shots	<u> </u>	<u> </u>
Fromft. to	ft.,	Shots	Next	Shots @ \$	Ea.	\$
Fromft. to	ft	Shots	Next	Shots 9 \$	Ea.	\$
-		l	OGGING:		La.	
Fromft. to	^.,	Shots	Logging Chg.	ft. 0 \$	ft.	
From	t,	Shots				
From	4	Shots	PIDGE PLUG:			
<u> </u>			Type EMENT LOCATO	Depth OR SURVEY:	·	
Kn us 1X4SPF	gur Rur in					\$
Tou convert 2475	Mon un 25	D'		O	iscount	\$-200.00
1 200 -	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~					<u> </u>
4 hors terr you	<u> </u>			SUB TOT	`AL	\$ 1050.00
				· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	
				TAX	******************	\$
	•	1		TOTAL	***************************************	\$

Acid & Cement

HAYSVILLE, KS 67060 (316) 524-1225 (316) 524-1027 FAX

Invoice

Page: 1

BURRTON, KS | GREAT BEND, KS (620) 463-5161

(620) 793-3366 FAX (620) 463-2104 FAX (620) 793-3536

INVOICE NUMBER: C47793-IN

BILL TO:

LOEWEN OPERATING INC PO BOX 335 CANTON, KS 67428-0335

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE ORD	ORDER SPECIA		L INSTRUCTIONS	
09/13/2021	47793		09/10/2021	RATZLAFF #2		1	NET 30	
QUANTITY	U/ M	ITEM NO./DE	SCRIPTION		D/C	PRICE	EXTENSION	
1.00	EA	PUMP TRUCK FO	OR PLUG JOB		0.00	650.00	650.00	
2.00	HR	OVERAGE OF 4	HOURS		0.00	100.00	200.00	
50.00	sĸ	COMMON CEME	NT		0.00	13.25	662.50	
2.00	sĸ	CALCIUM CHLOF	RIDE		0.00	40.00	80.00	
300.00	LB	COTTONSEED H	ULLS		0.00	0.40	120.00	
145.00	sĸ	60/40 POZ MIX 49	% GEL		0.00	11.47	1,663.15	
36.00	МІ	MILEAGE CEMENT PUMP TRUCK SPLIT BETWEEN 2 WELLS			50.00	4.00	72.00	
195.00	EA	BULK CHARGE			0.00	1.25	243.75	
314.28	МІ	BULK TRUCK - TO	ON MILES		0.00	1.10	345.71	
REMIT TO: P.O. BOX 4			СОВ			Net Invoice:	4,037.11	
HAYSVILLE	KS 67060		S NOT TAXABLE AND IS ID OR DELIVERY CHARC		MCPC	O Sales Tax:	322.97 4,360.08	
RECEIVED BY		NE	T 30 DAYS			=		



FIELD ORDER Nº C 47793

BOX 438 • HAYSVILLE, KANSAS 67060 316-524-1225

		316-52	24-1225	Saat 10	1600
IS AUTHOF	RIZED BY:	Lover Openty	DATE OF CUSTOMER)	- SPI 10	20_51
Address		~		State	
To Treat We As Follows:	Lease R	١ ٥-	٥٢		
Sec. Twp. Range		County	Mc Phuros	State	71
implied, and no treatment is pa our invoicing d	nable for any da prepresentation syable. There wi epartment in ac	consideration hereof it is agreed that Copeland Acie mage that may accrue in connection with said servis s have been relied on, as to what may be the results ill be no discount allowed subsequent to such date, cordance with latest published price schedules, s himself to be duly authorized to sign this order for	ice or treatment. Copeland s or effect of the servicing or 6% interest will be charged a	Acid Service has made no re	epresentation, expressed of sideration of said service of
	UST BE SIGNED (IS COMMENCE))Well Owner or Operator	Ву		
	T			Age	int
CODE	QUANTITY	DESCR	RIPTION	UNIT COST	AMOUNT
		Pung Terch Son Aly Joh	>		6 90°
	Atte	Orome of 4the min	Clover time	100 h	200 00
	socal.	Class A Car 1225/2	ad		INA 50
	asada	Culcina			800
	300°#	HILO UN	Vay.		1000
··············	\	(D-110 145) 2 1147/6	· . \.		180
	145500	100-40-4 & Poz 11/3	Sack-		1443 50
	30 mm	I way pump Toute Split	2 wells		72
48.		7			·
·					
	110				
		•			
<u> </u>					
	,	S.OKT \			101.505
	19530	Bulk Charge	***		243
	31428	Bulk Truck Miles 10 To- 10,	k		345"
		Process License Fee on	Gallons		
			TOTALI	BILLING	
manner u	at the above nder the direct	material has been accepted and used; the cition, supervision and control of the owner.	at the above service w r, operator or his agen	as performed in a good t, whose signature app	d and workmanlike ears below.
•	000				
Station	DUSKY	<i>-</i>	Well	Owner, Operator or Agent	
Remarks_	Plus	OUT 4:48			
	1	NET 30	DAYS		,



TREATMENT REPORT

old State No. 45

	,	_			Type Treatment: Amt.	Type Fluid	Sand Size Pounds of Me
Date 7/17	<u> 121</u>	intrict But	20-	O. No	BkdownBbl. /Gal.		
Company	-DUDEN	Bour	th lac	***************************************	1		
Well Name &	No Post	elak #	2 <i>0</i>	***************************************	I .		**** **********************************
Location			Field.,		Bbl. /Gal.		**** **********************************
County	$n_c the $	so _r	State.	.	FlushBbl. /Gal.		
					Treated from	.ft. to	ft. No. ft
Casing: Sixe	52	Type & Wt		Set atft.	from	.ft. to	ft. No. ft
Formation:	·····		Perf	to	from	ft. to	ft. No. ft
Formation:			Perf	to	Actual Volume of Oll/Water to Lo	and Moles	701.1 (6)
Formation:	·····		Perf	to	1		
Liner: Size	Type & W	't	. Top at	t. Bottom atft.		3 8p.	Twin
Cen	nented: Yes/No	. Perforated fr	om	ft. toft.	Auxiliary Equipment	22 77 13	<u>) </u>
Tubing: Size	≜ Wt		Swung at	ft.	Packer:	<u> </u>	Set at
Per	forated from		ft. to	tt.	Auxiliary Tools	ZW141	O do CC most 1
					Auxiliary Tools	2000 B	rpage (1 300 L
than Hole Siz	ie	. T.D		B. toft.	M5 Scales Co	WD-4-6/	Gala.
					T a N	////	
Company 1	Representativ			<u></u>	Treater_//	4//	
TIME	PRES Tubing	Casing	Total Fluid Pumped	İ	REMAR	x of	
	TWOINS	Casing					
11:45		ļ		00 10 cox	in By up to CI	ecologic to	of gom gow
		 	2631	37,00 12	ok 1 Balls to	Deenk PIR	STANTING STANTING
<u></u>			LOBBI	raver ston	n ginte poin	2 mothers ,	ME GO BB
<u> </u>	·		 	was appr	10 Die 10 Die	1775 4 CUE	77 1507 3
		ļ	1 (0)	Que rest	to see in which	Colongo 1	Modiga,
	<u> </u>	 	2130	Stept WHI	Book Aprile Dale	con the	Hat
:			19 001	Setagn	4000 Halls to Slu	W - Ia	3
			19 235	1 - C T	not ply any w	ison up oic	own hale.
			- C	DII TAIL	ONT		
-:-				12 11 035	Sua wifeline +	tarcon	0475
-:-				DOY 24	214 001101111111111111111111111111111111	1-9-0112	3112
-:-			0	Don toll	w852 Stop M	DIXE'S COL	3 eluge Add 20
:				hall-to she	×	110	2 214312 10000
:			10881	Ready Clas	0 5/2		
:			16881		or Sulfrer		
			17 RB2	18/11/20 VOOR	ut on 53 only	Water 0-	Syptace
:				All tolas	1 45 pm 55	STORY D	mpi, (2)-40
:		450		my 2 BAD	n 450"	`	17
			33881	Charal Comes	T we surker a	and do	Α
:						word Bu	redy.
-:-				Rach up	helf Location	10	
					White has been dearly and the second	Λ	
				Had trouble		tt approx	15 squele on
		1.0		ground ont	op of 145 poz d	NOW Mole	NO Charya
							<i>_</i>
-:-							
•							
$\overline{}$							
-: 							
: 1							

GRESSEL OIL FIELD SERVICE

Invoice

Page: 1

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 FAX (316) 524-1027

BURRTON, KS (620) 463-5161

♦ GREAT BEND, KS ♦ (620) 793-3366

HAYS, KS (785) 628-3220

INVOICE NUMBER: R18305-IN

BILL TO: LOEWEN OPERATING INC PO BOX 335 CANTON, KS 67428-0335

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE	ORDER	ISTRUCTIONS		
09/15/2021	18305		09/10/2021	RATZLAFF#	2	N	ET 30	
QUANTITY	U/M	ITEM NO./DE	SCRIPTION		D/C PRICE		EXTENSION	
		RISER, FILLED IN C IN TO TAG AT 2100 CHICKEN HEAD, CI CIRC UNTIL DOWN TRIP OUT, PERF 25 TRIP OUT, PUT ON	D21: ARRIVE ON LOCA CELLAR, RIG UP FOR T I', HOOKED UP PUMP T IRC DOWN 4 JOINTS, R TO 2870', CEMENT BO 50', RUN 8, CEMENT TO SWEDGE, CEMENT UN WN, CLEAN TOOLS AN	UBING, RAN RUCK AND AN 10 AND TTOM PLUG, SURFACE, TIL OUT OF				
5.00	GAL	SOLVENT			0.00	2.85	14.25	
11.00	HR	SINGLE DRUM F	POLE UNIT		0.00	240.00	2,640.00	
REMIT TO: P.O. BOX 43 HAYSVILLE,	· ·		HVL			Net Invoice: CO Sales Tax:	2,654.25 211.20 2,865.45	
RECEIVED BY	—	NE	ET 30 DAYS		•	=		

FIELD REPORT

WELL SERVICING UNITS POWER SUB & MUD PUMP WINCH TRUCK

GRESSEL OIL FIELD SERVICE, INC. Nº 18305

BURRTON, KANSAS (316) 463-5161

	WELL NO. EQUIPMENT Mud Anchor Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pubing Subs Polished Rod Standing Valve Fraveling Valve RD OF ROD BREAK AK NO. OF RODS	ORD:	ER NO COUNT RERA	. L N
PULLED FROM WELL FEET JOINTS DESCRIPTION RECORD SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator Ba Math bor Chapa, Sobby, Jam sc. Charges 2m xtl apply, -10-91- Friday-AoL, put	EQUIPMENT Mud Anchor Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve	ORD:	COUNT RERA JOINTS	AN IN WELL DESCRIPTION C
PULLED FROM WELL FEET JOINTS DESCRIPTION RECORD SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator Ba Math bor Chapa, Sobby, Jam sc. Charges 2m xtl apply, -10-91- Friday-AoL, put	EQUIPMENT Mud Anchor Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve	FEET	COUNT	AN IN WELL DESCRIPTION C
PULLED FROM WELL FEET JOINTS DESCRIPTION RECORD SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator Ba Math bor Chapa, Sobby, Jam sc. Charges 2m xtl apply, -10-91- Friday-AoL, put	EQUIPMENT Mud Anchor Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve	FEET	JOINTS	AN IN WELL DESCRIPTION C
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 134 Math bor Clarker, Sobby, James, Sc. Charges 2 math reptor,	Mud Anchor Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve	KS	JOINTS	DESCRIPTION
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Math bor Clarker, Sobby, James sc. Charges 2 math reptor,	Perforations Working Barrel Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve	KS		
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Math bor Clarker, Sobby, James, Charges 2m xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Working Barrel Hold Down Fubing Fubing Subs Pump Rods Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Math bor Clarker, Sobby, Jan sc. Charges 2m xt rept,	Hold Down Fubing Fubing Fubing Subs Pump Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	O TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Math bor Clarker, Sobby, Jan sc. Charges 2 with repto,	Fubing Fubing Fubing Subs Pump Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	D TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Moth bor Clarker, Sobby, Jam sc. Charges 2m xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Fubing Fubing Subs Pump Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	TYPE REPLACEMENT
RECOP SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13en Moth bor Clandar, Sobby, James sc. Charges 2m xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Cump Rods Rods Rod Subs Polished Rod Standing Valve Craveling Valve		SIZE AND	TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator ISa Math bor Clayer, Sobby, Jawa sc. Charges 2m x42 wppt,	Rods Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	D TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator ISa Math bor Clayen, Bobby, Jawa sc. Charges 2m x42 appt,	Rods Rods Rod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	O TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Moth bor Clarker, Sobby, James sc. Charges 2m xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx	Rods Rod Subs Polished Rod Standing Valve Craveling Valve RD OF ROD BREAK		SIZE AND	O TYPE REPLACEMENT
RECOF SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator ISa Mith bor Claylar, Bobby, Jawa sc. Charges 2m x42 appt,	tod Subs Polished Rod Standing Valve Fraveling Valve		SIZE AND	TYPE REPLACEMENT
RECOP SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13a Math bor Claylan, 3obby, Jann sc. Charges 2m x48 appt,	Standing Valve Praveling Valve RD OF ROD BREAK		SIZE AND	TYPE REPLACEMENT
RECOP SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13cm Moth bor Claylan, 30bby, Jann sc. Charges 2m x 12 mppt,	Traveling Valve		SIZE AND	O TYPE REPLACEMENT
RECOP SIZE AND TYPE OF ROD KIND OF BRE it 4345 erator 13cm Moth bor Claylan, Bobby, Jann sc. Charges 2m x 12 mppt,	RD OF ROD BREAK		SIZE AND	TYPE REPLACEMENT
it 4345 erator Ben Mith bor Charley, Sobby, Jan sc. Charges 2m x 4 mpph,			SIZE AND	TYPE REPLACEMENT
-10-21- Friday- AOL, put ler, My up Ser + My				
pup trud - chil	on liser	- S.:114	ed n	TOTAL
pump trud - 1 chill	ρ		,	- 10
purp trud - 1 about	, Ilan	-m k	o May	2100, holine
1 1 maken	Head, C	in d	Jone 4	Tout The
W PICH UNTIL	dan to	787	70, ce.	nd 130 Han
my, true out, pers	250,0	Nin	8 6	end do surs
inp out put on sure	hye ce.	ns ten	4111 6	ent out of
randon Head, My don	w et	AL,	44	(1/ 4)
GRESSEL OIL FIELD SERVICE, INC.		Com	pany_	,
Benkurt				

Invoice

Page: 1

GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 FAX (316) 524-1027

BURRTON, KS (620) 463-5161 HAYS, KS (785) 628-3220

INVOICE NUMBER: 0214780-IN

BILL TO:

LOEWEN OPERATING INC PO BOX 335 CANTON, KS 67428-0335

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE (ORDER	SPECIAL II	INSTRUCTIONS	
09/15/2021	146307		09/10/2021	RATZLAFF #2	2	N	ET 30	
QUANTITY	U/M	ITEM NO./DE	ESCRIPTION		D/C	PRICE	EXTENSION	
1.00	EA	2" X 4" STD NIP	PLE		10.00	7.00	6.30	
1.00	EA	2" STD 90			10.00	17.20	15.48	
					i			
:								
					ļ			
REMIT TO:			5115			Net Invoice:	21.78	
P.O. BOX 4 HAYSVILLI	438 E, KS 67060		BUR				1.74	
			· · · · · · · · · · · · · · · · · · ·			Invoice Total:	23.52	
RECEIVED BY		N	ET 30 DAYS	Í		[

SALES ORDER

GRESSEL OIL FIELD SERVICE, L.L.C.

P.O. BOX 438 (316) 524-1225 Haysville, Kansas 67060 Fax (316) 524-1027

Sold To:

(620) 463-5161 Burrton, Kansas)perating

(316) 321-2065 El Dorado, Kansas (620) 793-3366 Great Bend, Kansas (785) 628-3220 Havs. Kansas

Cust No. McPhuson Date 9-10-21

Vendo	r		P.O.#		Shipped		Salesperson	
QTY	UNIT	DESCRIPTION	LIST PRICE		DISCOUNT PRIC		ICE AMOUNT C	
1		2x4 nip		7.00	162			
_		2' 90°		17 20	14 7			\prod
		0.70	-	11.~	10%		 	+
								+
								<u></u>
	- ,							igspace
								
								\vdash
								<u> </u>
			+					<u> </u>
								
								<u> </u>
-+			\bot					
		Gressel Oil Field Service, Inc. reserves a security interest in the goods sold until the same paid for in full and reserves all the rights of a secured party under the Uniform Commercial						
Buyer:	1		<u> </u>		Sı	ub-Total: \$		

Terms: Net 30 Days.

Tax: \$

TOTAL: \$

Invoice

Page: 1

GRESSEL OIL FIELD SERVICE

POST OFFICE BOX 438 HAYSVILLE, KS 67060 (316) 524-1225 FAX (316) 524-1027

BURRTON, KS (620) 463-5161

♦ GREAT BEND, KS **♦** (620) 793-3366

HAYS, KS (785) 628-3220

INVOICE NUMBER: T032878-IN

BILL TO:

LOEWEN OPERATING INC PO BOX 335 CANTON, KS 67428-0335

DATE	ORDER	SALESMAN	ORDER DATE	PURCHASE (ORDER	SPECIAL INSTRUCTION	
09/30/2021	32878		09/10/2021	RATZLAFF #2	2	N	ET 30
QUANTITY	U/M	ITEM NO./DE	SCRIPTION		D/C	PRICE	EXTENSION
			ROM WEST YARD AND A	ANOTHER			
5.00	HR	80 BBL TANK TF	RUCK		0.00	95.00	475.00
					,		
						!	
]							
REMIT TO:						Not Invoice	475.00
P.O. BOX 4: HAYSVILLE			TT		MCP	Net Invoice: CO Sales Tax:	0.00
THE TENED TO SERVE	,					Invoice Total:	475.00
RECEIVED BY		N	ET 30 DAYS				
,		There will be a cha	arge of 1.5% (18% annual rate)	on all accounts over	30 days past due.		

GRESSEL OIL FIELD SERVICE, L.L.C.

Post Office Box 438 Haysville, Kansas 67060 Phone: (316) 524-1225 Fax (316) 524-1027 Post Office Box 607 Phone: (620) 463-5161 Burrton, Kansas 67020

			_	
Loeun			Date <u>1</u>	-10 2021
Company AAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAAA	Aire	rats		·
Address				N º32878
Lease Matzlass	#2		McPhason C.	د
	Description o	of Work		
Truch 132		Locded From we	80 B1	32 d
(5h)		Frem we Frem we Foroth 8	30 8 non	- dike twith
			٨	
DRIVER OF OPERATOR	_		APPROVED F	RV