KOLAR Document ID: 1598723

Confidentiality Requested:

Yes No

### Kansas Corporation Commission Oil & Gas Conservation Division

Form ACO-1
January 2018
Form must be Typed
Form must be Signed
All blanks must be Filled

# WELL COMPLETION FORM WELL HISTORY - DESCRIPTION OF WELL & LEASE

OPERATOR: License #	API No.:
Name:	Spot Description:
Address 1:	
Address 2:	Feet from  North / South Line of Section
City: State: Zip:+	Feet from _ East / _ West Line of Section
Contact Person:	Footages Calculated from Nearest Outside Section Corner:
Phone: ()	□NE □NW □SE □SW
CONTRACTOR: License #	GPS Location: Lat:, Long:
Name:	(e.g. xx.xxxxx) (e.gxxx.xxxxx)
Wellsite Geologist:	Datum: NAD27 NAD83 WGS84
Purchaser:	County:
Designate Type of Completion:	Lease Name: Well #:
New Well Re-Entry Workover	Field Name:
	Producing Formation:
☐ Oil ☐ WSW ☐ SWD	Elevation: Ground: Kelly Bushing:
☐ Gas ☐ DH ☐ EOR	Total Vertical Depth: Plug Back Total Depth:
☐ OG ☐ GSW	Amount of Surface Pipe Set and Cemented at: Feet
CM (Coal Bed Methane) Cathodic Other (Core, Expl., etc.):	Multiple Stage Cementing Collar Used?
If Workover/Re-entry: Old Well Info as follows:	If yes, show depth set: Feet
•	If Alternate II completion, cement circulated from:
Operator:	•
Well Name:	feet depth to: sx cmt.
Original Comp. Date: Original Total Depth:	
☐ Deepening ☐ Re-perf. ☐ Conv. to EOR ☐ Conv. to SWD	Drilling Fluid Management Plan
Plug Back Liner Conv. to GSW Conv. to Producer	(Data must be collected from the Reserve Pit)
Commingled Permit #:	Chloride content: ppm Fluid volume: bbls
Dual Completion Permit #:	Dewatering method used:
SWD Permit #:	Location of fluid disposal if hauled offsite:
EOR Permit #:	·
GSW Permit #:	Operator Name:
	Lease Name: License #:
Spud Date or Date Reached TD Completion Date or	Quarter Sec. Twp. S. R. East West
Recompletion Date Recompletion Date	County: Permit #:

#### **AFFIDAVIT**

I am the affiant and I hereby certify that all requirements of the statutes, rules and regulations promulgated to regulate the oil and gas industry have been fully complied with and the statements herein are complete and correct to the best of my knowledge.

**Submitted Electronically** 

KCC Office Use ONLY							
Confidentiality Requested							
Date:							
Confidential Release Date:							
Wireline Log Received Drill Stem Tests Received							
Geologist Report / Mud Logs Received							
UIC Distribution							
ALT I II Approved by: Date:							

KOLAR Document ID: 1598723

#### Page Two

Operator Name: _				Lease Name:			Well #:		
Sec Twp.	S. R.	Ea	ast West	County:					
	flowing and shu	ıt-in pressures, w	hether shut-in pre	ssure reached st	atic level, hydrosta	tic pressures, bot		val tested, time tool erature, fluid recovery,	
Final Radioactivity files must be subm						iled to kcc-well-lo	gs@kcc.ks.gov	. Digital electronic log	
Drill Stem Tests Ta			Yes No		_	on (Top), Depth ar		Sample	
Samples Sent to G	Geological Surv	ey	Yes No	Na	me		Тор	Datum	
Cores Taken Electric Log Run Geologist Report / List All E. Logs Ru	_		Yes No Yes No Yes No						
		R			New Used	on, etc.			
Purpose of Strir		Hole	Size Casing Set (In O.D.)	Weight Lbs. / Ft.	Setting Depth	Type of Cement	# Sacks Used	Type and Percent Additives	
			ADDITIONAL	CEMENTING / S	QUEEZE RECORD	I			
Purpose:		epth Ty	pe of Cement	# Sacks Used	ed Type and Percent Additives				
Protect Casi									
Plug Off Zon									
<ol> <li>Did you perform a</li> <li>Does the volume o</li> <li>Was the hydraulic</li> </ol>	of the total base f	luid of the hydraulic	fracturing treatment	_	=	No (If No, sk	ip questions 2 an ip question 3) out Page Three (	,	
Date of first Producti Injection:	ion/Injection or Re	esumed Production	/ Producing Meth	nod:	Gas Lift 0	Other (Explain)			
Estimated Production Per 24 Hours	on	Oil Bbls.					Gas-Oil Ratio	Gravity	
DISPOS	SITION OF GAS:		N	METHOD OF COMP	LETION:			N INTERVAL: Bottom	
	_	on Lease	Open Hole			mmingled mit ACO-4)	Тор	Bottom	
,	, Submit ACO-18.)				· · · · · · · · · · · · · · · · · · ·				
Shots Per Foot	Perforation Top	Perforation Bottom	Bridge Plug Type	Bridge Plug Set At	Acid	Fracture, Shot, Cer (Amount and Kind	menting Squeeze  I of Material Used)	Record	
TUBING RECORD:	Size:	Set /	At:	Packer At:					
. 5513 (1200) 10.	JIEG.			. 30.0.71					

Form	ACO1 - Well Completion
Operator	Daystar Petroleum, Inc.
Well Name	KARBER SWD-2
Doc ID	1598723

# Casing

Purpose Of String	Size Hole Drilled	Size Casing Set	Weight				Type and Percent Additives
Surface	12.25	8.625	23	100	common	100	NA
Production	7.875	5.5	14	3360	common	300	NA
Liner	4.75	4.5	10.50	3334	60/40 Poz		4% gel; 1/4% CFL

# 810 E 7<sup>TH</sup> PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report							
Ticket No	5983						
Foreman 🔬	EUIN MCCOY						
Camp Euro	/						

3,983.91

Total

Date	Cust. ID#	Lease & Well Number		Section	Township	Range	County	State
11-1-2	1 1031	KARber # 25WD		28	165	IW	SALING	ス会
Customer			Safety	Unit#	Driv	/er	SA/Me Unit#	Driver
DA	YSTAR PETR	roleum, INC.	Meeting		Alan			
Mailing Add	lress		KM	/12.	BROK	er w.		
52,2	2 N. MAIN		BW					
City		State Zip Code						
EUR	'e <i>k'A</i>	K 67045						
Inh Type	Top outside	Hole Denth		Slurry Vol. 🗷	5 866	Tuk	oing <u>I" Hyd</u>	RIL
Casing De	nth	Hole Depth Hole Size77/8 **		Slurry Wt			l Pipe	
Casing Siz	e & Wt. <u>5</u> /5	Cement Left in Casing		Water Gal/SK			ner	
	ent			Bump Plug to			M	
				•				J
Remarks:	SAFETY JY/	ecting: Pull Stips on	<u>572 (2)</u>	5149. KRN	1. HAGEIR	1UBING C	OWN ANNU	10s of 51/2
TO 26	4. 1819 up to	1" Fump 35 DBL FResh	WATER .	to C/RAN	UP ANNOLU	s of -5%	z. MIXed	108 SKS
60/4/0 /	OZMIX CEM	ent w/ 2% Gel, 1/2 # Phen	o Sea4/.	SK @ 14.74	1926 = 25	BAL S/0.	RRY. Good	<u>Lement</u>
to SUE	FACE. Shut	down, Pull 1" Tubing.	ANNU	lus Standi	ing tull o	£ ( 81778	47. Jos (	omplete.
LEFT 1	Pump TRuck	on LOCATION.						
							,,.,	
			*************************					
			***************************************	****				<u></u>
				***************************************				\$ 1 
Code	Qty or Units	Description of Product or Ser	vices			Unit P	rice	Total
	/ /	Pump Charge					0.00	1100.00
C 104	90	Mileage					20	378.00
C /07	79					<del>                                     </del>		018.00
13 200	100 200	Callin Carrier Com				141	my cm	1500 00
C 203	108 s/s 185 #	60/40 POZMIX CEMBAT		·····		14.		<u>/573.00</u>
<u>C 266                                   </u>	18S 54 *	Gel 2% Pheno Seal 1/2#/sk		11-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-		1 , 2	28 * 15 *	57.80
C 208	,37 -	1 MENO JEHL 12 JOK				/ - '	7-0	<u> 78.30</u>
(7) (- 0) f	11 1 1 1 mm	major di la				<b>+</b> , ,	10	1-00 20 2 2 3 .
C708 35	4.64 Tons	TON MINERIAS				1.5	10	<u> 584.64                                      </u>
0.115	4	111 11 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	- 1	, ,			/	273 274
C //8	/	1" Hydril, ElAVATORS, a	9785 H	2Ad		MI	<u></u>	-7.50.00
***************************************			1					
					4-6			
				**************************************				
		473				Suh To	tal.	<u>4035, 74</u> 209, 68
		THAN	1 You			<u> </u>	0/4	209.68
		, marine a m			8%	Sale	s Tax	157.85

Title

# 810 E 7<sup>TH</sup> PO Box 92 EUREKA, KS 67045 (620) 583-5561



Cement or Acid Field Report								
Ticket No	6024							
Foreman 🔏	EVIN McCoy							
Camp Eure	:KA							

Date	Cust. ID#	Leas	e & Well Number		Section	10	wnship	Range	County	<i>'</i>	State
//-10-2/	1031	KARbek	#2 SWD		28	16	S	100	SAline		Ks
Customer	_			Safety	Unit#		Driv	/er	Unit#		Driver
DAVST	AR Petr	oleum		Meeting	104		AlAN	M.			
Mailing Address	,,,,,,			KM	110		BROKER	z w.			
522 N.	MAIN			Bω							<del></del>
City		State	Zip Code	]						+-	
EUREKA		Ks	67045								
Job Type <u>イル</u>	LINER -	Hole Den	th		Slurry Vol. 34	4 Bb.	۷	-	Tubing		
Casing Depth	3334' <	Hole Siz	e		Slurry Wt. /3	3.9#			Orill Pipe		
Casing Size & W	vt. <u>4½* 10.</u>	<u>ح</u>	eft in Casing <u>O</u>		Water Gal/SK				Other		
Displacement <u>5</u>	4 BK	Displace	ement PSI-2/00		Bump Plug to	250	00 PS/	i	3PM		***************************************
Remarks: <i>SAF</i>	ety Meeti	ng: 41/2" 10	).5 #LINER Se	+ @ .3.	334 inside	5%	2 CASIN	19. B19	up to 41/2 Li	neg. (	(41/2
ID WAS FIL	Led w/ wa	ater By Brac	KEN TANK TRUC	K SERV	uce). BREAK	$< C_{I}$	Reulati	on w/.	10 BbL FRES	hWA	ter.
Good Fluid 1	Returns 7	to Surface.	MIXED 125 SA	15 60/	40 POZMIX (	.em	nt w/	4% Ge	1 1/4% CFL-1	15 @	13.9 #/
9AL = 34 BL	bl Slurry	r. Shut dow	n. wash out i	Pump &	LINES. Rel	le asc	Plug.	DISPLA	ce Plug to S	EAT O	u/54
Bbl Fresh	water. 7	INAL PUMPIN	ug PRESSURE 2	100 RS1	. Bump Plu	9 %	2500	151. Re	lease PRESS	ure.	FIOAT
Held. Shut	1N @ 0 F	251. Good C	ement Return	vs to .	SURFACE = 6	BB	6 Sluk	ry to	Pit. Job C	ompl	e≁e.
Rig down.								/		7	

Code	Qty or Units	Description of Product or Services	Unit Price	Total
104	1	Pump Charge	1/00.00	//00.00
107	90	Mileage	4.20	378.00
203	125 sks	60/40 Pozmix Cement	14.75	1843.75
266	4/30 #	Gel 4%	. 28 #	120.40
211	27 #	60/40 POZMIX CEMENT GEL 4% CFL-115 1/4%	12.10	326.70
108B	5.38 TONS	Ton Mileage 90 miles	1.40	677.88
403	1	4/2 Top Rubber Plug	53.00	53.00
685		4½ Top Rubber Plug 4½ Cement Filled Flush Joint weld on Float Shoe	413.00	413.00
-				
			Sub TotAL	4912.73
-		THANK YOU 8%	لومن ج% Sales Tax	256.66 220.55
Authoriz	ration WITNESS	ed By Jason Title	Total	4.876.62